

ALPHABETICAL INDEX

TO THE

PROCEEDINGS OF THE GEOLOGICAL SOCIETY.

[The fossils referred to are described, and those of which the names are printed in italics are also figured.]

- ABBEVILLE, fossil bones and flint implements from, 472.
- Aberdeenshire, crag strata beneath the boulder-clay, 371.
- , pleistocene deposits of, 347.
- Aberfeldy, section at, 363.
- Africa, reptilian remains from, 49.
- Alabaster of Tuscany, 484.
- Allport, S., Esq., on the discovery of some fossil remains near Bahia in South America, 263.
- Alt Ellag, section east of, 223.
- Amiens, flint-implement from the gravel near, 190.
- Ammonite-bed of Dundry Hill, 23.
- Ammonites Humphriesianus, zone of, on the Yorkshire coast, 17, 19; Murchisonæ, the zone of, in Gloucestershire, 5; in Yorkshire, 14; oxynotus, 407; Parkinsoni, the zone of, 37.
- , table of distribution of, by W. Smith, xli.
- Ammonite-zones of the Inferior Oolite, Dr. Wright on the, 5; of the Lower Lias, 389.
- Anca, Baron de M., on Bone-caves in Sicily, 106, 459.
- Anderson, Rev. Dr. J., on the yellow sandstone of Dura Den, and its fossil fishes, 136.
- Anniversary Address of the President, xxvii-lv. See also Phillips, Prof. J.
- Annual Report, i.
- Anomalina elegans, 306.
- Anomia Katerunsi, 178.
- Arca striatula, 179.
- Ardtallanaig, veins at, 423.
- Argilline or phyllade, 464.
- Arnoboll, section at, 235.
- Arrow-heads found with Cervus megaloceros in a cavern in Languedoc, 491.
- Asphalt of Trinidad, 467.
- Asterolepis and Pterichthys, 121, 127.
- Atkinson, T. W., Esq., on some bronze relics found in an auriferous sand in Siberia, 241.
- Auchenaspis-beds at Ledbury, 196.
- Auckland, New Zealand, Mr. C. Heaphy on the volcanic country of, 242; Mr. Weckes on coal-beds near, 197.
- Auriferous sand in Siberia, bronze relics found in an, 241.
- Australia, South, the geology of, 252, 253.
- Avicula contorta zone, Dr. T. Wright on the, 374.
- Award of the balance of the Donation-fund, xxvi; Wollaston medal, xxv.
- Aymestry rock at Ledbury, 193.
- Bacon Hole, 488.
- Bahia, South America, Mr. S. Allport on the discovery of some fossils remains near, 263.
- Baljik, fossil foraminifera from, 301.
- Barrett, L., Esq., on some Cretaceous rocks in the south-eastern portion of Jamaica, 324.
- Batrachian (?) tooth from the coal of Nova Scotia, 277.
- Bauerman, H., Esq., on the geology of the south-eastern part of Vancouver Island, 198.
- Bell Sound, Spitzbergen, 435, 436.
- Ben Arnoboll, section across, 234.
- Ben More of Assynt, section of, 222.
- Bernal, F., Esq., on the so-called mud-volcanos of Turbaco, 197.
- Bessarabia, freshwater deposits of, 281.

INDEX TO THE PROCEEDINGS.

- Beverley Bay, Spitzbergen, 444.
Biloculina elongata, 307.
 Birdlip Hill, Gloucestershire, section of the Inferior Oolite at, 43.
 Birnam, section across the Valley of the Tay at, 351.
 Black Point, Spitzbergen, 430, 436.
 Blue Wick, Yorkshire, the Cephalopoda-bed at, 3.
 Bone-cave at Brixham, 189; in Langue-doc, 491.
 Bone-caves in Sicily, 99, 459; the tertiary basalt of Victoria, 148; South Australia, 257, 259; South Wales, 487.
 Bones obtained by Mr. Lamont in Spitzbergen, list of, 438.
 Bosco's Den, 488.
 Boulder-clay of Vancouver Island, 202.
 Boulders in Scotland, 369.
 Breadalbane mines and minerals, Mr. C. H. G. Thost on the, 421.
 Brixham, Bone-cave at, 189.
 Brodie, Rev. P. B., on the occurrence of footsteps of Cheirotherium in the Upper Keuper in Warwickshire, 278.
 Bronze relics found in an auriferous sand in Siberia, Mr. T. W. Atkinson on some, 241.
 Bryozoa, fossil, from South Australia, 260.
 Bryozoa limestone of South Australia, 252, 255.
 Buckman, Prof. J., on some fossil reptilian eggs from the Great Oolite of Cirencester, 107.
 Bulgaria, geology of a part of, 281.
Bulimina aculeata, 303.
Bulimus Oldhamianus, 181.
 Bunbury, C. J. F., Esq., note on the flora of the Oolite by, 115.
 Bunter sandstone in the north-west district of Cheshire, 67, 69.
 Buprestidae, fossil, from Nagpur, 183.
 Burr, T., Esq., on the geology of a part of South Australia between Adelaide and the River Murray, 252.
 Burton Bradstock, section near, 47.
 Bury Cross, Hampshire, section of the strata near, 448.
 Busk, G., Esq., on fossil Polyzoa from near Mount Gambier, South Australia, 260.
Caecarina excentrica, 306.
 Cambrian rocks of the north-west coast of Scotland, 218.
 Cambridge, Polyzychonon from near, 262.
Candona candida, 267.
 Carboniferous and Permian series, fossils common to the, 415.
 Carboniferous (Lower) flora, 280.
 Carboniferous series, south-easterly attenuation of the, 78; rocks of Lesmahago, 316; of Nova Scotia, fossils from the, 268.
Cardita? pusilla, 179.
 — *variabilis*, 179.
 Caribbean formation, 462, 469.
 Caves in South Australia, 257.
 Cephalopoda-bed at Blue Wick, Yorkshire, 3.
Cerithium Leithi, 177.
 — *multiforme*, 176.
 — *subcylindraceum*, 177.
 — *Stoddardi*, 177.
 Cervus megaceros coexistent with Man, 491.
 Chalk of Kent, Mr. R. Godwin-Austen on the occurrence of a mass of coal in the, 326.
 Cheirotherium in the Upper Keuper in Warwickshire, 278.
 Chelaston near Derby, Messrs. T. R. Jones and W. K. Parker on some fossil Foraminifera from, 452.
 Cheltenham, sections of the Inferior Oolite near, 6, 8, 18; the Bone-bed near, 379; the Lias near, 408.
 Chertine or plithanite, 464.
 Cherwell, Prof. J. Phillips on the Great Oolite in the Valley of the, 115.
 Cheshire, the Bunter Sandstone in North-western, 67; the Lower Keuper sandstone and Red Mar. in the north-west district of, 67.
Chiracanthus grandissimus, 123.
 — *lateralis*, 123.
 — *pulverulentus*, 123.
Chirolepis curtus, 123.
 — *macrocephalus*, 123.
 — *ve'ox*, 123.
 Cirencester, some fossil reptilian eggs from the Great Oolite of, 107.
 Classification of the Inferior Oolite, Dr. Wright on the, 4; of the Lias, 374.
 Cleeve Hill, section at, 18.
 Coal in the Chalk of Kent, Mr. R. Godwin-Austen on the occurrence of a mass of, 326.
 Coal-measures, probable extension of the, from Warwickshire to the Thames Valley, 74; southerly attenuation of the, 74; under Oxfordshire and Northamptonshire, Mr. E. Hull on the probable depth of the, 64.
 Coal of Nova Scotia, Dr. J. W. Daw-

INDEX TO THE PROCEEDINGS.

- son on some fossils from the, 268; of New Zealand, 197; of Tuscany, 485; of Vancouver Island, 199.
- Coccosteus, Hugh Miller on, 129, 136.
- *decipiens*, 128.
- *microspondylus*, 128.
- *Milleri*, 132.
- *pusillus*, 128, 131.
- *trigonaspis*, 128.
- Codrington, T., Esq., on the probably glacial origin of some Norwegian lakes, 345.
- Colliery, Shireoak, near Worksop, 137.
- Comparative sections of the Oolite, Lias, and Trias, 81.
- Conchodus, 126.
- Copper-mines of Tuscany, 483.
- Corbicula ingens*, 179.
- Corbis elliptica*, 179.
- Corbula Oldhami*, 181.
- *sulcifera*, 181.
- Cornbrash of the Yorkshire coast, 27.
- Correbiehill, mineral veins at, 423.
- Crag strata beneath the boulder-clay in Aberdeenshire, Mr. T. F. Jamieson on, 371.
- Cretaceous period, Mr. S. V. Wood, jun. on the probable events which succeeded the close of the, 328.
- Cretaceous rocks in Jamaica, 324; of South America, 470; of Vancouver Island, 199.
- Crickley Hill, section of the Inferior Oolite at, 8.
- Cristellaria aculeata, 303.
- Crocodile, fossil remains of, from Bahia, 266, 268.
- Cu ham, section of the strata at, 309.
- Cureulionidae, fossil, from Nagpur, 184.
- Cynochampsia laniarius*, 61.
- Cypridae, fossil, from Nagpur, 186; from near Bahia, 266.
- Cypris* (?) *Allportiana*, 267.
- *conculcata*, 266.
- *cylindrica*, 186.
- *Histopi*, 187.
- *Hunteri*, 187.
- (?) *Montserratensis*, 267.
- *stranquolata*, 187.
- *subglobosa*, 186.
- Cythera elliptica*, 180.
- *Hunteri*, 180.
- *Jerdoni*, 180.
- *orbicularis*, 180.
- *Rawesi*, 180.
- *Wapsharei*, 180.
- *Wilsoni*, 180.
- Dawson, Dr. J. W., on a terrestrial mollusk, a chilognaethous myriapod, and some new species of reptiles from the coal-formation of Nova Scotia, 268.
- Deeva Bay, Spitzbergen, glacier in, 431.
- Delesse, M. A., on fossil incised bones, 476.
- Dendrerpeton Acadianum*, 273.
- Devonian fishes, Sir P. G. Egerton on the nomenclature of the, 119.
- flora, Prof. Goepfert on the, 279.
- Dicynodon (Ptychognathus) declivis*, 49.
- Dicynodont reptiles, admeasurements of skulls of, 58.
- Dinnet, section of the Moor of, 352.
- Dinosaur, fossil vertebra of, from Bahia, 266, 268.
- Diorite of Tuscany, 481.
- Diplacanthus gibbus*, 123.
- *perarmatus*, 123.
- Diplopterus gracilis*, 123.
- *macrolepidotus*, 124.
- Dipterus brachypygopterus*, 125.
- *macropygopterus*, 125.
- *Valenciennesi*, 125.
- Distribution of Ammonites, by W. Smith, xli; of land and sea at the lower Permian period, 65; of marine Invertebrata in time, xlv.
- Dogger at Blue Wick, 15.
- Dolomites, Mr. T. S. Hunt on the formation of gypsums and, 152.
- Donations to the Library, x, 82, 203, 330, 498; to the Museum, ix.
- Dorking, *Polyptychodon* from the lower chalk at, 262.
- Dorsetshire, Inferior Oolite of, 36.
- Downton sandstone at Ledbury, 195.
- Drakenberg Mountain, South Africa, reptilian remains from, 61.
- Drift and rolled gravel of the north of Scotland, T. F. Jamieson, Esq., on the, 347.
- Drift-wood of Spitzbergen, 151, 432.
- Dundry Hill, section of, 21.
- Dura Den, the Rev. Dr. J. Anderson on the Yellow Sandstone of, 136.
- Durness, the tract of, 227.
- Earthquakes in Venezuela, 469.
- East Indies, tertiary deposits associated with trap-rock in the, 154.
- Egerton, Sir P. G., palaeontologic note, No. 12, on the nomenclature of the Devonian fishes, by, 119.
- Elephant remains in Eng and Wales, 491.
- Elgin, Mr. C. Moore on the reptiferous sandstones of, 445; Rev. W. S. Symonds on the reptiferous sandstones near, 458.

INDEX TO THE PROCEEDINGS.

- Equisetites columnaris*, A. de Zigno on the, 113.
 — Koenigii, 113.
 Eriboll and Hope, sections across Lochs, 326.
 Eriboll House, section of the quartz-rock and gneissose beds above, 231.
 Eruptive rocks of the north of Scotland, Sir R. I. Murchison on the, 215.
 Estuarine deposits at Yarmouth, 450.
 Etheridge, R., Esq., note on Dundry Hill by, 21.
 Euphotide of Tuscany, 481.
 Falconer, Dr. H., on the ossiferous Grotta di Maccagnone near Palermo, 99; further observations on the ossiferous caves near Palermo, 189; on the ossiferous caves of the Peninsula of Gower in Glamorgan-shire, South Wales, 487.
 Fimbria-bed of Gloucestershire, 12.
 Fishes, Sir P. G. Egerton on the nomenclature of the Devonian, 119.
 Fish-remains from Bahia, South America, Sir P. Egerton on some, 265.
 Flint implements in bone-caves in Sicily, 104, 460; from the gravel near Amiens, 190; of the Valley of the Somme, lii.
 Flora of the Oolite, Baron A. de Zigno on the, 110.
 Flora of the lower palæozoic formations, Prof. H. R. Goepfert on the, 279.
 Flower, J. W., Esq., on a flint-imp'ement recently discovered at St. Acheul, near Amiens, 190.
 Foraminifera, fossil, from New Zealand, 251; from South Australia, 261.
 Foraminifera of the Mediterranean, 292.
 Fossil and recent Foraminifera, 292.
 Fossil Cypridæ from Bahia, 266; from Nágpur, 186.
 — Foraminifera from Chellaston near Derby, 452.
 — fishes of the Yellow Sandstone of Dura Den, 136.
 — insects from Nágpur, 182.
 — reptilian eggs from the Great Oolite of Cirencester, Prof. J. Buckman on some, 109.
 — reptilian remains from South Africa, Prof. Owen on some, 49.
 Fossil shells from the bone-cave of Maccagnone, 106; the freshwater strata of Central India, description of, by the Rev. Stephen Hislop, 166.
 Fossil vertebræ from near Frome, Somersetshire, 492.
 Fossils from Auckland, New Zealand, 251; near Bahia, in South America, 263; near Gosport, 448; Spitzbergen, 442; the coal of Nova Scotia, 268; the grey chalk near Guildford, 324.
 Freshwater deposits of Bessarabia, Moldavia, Wallachia, and Bulgaria, Captain T. Spratt on the, 281.
 Freshwater strata and fossils of Central India, 154.
 Frocester Hill, section of the Inferior Oolite at, 9.
 Frome, Somersetshire, Polyptychodon from near, 263; small fossil vertebræ from, 492.
 Fuller's earth, limited extension of the, 72.
Fusus pygmaeus, 176.
 Gabbro of Tuscany, 481.
Galesaurus planiceps, 58.
 Gault at Culham, 309.
 Geikie, A., Esq., on the Old Red Sandstone of the South of Scotland, 312.
 Geological time, 1.
 Geology of South Australia, Mr. Selwyn on the, 252, 253; of Spitzbergen, Mr. J. Lamont on the, 150; Vancouver Island, M. H. Baerman on the, 198.
 Gisborne, bone-cave in the tertiary basalt near, 148.
 Glacial origin of some Norwegian lakes, Mr. T. Codrington on the, 345.
 Glacier in Deeva Bay, Spitzbergen, 431; on the south-east coast of Spitzbergen, 429.
 Glastonbury Tor, section of, 34.
 Glen Derry, 357.
 Glenqueich, iron-ore at, 425.
 Globigerina helicina, 305.
 Gloucestershire and Yorkshire, the Inferior Oolite of, 1.
 Glyptolemus Kinnairdii, 137.
 Glyptolepis, 125.
 Gneiss, fundamental, of the north of Scotland, 215.
 Gneissose rocks of Sutherland and Ross, 237.
 Godwin-Austen, R., Esq., on some fossils from the grey chalk near Guildford, 324; on the occurrence of a mass of coal in the chalk of Kent, 326.
 Goepfert, Prof. H. R., on the flora of the Silurian, Devonian, and Lower Carboniferous formations, 279.
 Gold-bearing quartz-veins of Victoria, 145; rocks of Venezuela, 463; sand of Siberia, 241; veins at Loch Earn, 425.

INDEX TO THE PROCEEDINGS.

- Gold-drifts of Victoria, 150.
 Gosport, Mr. J. Pilbrow on a well-section near, 447.
 Gower, in Glamorganshire, Dr. H. Falconer on the ossiferous caves of the Peninsula of, 487.
 Grampians, Prof. R. Harkness on the Old Red Sandstone and metamorphic rocks of the, 312.
 Granitone of Tuscany, 481.
 Gravel, rolled, of Aberdeenshire, 347.
 Gravels from Spitzbergen, Mr. J. Prestwich on the, 438.
 Great Oolite in the Valley of the Cherwell, Professor J. Phillips on the, 115; Mr. E. Hull on the zones of the, 72; of Cirencester, Prof. J. Buckman on fossil reptilian eggs from the, 107.
 Grey chalk near Guildford, 324.
 Grey limestone of Yorkshire, fossils of the, 29.
 Gristhorpe Bay, Yorkshire, section from the Cornbrash to the Millepore-bed in, 25.
 Gryllite-grit of Gloucestershire, 7, 39, 44.
 Guildford, Mr. R. Godwin-Austen on some fossils from the grey chalk near, 324.
 Gypsums and dolomites, Mr. T. S. Hunt on the formation of, 152.
 Gyrotychius angustus, 126.
 — diplopteroides, 126.
 Harkness, Prof. R., on the association of the lower members of the Old Red Sandstone and the metamorphic rocks on the southern margin of the Grampians, 312; sections by, in the North-western Highlands, 221, 223, 230, 235.
 Heaphy, C., Esq., on the volcanic country of Auckland, New Zealand, 242.
 Hecla Cove, Spitzbergen, 444.
Hemitoma multiradiata, 178.
 Hippurite-rock of Jamaica, 325.
 Holoptychius Andersoni, 126, 136.
 — Flemingi, 126, 136.
 — princeps, 126.
 — Sedgwicki, 126.
 Hislop, Rev. S., description of fossil shells from the freshwater strata of Nagpur and neighbouring parts of Central India, by, 160; on the tertiary deposits associated with trap-rock in the East Indies, 154.
 Hislopite, 160.
 Horner, L., Esq., note to M. Lartet's paper on fossil incised bones, 475; on the rock-specimens from Spitzbergen, collected by Capt. Parry and Lieut. Foster, 442.
 Hot springs of Venezuela, 468.
 Hull, E., Esq., on the south-easterly attenuation of the lower secondary formations of England, and the probable depth of the coal-measures under Oxfordshire and Northamptonshire, 63.
 Hunt, T. S., Esq., on the formation of gypsums and dolomites, 152.
 Hunterite, 161.
Hydrobia Bradleyi, 178.
 — Carteri, 178.
 — Elliotti, 178.
Hylonomus acidentatus, 275.
 — Lyellii, 274.
 — Wymani, 276.
 Hyoid apparatus of *Oudenodon*, 56.
 Ice Sound, Spitzbergen, 435, 436.
 Igneous rocks of Sutherland, 232; of Tyndrum, 423, 427; of Vancouver Island, 198.
 Incised bones, fossil, M. Lartet on, 471.
 India, freshwater strata and fossils of Central, 154.
 Inferior Oolite in Gloucestershire, attenuation of the, 71.
 — of Gloucestershire and Yorkshire, Dr. T. Wright on the, 1.
 Insects, fossil, from India, 182.
 Iron-ore of Glenqueich, 425; in the Shireoak Colliery, 140.
 Italy, fossil foraminifera of, 297.
 Jamaica, Mr. L. Barrott on some crataceous rocks in the south-eastern portion of, 324.
 Jamieson, T. F., Esq., on crag-strata in Aberdeenshire, 492; on the drift and rolled gravel of the North of Scotland, 347; on the occurrence of crag-strata beneath the boulder-clay in Aberdeenshire, 371.
 Jervis, W. P., Esq., on some miocene rocks and minerals of Tuscany, 480.
 Jones, T. Rupert, Esq., and W. K. Parker, Esq., on some fossil foraminifera from Chellaston near Derby, 452; on the foraminifera from the Bryozoan limestone near Mount Gambier, South Australia, 261; on the rhizopodal fauna of the Mediterranean, compared with that of the Italian and some other tertiary deposits, 293.
 Jones, T. Rupert, Esq., reply on receiving the balance of the proceeds of the Wollaston-fund, xxvi; on some fossil Entomostraca from Mont-

INDEX TO THE PROCEEDINGS.

- serrate, South America, 266; on fossil Cypridæ from Nâgpur, 186.
- Jurassic flora, 110.
- Jurensis-bed of the Upper Lias, 8, 10.
- Kent, coal in the chalk of, 326.
- Keuper and Bunter sandstones, unconformity of the, 77.
- of Warwickshire, footsteps of Cheirotherium in the, 278.
- Killamarsh, section from the Shireoak Colliery to, 142.
- Kinmeridge Clay at Culham, 310.
- Kirkby, J. W., Esq., on the occurrence of *Lingula Credneri*, Geinitz, in the coal-measures of Durham, and on the claim of the Permian rocks to be entitled to be a system, 412.
- Kirtlington, section of the strata at the, 117.
- Knorria, 281.
- Kursk, Russia, *Polyptychodon* from, 262.
- Lakes in Norway, Mr. Codrington on some, 345.
- Lammermuir Hills, Mr. Geikie on the, 320.
- Lamont, James, Esq., notes about Spitzbergen in 1859 by, 428; remarks on the geology of Spitzbergen by, 150.
- Lancaster, J., Esq., and C. C. Wright, Esq., on the sinking at Shireoak Colliery, Workop, to the "Top Hard Coal" or "Barnsley Coal," 137.
- Land and sea, distribution of, in the secondary period, 65, 74.
- Land-shell, fossil, from Nova Scotia, 270.
- Languedoc, arrow-heads found with *Cervus megaceros* in a cavern in, 491.
- Lartet, Mons. E., on some arrow-heads and other instruments found with horns of *Cervus megaceros* in a cavern in Languedoc, 491; on the coexistence of man with certain fossil bones, from various pleistocene deposits, bearing incisions made by sharp instruments, 471.
- Leckhampton Hill, section of the Inferior Oolite at, 6, 39.
- Ledbury, Rev. W. S. Symonds on the section at, 193.
- Lepidotus*, fossil, from Bahia, 266, 268.
- Lesmahago, Mr. A. Geikie on the geology of, 313.
- Lias and Oolite, junction of the, north of Oxford, 115.
- Lias in Gloucester, sections of, 8, 10, 21; Yorkshire, section of the Upper, 33; Lower, of the South of England, 374; south-easterly thinning-out of the, 70.
- Library Committee, report of the, iv.
- Life, distribution of, xlv; succession of, xlviii; zones of, xxxviii.
- Lignite of New Zealand, 197; Tuscany, 485; Vancouver Island, 199.
- Lima-beds of the Lower Lias, 398.
- Limnaea attenuata*, 172.
- *oviformis*, 172.
- *spina*, 172.
- *subulata*, 172.
- *Telankhedicensis*, 172.
- Lingula-bed at Blue Wick, 4.
- Lingula *Credneri* in the coal-measures of Durham, 412.
- Linksfield, near Elgin, Mr. C. Moore on the so-called Wealden-beds at, 445.
- Lituola *Soldanii*, 307.
- Llanos of Venezuela, 466; Loch Eriboll, section across, 229.
- Loch More, section on the south bank of, 226.
- Lomatius Hislopi*, 182.
- London Clay at Great Yarmouth in Norfolk, Mr. J. Prestwich on the presence of the, 449.
- Lower Keuper sandstone and red marl in Cheshire, 67, 69; in East Warwickshire, 69.
- Lower Lias, attenuation of the, 70; of the South of England, Dr. T. Wright on the, 374.
- Lower Old Red Sandstone, Mr. Geikie on the, 314.
- Lower palaeozoic flora, 279.
- Lower Permian beds of Central England, 64.
- period, distribution of land and sea at the, 65.
- Lower secondary rocks, Mr. E. Hull on the south-easterly attenuation of the, 67.
- Low Island, Spitzbergen, 443.
- Lucina (Kellia?) nana*, 179.
- *parva*, 179.
- Ludlow rock at Ledbury, 195.
- Lycett, Dr. J., note on *Trigonia composita*, 16; *Trigonia formosa*, 41; note on *Trigonia producta*, 45.
- Maccagnone near Palermo, Dr. H. Falconer on the ossiferous Grotto di, 99.
- Malaga, fossil foraminifera from, 299.
- Malta, fossil foraminifera from, 296, 300.
- Man, M. E. Lartet on the coexistence of, with certain extinct animals, 471, 491.

INDEX TO THE PROCEEDINGS.

- Mansfield, the Permian rocks and Trias near, 75.
 Marble Point, Spitzbergen, 443.
 Marginulina hirsuta, 302.
 — Lituus, 303.
 Marlstone of the Cotteswold Hills, 70.
 Meal Uaine, drift on, 359; section across the Tummel Valley at, 361; section along the ridge of mica-slate at, 364.
 Mediterranean, Messrs. T. R. Jones and W. K. Parker on the rhizopodal fauna of the, 292.
Melania Hunteri, 166.
 — quadrilineata, 166.
 — *terebriiformis*, 266.
Meristos Hunteri, 184.
 Metamorphic rocks of Vancouver Is'and, 198.
 Mica-schists of Breadalbane, 421.
 Miliola Seminulum, 307.
 Millepore-bed, fossils of the, 32.
 Miller, Hugh, extracts of letters received by Sir P. G. Egerton from, 129-136.
 Minchin Hole, 488.
 Mineral veins of Breadalbane, 422; of Venezuela, 463.
 Miocene rocks and minerals of Tuscany, Mr. W. P. Jarvis on some, 480.
 Moldavia, freshwater deposits of, 281.
 Montserrat, South America, fossils from, 265.
 Moore, C., Esq., on the so-called Wealden-beds at Linksfield near Elgin, and the reptiferous sandstones of Elgin, 445.
 Morris, Prof. J., list of fossils from near Gosport by, 448; on some fossil shells from Montserrat, 266.
 Mosquito Plains, 255, 257.
 Mount Gambier, 252, 258; Schanck, 252, 258; Wellington, New Zealand, 249.
 Mud-volcanos of Turbaco, near Cartagena, 197.
 Murchison, Sir R. L., supplemental observations on the order of the ancient stratified rocks of the north of Scotland, and their associated eruptive rocks by, 215.
 Murray, A., Esq., notes on some fossil insects from Nagpur by, 112.
 Murray River, tertiary strata near the, 252, 253.
 Muschelkalk, subærial conditions during the formation of the, 76.
 Museum Committee, report of the, ii.
 Myriapod fossil from Nova Scotia, 272.
 Nagpur, Mr. A. Murray on some fossil insects from, 182; Mr. S. Hislop on the freshwater strata and fossils of, 154; Mr. T. Rupert Jones on fossil Cypridæ from, 186.
 Nanaimo River, strata and fossils of, 199.
 Narbaddá, freshwater fossils from, 181.
Natica Stoddardi, 176.
 New Zealand, coal in, 197; the volcanic phenomena of, 242.
 Nodosaria hirsuta, 302.
 — longicauda, 302.
 — ovicula, 302.
 — Pyruca, 302.
 Nodosarina, 453.
 Nomenclature of the Devonian fishes, Sir P. Egerton on the, 119.
 Nonionina Scapha, 306.
 — spheroides, 306.
 Norfolk, London Clay in, 449.
 Northamptonshire, the probable depth of the coal-measures under, 64.
 North of Scotland, Sir R. I. Murchison on the order of the ancient stratified rocks of the, 215.
 Norwegian lakes, Mr. T. Codrington on the probably glacial origin of some, 345.
 Nova Scotia, Dr. J. W. Dawson on some fossils from the coal of, 268.
Nubecularia lucifuga, 453, 455.
 — *Tibia*, 455.
Nucula pusilla, 179.
 Nussdorf, fossil foraminifera from, 301.
 Ofiotece, 483.
 Old Red Sandstone and the metamorphic rocks of the Grampians, 312.
 Old Red Sandstone, fishes of the, 119.
 — of the South of Scotland, Mr. A. Geikie on the, 312.
 Oolite, attenuation of the, 71; Baron A. de Zigno on the flora of the, 110; Great, near Oxford, 116; of Cirencester, fossil eggs from the, 107.
Oolithes Bathonicæ, 108.
 Ossiferous Grotta di Maccagnone, near Palermo, the, 99.
 Osteolepis arenatus, 124.
 — brevis, 124.
Ostrea Pangadiensis, 178.
 Oudenodon, hyoid apparatus of, 56.
Oudenodon Bainii, 55.
 — Greyii, 56.
 — prognathus, 55.
 Owen, Prof. R., on some remains of Po'yptychodon from Dorking, 262; on some reptilian fossils from South Africa, 49; on some small fossil vertebræ from near Frome, Somersetshire, 492.

INDEX TO THE PROCEEDINGS.

- Oxford, probable section under, 80 ;
 Prof. J. Phillips on some sections of
 the strata near, 115, 307.
- Oxfordshire and Northamptonshire,
 Mr. E. Hull on the probable depth
 of the coal-measures under, 64.
- Palæozoic flora, 279 ; period, land and
 sea in the later, 74.
- Palermo, fossil foraminifera from, 300 ;
 ossiferous cave near, 99.
- Palichthyologic notes, No. 12, by Sir
 P. G. Egerton, 119.
- Paludina acicularis*, 167.
 — *conoidea*, 169.
 — *Deccanensis*, 167.
 — *normalis*, 166.
 — *Pyramis*, 167.
 — *Rawesi*, 169.
 — *Sankeyi*, 168.
 — *soluta*, 169.
 — *subcylindracea*, 168.
 — *Taktiensis*, 169.
 — *Virapai*, 170.
 — *Wapsharei*, 167.
- Parian formation, newer, 466, 469 ;
 older, 463, 469.
- Parker, W. K., Esq., and T. R. Jones,
 Esq., award of the balance of the Do-
 nation-fund to, xxvi ; on fossil fora-
 minifera from South Australia, 261 ;
 on the rhizopodal fauna of the Me-
 diterranean, 293.
- Parry, Capt., and Lieut. Foster, rock-
 specimens from Spitzbergen, brought
 by, 442.
- Passage-beds from the Silurian to the
 Old Red Sandstone, 193.
- Paviland Cave, 490.
- Pea-grit of Gloucestershire, 7, 11.
- Peak, Robinhood's Bay, section at the,
 14.
- Pebble-bed, formation of a, 349.
- Pentland and Lammermuir Hills, Mr.
 A. Geikie on the, 320.
- Permian sand-rock near Worksop, 142 ;
 rocks and trias near Mansfield, 75 ;
 Mr. Kirkby on the claim of the, to
 be entitled a system, 412.
- Perna-bed of the Cotteswolds, 42.
- Perna melanogrinoides*, 178.
- Phaneropleuron *Andersoni*, 137.
- Phillips, John, Esq. (President), Ad-
 dress on presenting the Wollaston
 Medal to Searles V. Wood, Esq.,
 xxv ; address to Mr. T. Rupert Jones
 and Mr. W. Kitchen Parker on giving
 them the residue of the Wollaston
 Donation-fund, xxvi ; Anniversary
 Address, February 17, 1860, xxvii ;
Notices of deceased Fellows:—Mr.
 William Anstice, xxvii ; Mr. William
 John Broderip, xxvii ; Mr. John
 Brown, xxvii ; Mr. Joseph Carne,
 xxviii ; Earl Cathcart, xxviii ; Dr.
 J. G. Croker, xxviii ; Sir I. L. Gold-
 smid, Bart., F.R.S., xxviii ; Mr.
 William Kennett Loftus, xxviii ; Mr.
 David Mushet, xxix ; Sir G. T.
 Staunton, F.R.S., xxix ; Mr. Samuel
 Stuchbury, xxix ; Prof. Cleveland,
 xxix ; Alexander von Humboldt, xxix ;
 Archduke John of Austria, xxx ;
 progress of geology and palæontolo-
 gy, xxxi ; palæontological data,
 xxxii ; provinces in space, xxxv ;
 provinces in time, xxxvi ; zones of
 life, xxxviii ; the distribution of am-
 monites, with a table of their dis-
 tribution, drawn up by John Phil-
 lips, under the direction of William
 Smith, in 1817, xli ; beds below the
 Chalk, xlii ; palæontological periods,
 xliii ; table of the distribution in
 time of certain classes of marine in-
 vertebrata, xlv ; physiological rela-
 tions, xlv ; succession of life, xlvi ;
 geological time, l ; conversion of
 geological into historical time, li ;
 the gravel of the Valley of the Somme
 with worked flints, lii ; conclusion,
 lv.
- Phillips, Prof. J., on some sections of
 the strata near Oxford, 115, 307.
- Physa Princepii*, 173.
- Physical geography of the Trias, 74.
- Piibrow, J., Esq., on a well-section
 near Gosport, 447.
- Pisidium Medicottianum*, 181.
- Placodermata, 127.
- Planularia pauperata*, 454.
- Platygnathus *Jamesoni*, 126.
- Polyptychodon interruptus, from the
 Lower Chalk at Dorking, Prof. Owen
 on some remains of, 262.
- Polyptychodon, remains of the, from
 near Frome, Somerset, 263 ; from
 the Upper Greensand near Cam-
 bridge, 262, 263 ; from the Green-
 sand of Kursk, Russia, 262, 263.
- Polystomella *craticulata*, 306.
 — *crispa*, 306.
- Polytrema *miniacea*, 303.
- Porcellanite or thermantide, 467.
- Prestwich, J., Esq., description of some
 gravels from Spitzbergen, 438 ; on a
 raised beach in Mewside Bay, and
 the occurrence of the boulder-clay
 on Cefn-y-bryn, 487 ; on the bone-
 cave at Brixham, 189 ; on the pre-
 sence of the London Clay in Nor-
 folk, as proved by a well-boring at
 Yarmouth, 449.

INDEX TO THE PROCEEDINGS.

- Provinces in space, xxxv; in time, xxxvi.
- Psammodia Jonesi*, 180.
- Pseudoliva elegans*, 176.
- Pterichthys* and *Asterolepis*, 121, 127.
- Ptychognathus declivis*, 51.
- *verticalis*, 54.
- *latirostris*, 51.
- Pupa vetusta*, 270.
- Pylle Hill, section at, 445.
- Quartz-reefs, gold-bearing, of Victoria, 146.
- Quinqueloculina pulchella*, 307.
- *Schreibersii*, 307.
- *secans*, 307.
- *vulgaris*, 307.
- Rájjámandri, estuarine fossils from, 176.
- Rangitote Island, New Zealand, 269.
- Raven's Cliff Cavern, 490.
- Ravensgate Hill, section of the Inferior Oolite at the, 39.
- Recent and fossil Foraminifera, 292.
- Recent shells from Spitzbergen, list of, 437.
- Red Marl in Cheshire, 68, 69; in East Warwickshire, 69.
- Report, Annual; of the Library and Museum Committee, ii.
- Reptilian eggs, fossils from the Great Oolite, 107; fossils from South Africa, Prof. Owen on some, 49; remains from Bahia, 268; from the coal-measures of Nova Scotia, 273.
- Reptiliferous sandstones near Elgin, the Rev. W. S. Symonds on the, 458; Mr. C. Moore on the, 445.
- Rhinoceros remains in England and Wales, 691.
- Rhizopodal fauna of the Mediterranean, Messrs. T. R. Jones and W. K. Parker, on the, 292.
- Robin Hood's Bay, section of the Inferior Oolite near, 14.
- Rock-specimens from Spitzbergen, collected by Capt. Parry and Lieut. Foster, 442.
- Rodborough Hill, Gloucestershire, section of the Inferior Oolite at, 44.
- Ross and Sutherland, geology of, 215.
- Rotalia ammoniformis*, 305.
- *Beccarii*, 305.
- (*Calcarina*) *Spengleri*, 306.
- *elegans*, 305, 306, 452, 455.
- *excavata*, 305.
- *Patella*, 306.
- (*Planorbulina*) *farcta*, 305.
- *repanda*, 305.
- *Turbo*, 306.
- *vermiculata*, 305.
- St. Acheul, flint implements from the gravel at, 190.
- Salter, J. W., Esq., on the fossils brought from Spitzbergen by Mr. Lamont, 439.
- San Ciri, bone-cave of, 100.
- Scotland, Old Red Sandstone of, 312; Sir R. I. Murchison, of the geology of north-western, 215; the drift of northern, 347.
- Section across the gneiss hills, north of Bahia, 264; the Permian rocks and Trias near Mansfield, 75; at Aust Cliff, 380; Binton, Warwickshire, 394; Brockeridge and Deford Commons, 393; Coombe Hill near Cheltenham, 379; Culham, South of Oxford, 302; Garden Cliff near Westbury-on-Severn, 378; Linksfield, 446; Montserrat, South America, 265; Penarth Cliff near Cardiff, 38; Pylle Hill, 445; Shireoak Colliery, Worksop, 138, 143; Street, Somerset, 390; Takli, 158; the Plantain-garden River, Jamaica, 325; Uphill, 445; Wainlode Cliff on the Severn, 379; Wilmcote near Stratford-on-Avon, 386; Yarmouth, 450; from Broad Ledge to Cornstone Ledge near Charmouth, 405; the Cornbrash to the Millpore-bed in Grinstead Bay, Yorkshire, 25; the Shireoak Colliery to Killamarsh, 142; near Burton, Bradstock, 47; near Bury Cross, Hampshire, 448; Cirencester, 197; Te ankiedi, 156; Weston-super-Mare, 382; Dundry Hill, 21; of the Inferior Oolite near Robin Hood's Bay, Yorkshire, 14; of the junction of the Lias and Oolite, north of Oxford, 116; of the Lias near Cheltenham, 408; Lower Lias at Saftord, 399; the Passage-beds at Ledbury, 194; Steppe Deposits near Babel, Bessarabia, 287; Steppe Deposits near Inputsitza, Moldavia, 286; strata at Kirtlington, north of Oxford, 117; on the south side of the Danube near Tulcha, 288.
- Sections at Lake Rascim, 291, 292; at Lyme Regis, 400, 404; in Vancouver Island, 200; near Nággur, 156, 158; of Lesmahago and the Pentland Hills, 322; the drift and gravel of Aberdeenshire, 351, 352, 357, 359, 361; the gneiss and overlying rocks of the North-west of Scotland, 217, 226, 234; Inferior Oolite in Gloucestershire, 6, 8, 9, 18, 40, 42, 43, 44; Somersetshire and Dorset, 34; Steppe De-

INDEX TO THE PROCEEDINGS.

- posits in Moldavia, 285, 286; strata near Oxford, 307.
- Selwyn, A. R. C., Esq., Notes on the Geology of Victoria by, 145.
- Serpentine of Corycharmaig, 425; of Tuscany, 481.
- Serpula-bed at Bluc Wick, 4.
- Serrania of Venezuela, 463.
- Shargan River, gold-mines near, 241.
- Shireoak Colliery, Worksop, Messrs. J. Lancaster and C. C. Wright on the sinking for coal at, 137.
- Siberia, T. W. Atkinson, Esq., on some bronze relics found in an auriferous sand in, 241.
- Sicily, bone-caves in, 99, 459.
- Silurian flora, 279.
- Silurian rocks of Lesmahago, 313; South Australia, 149; the North-west Highlands, 220.
- Smith, W., a table of the distribution of Ammonites by, xli.
- Somme, gravel and flints of the Valley of the, lii, 190.
- South Africa, Professor Owen on some reptilian fossils from, 49.
- South America, fossils from, 263.
- South Australia, Mr. Burr on the geology of, 252; the Rev. Julian E. Woods on some Tertiary rocks in the colony of, 253.
- South-easterly attenuation of the Lower Secondary rocks, 67.
- South of Scotland, the Old Red Sandstone of the, 314.
- South Wales, bone-caves of, 487.
- Spirillina vivipara, 303.
- Spiroloculina limbata, 307.
- Spitzbergen, Mr. J. Lamont on the geology of, 150, 428.
- Spratt, Captain T., on the freshwater deposits of Bessarabia, Moldavia, Wallachia, and Bulgaria, 281.
- Stigmaria ficoides, 281.
- Stonehouse, Gloucestershire, section of the Inferior Oolite near, 9.
- Stour Fiord in Spitzbergen, 151, 434.
- Strata, causes of variations in the persistency of, 78.
- Striated rock-surfaces in Scotland, 363.
- Succession of life, xlviii; of the rocks in the North-west of Sutherland and Ross, 217.
- Succinea Nappurensis*, 171.
- Sutherland and Ross, geology of, 215.
- Symonds, Rev. W. S., on the passage-beds from the Upper Silurian rocks into the Lower Red Sandstone at Ledbury, 193; on the physical relations of the reptiliferous sandstones near Elgin, 458.
- Table of recent and fossil Foraminifera from the Mediterranean and Euxine areas, 302; of the fishes of the bone-bed, 388; fossil foraminifera from Chellaston near Derby, 457; zone of *Avicula contorta* and Lower Lias, 376; showing the zones of the Lower Lias, 411.
- Tabular synopsis of the Mediterranean Rhizopoda, recent and fossil, 297; view of the Inferior Oolite in the south of England, 5.
- Tay at Aberfeldy, section across the, 363.
- Taymouth, mineral views of, 425.
- Tellina Woodwardi*, 180.
- Tertiary beds of Vancouver Island, 199; with Trap-rock, in the East Indies, Rev. S. Hislop on the, 154; of Victoria, 147; fossils of India, 154; rocks of South Australia, 252, 253.
- Thames Valley, probable extension of the Coal-measures from Warwickshire to the, 74.
- Thinning-out of the Secondary Formation of England, 63.
- Thost, C. H. G., Esq., on the rocks, ores, and other minerals on the property of the Marquess of Breadalbane in the Highlands of Scotland, 421.
- Thousand Islands near Spitzbergen, 152, 432.
- Time, provinces in, xxxvi; geological, l.
- Tomnadashan Mines, 422.
- Tordleadh, section at, 230.
- Trap-rock in the East Indies, the Rev. S. Hislop, on the Tertiary deposits associated with, 154.
- Trias, Mr. E. Hull on the, 69; near Mansfield, 75; physical geography of the, 74.
- Trigonia composita*, 15.
- *formosa*, 41.
- *producta*, 45.
- Trigonia-grit* of Gloucestershire, 7, 40, 43, 45.
- Trioculina reticulata*, 307.
- Trinidad, Mr. G. P. Wall on the Geology of, 460.
- Triplopterus Pollexfeni*, 124.
- Trochammia alternans*, 304.
- *charoides*, 304.
- *ciavata*, 304.
- *gordialis*, 304.
- *incerta*, 304.
- *inflata*, 305.
- *irregularis*, 304.
- *squamata*, 305.
- Tufa-craters in New Zealand, 246.

INDEX TO THE PROCEEDINGS.

- Tummel Valley, section across the, 361.
 Tunnel, section of the, at Ledbury, 193.
 Turbaco, salses of, 197.
 Turin, fossil foraminifera from, 300.
Turritella preelonga, 177.
 Tuscany, fossil foraminifera of, 295, 297, 456; Mr. W. P. Jervia, on some Miocene rocks and minerals of, 480.
 Tyndrum, mineral veins of, 425.
 Unconformity of the Keuper and Bunter Sandstones, 77.
Unio Carteri, 175.
 — *Deccanensis*, 174.
 — *Hunteri*, 174.
 — *imbricatus*, 175.
 — *Malcolinsoni*, 174.
 — *mamillatus*, 175.
 Uphill, near Weston-super-Mare, section at, 445.
 Upper Lias, attenuation of the, 71.
Uvigerina nodosa, 303.
Vaginulina striata, 302.
 — *Falx*, 302.
 — *marginata*, 302.
 Valley of the Somme, gravel and flints of the, lii.
Valvata decollata, 171.
 — *minima*, 170.
 — *multicarinata*, 170.
 — *unicarinata*, 170.
Valvulina angularis, 305.
 Vancouver Island, geology of, 198.
 Venetian Alps, Jurassic flora of the, 110.
 Venezuela, Mr. G. P. Wall on the geology of, 460.
Verneuilina communis, 303.
Vicarya fusiformis, 177.
 Victoria, Mr. A. R. C. Selwyn on the geology of, 145.
 Vienna Basin, the fossil foraminifera of the, 296, 300.
 Volcanic country of Auckland, New Zealand, Mr. C. Heaphy on the, 242.
 Wa'den Island, Spitzbergen, 443.
 Wallachia, freshwater deposits of, 281.
 Wall, G. P., Esq., on the geology of a part of Venezuela and of Trinidad, 460.
 Walrus in Spitzbergen, 433.
 Warwickshire, cheirotherian footprints in the Upper Keuper of, 278; Lower Lias and Bone-bed in, 394; probable extension of the Coal-measures from, to the Thames Valley, 74; Red Marl in, 69.
 Weekes, H., Esq., on the Coal formation at Auckland, New Zealand, 197.
 Well-section at Yarmouth, 449; near Gosport, 448.
 Whales, bones of, high and dry in Spitzbergen, 433.
 Wood, Searles V., Esq., award of the Wollaston Medal to, xxv; reply on receiving the Wollaston Medal, xxv.
 Wood, S. V., Esq., jun., on the probable events which succeeded the close of the Cretaceous Period, 328.
 Woods, the Rev. J. E., on some Tertiary rocks in the colony of South Australia, 253.
 Woodward, S. P., Esq., list of recent shells from Bessarabia, 290; list of recent shells from Spitzbergen, 437; list of the fossil shells from the lower freshwater deposits of Bessarabia, 286, 288.
 Wotton-under-Edge, section of the Inferior Oolite at, 9.
 Worksop, sinking for coal near, 137.
 Worton, section at, 116.
 Wright, C. C., Esq., and J. Lancaster, Esq., on the sinking for coal at Shircoak Colliery at Worksop, 137.
 Wright, Dr. T., on the subdivisions of the Inferior Oolite in the South of England compared with the equivalent beds of the formation on the Yorkshire coast, 1; on the zone of *Avicula contorta*, and the Lower Lias of the South of England, 374.
Xylobius Sigillariae, 272.
 Yarmouth, section of a well-boring at, 450.
 Yellow Sandstone of Dura Den, 136.
 Yeovil, sections near, 35.
 Yorkshire, the Inferior Oolite of, 1.
 Zeolites of Tuscany, 482, 486.
 Zigno, Baron A. de, some observations on the Flora of the Oolite by, 110.
 Zone of Ammonites Bucklandi, 398; *Am. Humphriesianus*, 17, 19; *Am. Murchisonæ*, 5; *Am. obtusus*, 404; *Am. oxynotus*, 407, 410; *Am. planorbis*, 389; *Am. raricostatus*, 407; *Am. Turneri*, 403; *Avicula contorta*, Dr. T. Wright on the, 374.
 Zones of life, xxviii.