

# GENERAL INDEX

TO

## THE QUARTERLY JOURNAL

AND

### PROCEEDINGS OF THE GEOLOGICAL SOCIETY.

[The fossils referred to are described; and those of which the names are printed in italics are also figured.]

- Acton, section in High-Terrace gravel at, 197.
- Age, geological, of British and Icelandic eruptive rocks, 56.
- Aldershot district, Bagshot beds of, 410.
- town, section across the valley of, 412.
- Alteration in rocks of N.E. Fife, 430.
- of coarsely spherulitic rocks, 183.
- Alterations of Scottish Tertiary igneous rocks, 80.
- Alvaston, section through, 460.
- America, range of British Carboniferous Ostracoda in North, 506.
- Ammonites, vertical range of the, in Swindon well-sinking, 297.
- Analyses:—of spherulitic rock of Digoed, 187; of picrite, 187; of a spheroid from pyromeride of Wuenheim, 189; of saline waters at Swindon and elsewhere, 299; of nodules from the Tufaceous Chalk of Ciplly, 328; of brown phosphatic chalk of Ciplly, 329; of rich phosphates from Cretaceous beds near Mons, 334, 335; of coal and lignite from the Cascade Coal-field, Canada, 562; of paraffin-shale from Western Servia, 565; of intrusive porphyritic and trachytic rocks of Western Servia, 566; of brown coal of Western Servia, 566.
- Andesite, altered, of N.E. of Fife, 419.
- Andesite, pyroxene-, from Northfield, Fife, 426; from Causewayhead, Fife, 426.
- Anniversary Address of the President, *Proc.* 38-115. See also Bonney, Prof. T. G.
- Annual Report for 1885, *Proc.* 8.
- Anthracitic coal of the Cascade Coal-field, Canada, 559.
- Antillia, 121.
- Archæan rocks, newer, of Shropshire, derived fragments in the, 481.
- Ascot-Chertsey district, Bagshot beds of the, 403.
- Ash (Woking district), Bagshot beds of the, 413.
- Aston, rocky beds above the chalk rock at, 244.
- Astrocenia*, Prof. P. M. Duncan on the, of the Sutton Stone and other deposits of the Infra-Lias of South Wales, 101.
- Astrocenia costata*, 108.
- *gibbosa*, 101.
- *insignis*, 105.
- *minuta*, 108.
- *parasitica*, 105.
- *pedunculata*, 110.
- *plana*, 106.
- *superba*, 108.
- Australia, Dr. W. T. Blanford on the geological age of the beds containing plants of Mesozoic type in, 249.
- Austwick, pedestal-boulders near, 530.
- Axosmia Wrightii*, 124.

- Backhouse, Mr. James, on a mandible of *Macharodus* from the Forest-bed, 309.
- Bagshot beds of the London basin, 402.
- of the Walton cutting, 158, 161, 163.
- on Walton Common, 147.
- Heath, north-west of, Bagshot beds of the, 405.
- Balæna biscayensis*, 319.
- Balænoptera sp., 322.
- Barlow-Jameson Fund, award from the, to Dr. H. J. Johnston-Lavis, *Proc.* 36.
- Basalt, altered, of N.E. Fife, 419.
- Basalts, porphyritic, 71.
- , Tertiary, of Scotland and Ireland, Prof. J. W. Judd on the, 49.
- Bather, F. A., on some recent openings in the Liassic and Oolitic rocks of Fawler, in Oxfordshire, and on the arrangement of those rocks near Charlbury, 143.
- Bathycoenia, 138.
- Beaches, old, at Teignmouth, Devon, 98.
- Becher, Mr. H. M., on some cupriferous shales in the province of Honpeh, China, 494.
- Belemnite-marls and chalk, relations between, 225.
- Belemnitella plena, Messrs. Hill and Jukes-Browne on the zone of, from Cambridge to the Chiltern Hills, 216.
- , zone of, minute structure of the, 229.
- Belgium, M. F. L. Cornet on the Upper Cretaceous series and the phosphatic beds in the neighbourhood of Mons, 325.
- Bell, Mr. R. G., and Mr. P. F. Kendall on the Pliocene beds of St. Erth, 201.
- Beyrichiopsis, 506.
- Binton, exposure of Rhætic beds near, 272.
- Birdlip, section through, 266.
- Blanford, Dr. W. T., on additional evidence of the occurrence of glacial conditions in the Palæozoic era, and on the geological age of the beds containing plants of Mesozoic type in India and Australia, 249.
- Blocks, pedestal, 527.
- Bone-caves, Dr. H. Hicks on some, in North Wales, 3.
- Bonney, Prof. T. G., on some rock-specimens collected by Dr. Hicks in N.W. Pembrokeshire, 357.
- Bonney, Prof. T. G. (President), Address on handing the Wollaston Gold Medal to Mr. Warington W. Smyth, for transmission to Prof. A. L. O. Des Cloizeaux, *Proc.* 30; Address on presenting the balance of the Wollaston Donation Fund to Mr. J. Starkie Gardner, *Proc.* 31; Address on presenting the Murchison Medal to Mr. W. Whitaker, *Proc.* 32; Address on presenting the balance of the Murchison Geological Fund to Mr. Clement Reid, *Proc.* 33; Address on presenting the Lyell Medal to Mr. W. Pengelly, *Proc.* 34; Address on handing the balance of the Lyell Geological Fund to Dr. H. Woodward, for transmission to Mr. D. Mackintosh, *Proc.* 36; Address on handing the award from the Barlow-Jameson Fund to Dr. W. T. Blanford, for transmission to Dr. H. J. Johnston-Lavis, *Proc.* 37. Anniversary Address, February 19, 1886:—*Obituary Notices of Deceased Fellows*: the Earl of Selkirk, *Proc.* 38; Dr. Thomas Davidson, *Proc.* 39; Dr. W. B. Carpenter, *Proc.* 40; Mr. D. C. Davies, *Proc.* 43; Mr. James Fergusson, *Proc.* 43; Prof. John Morris, *Proc.* 44; M. H. Milne-Edwards, *Proc.* 47; General G. von Helmersen, *Proc.* 48; Dr. G. di Tomaso Ponzi, *Proc.* 48. Address on the work done by the Society and on other matters connected with the progress of geology in this country, and on the so-called metamorphic rocks, *Proc.* 49.
- Boring at Swindon, 287.
- Borings in Kent, 26.
- Boulder-clay, Early Pennine, in the Trent basin, 443; Middle Pennine, in the Trent basin, 447; Chalky, in the Trent basin, 457; Later Pennine, in the Trent basin, 471.
- Boulder-deposits in India, South Africa, and Australia, 251-254.
- Boulders, pedestal, 527.
- Boxley Grange, boring at, 34.
- Bracknell, Bagshot beds near, 405.
- Brawdy, granitoid rocks of, 353, 361.
- Brimaston, granitoid rocks of, 353.
- Brodie, Rev. P. B., on two Rhætic sections in Warwickshire, 272.
- Brown, Mr. John Allen, on the Thames-valley Surface-deposits of the Ealing district and their associated Palæolithic floors, 192.
- Brown coals of Western Servia, 566.

- Cae Gwyn Cave, ground-plan of, 10; sections in, 12, 13, 14; flint scraper from, 11.
- Cae Gwyn and Ffynnon Beuno Caves, view showing position of the, 4.
- California brickfield, section through the, 409.
- Callaway, Dr. C., on some derived fragments in the Longmynd and newer Archaean rocks of Shropshire, 481.
- Cambrian conglomerate of Chanter's Seat, Dimetian pebbles in the, 352.
- Cambridge, the Melbourn rock and zone of *Belemnitella plena* from, to the Chiltern Hills, 216.
- Cambridgeshire, Middle Chalk of, compared with the beds between the Upper and Lower Chalk of Dover, 232.
- Canada, Rocky Mountains, the Cascade anthracitic coal-field of the, 559.
- Cant Hill, devitrified basic lavas from, 393, 395, 396, 397.
- Canterbury, boring at Chartham, south of, 35.
- Cape Breton Island, Nova Scotia, Mr. E. Gilpin on the geology of, 515.
- Carboniferous formations, British, classification of the, 496, 498.
- of the British Isles, Prof. T. R. Jones and Mr. J. W. Kirkby on the distribution of the Ostracoda of the, 496.
- limestone of Cape Breton Island, 522.
- period, evidence of glacial action during the, in India and Australia, 252.
- rocks of Cape Breton Island, 520.
- Carlion, augite-andesites from, 397-399.
- Carstone of Lincolnshire, Mr. A. Strahan on the relations of the, 486.
- Carter, Mr. James, on the Decapod Crustaceans of the Oxford Clay, 542.
- Cascade anthracitic coal-field of the Rocky Mountains, Canada, Mr. W. H. Merritt on the, 559.
- Caucasia, Dr. H. Pohlig on fossil-elephant remains of, 179.
- Causewayhead, Fife, pyroxene-andesite from, 426.
- Cetacea, Mr. E. T. Newton on the, of the Norfolk Forest-bed, 316.
- Chalk and Belemnite-marls, relations between the, 225.
- Chalk in borings in Kent, 38.
- , Lower, minute structure of the, 228.
- , Middle, of Dover, 236.
- of Dover, 232.
- Chalkshire, Chalk and Belemnite-marls of, 224, 225, 226.
- Chanter's Seat, conglomerate of, 352, 357, 362.
- Charlbury, liassic and oolitic rocks near, 143.
- Charlton Hill, conglomerates of, 483.
- Chartham, boring at, 35.
- Chatham, boring at Boxley Grange, south of, 34.
- dockyard-extension borings, 28, 29.
- Chattenden barracks, boring at, 33.
- Chellaston Hill and Spondon Hill, section through, 460.
- Chelonian, new Emydine, from the Pliocene of India, 540.
- Cheshire and South Lancashire, positions and directions of glacial striæ in, 369, 390; origin of the striæ in, 381.
- , glaciation of, 369.
- Chiltern Hills, the Melbourn rock and zone of *Belemnitella plena* from Cambridge to the, 216.
- China, Mr. H. M. Becher on some cupriferous shales in the province of Hon-pek, 494.
- Chinnor, rocky beds above the chalk rock at, 244.
- Chippenham, well at, 306.
- Chorisastræa, 127, 128.
- Ciply and Mesvin, section near, 327.
- , section through, 326; map showing extension of phosphatic chalk of, 332.
- Circophyllia, 121.
- Cladophyllia, 116.
- Clausastræa consobrina, 125.
- Coal, anthracitic, of the Rocky Mountains, Canada, 559.
- Coal-formations, Upper and Middle, of Cape Breton Island, 520.
- Coal-measures, Lower, of Cape Breton Island, 523.
- Cole, Mr. G. A. J., on the alteration of coarsely spherulitic rocks, 183.
- Columbia, British, Mr. G. W. Lampugh on glacial shell-beds in, 276.
- Conulariæ in pebbles in the Salt-Range series of India, 255, 343, 349.
- Conway mountain, compressed spherulite in rhyolite of, 186.
- Corallian beds in Swindon well-sinking, 288, 294.

- Cornbrash in Swindon well-sinking, 290; fossils of the, 293.
- Cornet, M. F. L., on the Upper Cretaceous series and the phosphatic beds in the neighbourhood of Mons (Belgium), 325.
- Cornwall, eruptive rocks from the neighbourhood of St. Minver, 392.
- Cretaceous series, Upper, in the neighbourhood of Mons, 325.
- Cricklade and Purton, saline spring at Salt's Hole, between, 300.
- Crickley, section through, 266.
- Hill, Inferior Oolite of, 268.
- Crocodile of the genus *Tomistoma* from the Miocene of the Maltese islands, 20.
- Crushing, effects of, upon rock-masses, 86.
- Crustaceans, decapod, of the Oxford Clay, 542.
- Cryptocœnia, 131.
- Crystallization of igneous rocks, 49, 78.
- Cuesmes, section near, 332.
- Cunswick Tarn, Kendal, pedestal-boulders of, 528.
- Cupiferous shales, Mr. H. M. Becher on some, in the province of Honpeh, China, 494.
- Cwmbach, granitoid rock from, 354, 362.
- Cyathocœnia, 115.
- Cyathophora, 130.
- Cyathophyllia, 121.
- Dacite near Newport, Fife, 423.
- of Tay Bridge End, Fifeshire, 427.
- Dacite-glass from Tay Bridge End, Fife, 427; perlitic structure in, 429.
- Davies, Mr. W., on animal remains from Ffynnon Beuno and Cae Gwynn caves, 17.
- Davis, Mr. J. W., on some Fish-remains from the Tertiary strata of New Zealand, *Proc.* 4.
- Deeley, Mr. R. M., on the Pleistocene succession in the Trent Basin, 437.
- Des Cloizeaux, Prof. A. L. O., award of the Wollaston Gold Medal to, *Proc.* 30.
- Devonian of Cape Breton Island, 519.
- Devonshire, Mr. G. W. Ormerod on old sea-beaches at Teignmouth, 98.
- Digoed, quartzose nodules in Silurian rhyolite of, 185.
- Dimetian rocks in North-west Pembroke-shire, 351.
- Diomedea* sp., from the Red Crag, 367.
- Dolerites, porphyritic, 70.
- , Tertiary, of Scotland and Ireland, Prof. J. W. Judd on the, 49.
- Donations to the Library and Museum, *Proc.* 123.
- Dover, boring at Convict Prison, east cliff, 35; boring at St. Margaret's, near, 37.
- , Mr. Wm. Hill on the beds between the Upper and Lower Chalk of, and their comparison with the Middle Chalk of Cambridgeshire, 232.
- Duncan, Prof. P. M., on the *Astro-cœnia* of the Sutton Stone and other deposits of the Infra-Lias of South Wales, 101.
- , on the structure and classificatory position of some Madreporaria from the Secondary rocks of England and South Wales, 113.
- Durham, Mr. James, on the volcanic rocks of the north-east of Fife, 418.
- Ealing district, Mr. J. A. Brown on the Thames-valley surface deposits of the, 192.
- Elephants, fossil, of Caucasia and Persia, 179; of Germany and Italy, 180.
- Elysastræa, 116.
- Emydine Chelonian, new, from the Pliocene of India, 540.
- England, stratigraphical distribution of Carboniferous Ostracoda in, 503; of Permian Ostracoda in, 505.
- English Channel, Mr. R. N. Worth on the existence of a submarine Triassic outlier in the, off the Lizard, 313.
- Eocene formations of Western Servia, Dr. A. B. Griffiths on some, 565.
- Epismilia, 125.
- Eribus Hill, section through, 326.
- Erinaceus*, Mr. R. Lydekker on the cranium of a new species of, from the Upper Miocene of Eningen, 23.
- *eningensis*, 23.
- Eruption, Tertiary centres of, in Scotland &c., 54.
- Eruptive rocks from the neighbourhood of St. Minver, Cornwall, 392.
- , geological age of British and Icelandic, 56; nomenclature of, 58; minerals composing, 63.
- , Scottish Tertiary, geological relations between the types of, 73; structure of, 66; origin of the structure of, 75.

- Eryma Babeaui*, 548.  
 — *Georgii*, 549.  
 — *Mandelslohi*, 546.  
 — ? *pulchella*, 550.  
 — *ventrosa*, 547.  
 — *Villersi*, 548.  
*Eryon sublevis*, 545.
- Esquimault, Vancouver Island, glacial shell-beds at, 278; section across landward end of dry dock, 279.
- Europe, range of British Carboniferous Ostracoda in, 506.
- Farleton Knot, Kendal, pedestal-boulders of, 529.
- Fawler, in Oxfordshire, Mr. F. A. Bather on some recent openings in the Liassic and Oolitic rocks of, 143.
- Felsite series, Pre-Cambrian, of Cape Breton Island, 515.
- Felsitic rocks of N.W. Pembrokeshire, 351.
- Felstone of N.E. Fife, 420.
- Ffynnon Beuno cave, ground-plan of, 5; sections in, 6, 7, 8, 9; flint lance-head from, 9.
- — and Cae Gwyn caves, view showing position of the, 4.
- Fife, Mr. James Durham and Prof. J. W. Judd on the volcanic rocks of the north-east of, 418.
- Finchampstead, section near, 409.
- Fish-remains from the Tertiary strata of New Zealand, *Proc.* 4.
- Forest-bed, mandible of *Machærodus* from the, 309.
- , Norfolk, Mr. E. T. Newton on the Cetacea of the, 316.
- Forest-marble in Swindon well-sinking, 290; fossils of the, 293.
- Fossils, lists of:—from the Gault at Chatham, 31; from the Oxford clay at Chatham, 32; from the Pliocene beds of St. Erth, 210; from the zone of *Belemnitella plena*, 231; from the Melbourn rock, 231; from the zone of *Rhynchonella Cuvieri*, 237; from the zone of *Terebatulina gracilis*, 238; from the zone of *Holaster planus*, 239; from the zones of *Micraster breviporus* and *M. cor-testudinarium*, 240; of White Oolitic Limestone (Inferior Oolite) of Gloucestershire, 270; from Rhætic deposits in Warwickshire, 272, 273; from glacial beds at Esquimault, V. I., 280; from glacial beds in British Columbia, 285; from the Kimmeridge Clay at Swindon, 291; from the Oxford Clay at Swindon, 291; from the Cornbrash at Swindon, 293; from the Forest-marble at Swindon, 293; in the White Chalk of Nouvelles, 327; in Tertiary and Quaternary deposits near Ciplý, 327; in the Tuffaceous Chalk of Ciplý, 328; from the Brown Phosphatic Chalk of Ciplý, 330; from the Chalk of Spiennes, 331; Ostracodous Crustacea from British Carboniferous rocks, 500–513; from the Oxford Clay of St. Ives, 344.
- Fragments, derived, in the Longmynd and Newer Archæan rocks of Shropshire, 481.
- Fraser valley, British Columbia, glacial shell-beds in, 284.
- Frindsbury, boring at the Whitewall cement-works, 32; boring at Chattenden barracks, 33.
- Frocester Hill, Inferior Oolite of, 264.
- Gabbros, Tertiary, of Scotland and Ireland, Prof. J. W. Judd, on the, 49.
- , porphyritic, 70.
- Gamston, near Nottingham, section of contorted interglacial river-gravel at, 471.
- Gardner, Mr. J. S., award of the Wollaston Donation Fund to, *Proc.* 31.
- Gases, action of, upon the constitution of rocks, 83.
- Gault, in borings in Kent, 38.
- Germany, fossil elephants of, 180.
- Gilpin, Mr. E., on the Geology of Cape Breton Island, Nova Scotia, 515.
- Glacial conditions, Dr. W. T. Blanford on the occurrence of, in the Palæozoic era, 249.
- shell-beds in British Columbia, 276.
- striae, map showing positions and directions of, in South Lancashire, Cheshire, and on the Welsh border, 370; diagram showing directions of, in South Lancashire and Cheshire, 372; diagram showing direction of, on the Welsh border, 376.
- Glaciation of South Lancashire, Cheshire, and the Welsh border, Mr. A. Strahan on the, 369.
- Glomero-porphyratic structure in igneous rocks, 71.
- Gloucestershire, Mr. E. Witchell on the basement-beds of the Inferior Oolite of, 264.
- Glyphea hispidæ*, 550.
- Regleyana, 551.
- Goniochirus cristatus*, 555.

- Granitic structure in igneous rocks, 67.
- Granitoid rocks of N.W. Pembrokeshire, 351.
- Granulitic structure in igneous rocks, 68.
- Gravel, high-terrace, at Acton, section in, 197.
- , interglacial river-, of the Trent basin, 467; contorted, at Gamston, near Nottingham, 471.
- Great Chalky Boulder-clay of the Trent basin, 457.
- Grey Chalk, minute structure of the, 228.
- Griffiths, Dr. A. B., on certain Eocene formations of Western Serbia, 565.
- Hainaut, Cretaceous series of, 325, 326.
- Haines' Bridge, railway section near, 167.
- Haine Valley, section through the, 326.
- Hällefinta of Trefgarn, 355, 359, 361; from Chanter's Seat, 358.
- Haresfield Hill, Inferior Oolite of 264, 265; section through, 266.
- Harrison River, British Columbia, section on west bank of, 284.
- Haycastle, granitoid rocks of, 353.
- Helocenia, 135.
- Henley, rocky beds above the Chalk Rock at, 244.
- Herat, occurrence of Damuda and Talchir beds near, 258.
- Herries, Mr. R. S., and Mr. H. W. Monckton, on the Bagshot beds of the London basin, 402.
- Heterogyra, 129.
- Hicks, Dr. H., on some bone-caves in North Wales (Ffynnon Beuno and Cae Gwyn), 3.
- , on the Pre-Cambrian age of certain granitoid, felsitic, and other rocks in N.W. Pembrokeshire, 351.
- Hill, Mr. William, on the beds between the Upper and Lower Chalk of Dover, and their comparison with the Middle Chalk of Cambridgeshire, 232.
- , and Mr. A. J. Jukes-Browne on the Melbourn rock and the zone of *Belemnitella plena* from Cambridge to the Chiltern Hills, 216.
- Hinde, Dr. G. J., on sponge-spicules from the deposits of St. Erth, 214.
- Hipparion, remains of, in the Red Crag, 366.
- Holaster planus*, zone of, 239.
- Holt, saline waters at, 302.
- Hon-pek, China, Mr. H. M. Becher on some cupriferous shales in the province of, 494.
- Hudleston, Mr. W. H., on a recent section through Walton Common exposing the London Clay, Bagshot beds, and Plateau-gravel, 147.
- Hughes, Prof. T. M<sup>c</sup>K., on some perched blocks and associated phenomena, 527.
- Hulke, Mr. J. W., on the maxilla of *Iguanodon*, 435.
- Hyæna, remains of, in the Red Crag, 364.
- Hyæna striata (arvernensis)*, from the Red Crag, 365.
- Igneous rocks, crystallization of, 49, 78; structure of, 66.
- , Scottish Tertiary, alterations of, 80; geological relations between the types of, 73; origin of the structure of, 75.
- Iguanodon*, Mr. J. W. Hulke on the maxilla of, 435.
- Implements, flint, in gravels at Acton, 197.
- from the bone-caves in Wales, 9, 11.
- India, Dr. W. T. Blanford on the geological age of the beds containing plants of Mesozoic type in, 249.
- , new Emydine Chelonian from the Pliocene of, 540.
- Infra-Lias, Prof. P. M. Duncan on the *Astrocenia* of the, of South Wales, 101.
- Interglacial river-gravel of the Trent basin, 467; contorted at Gamston, near Nottingham, 471.
- Ireland, Prof. J. W. Judd on the gabbros, dolerites, and basalts of Tertiary age in, 49.
- , stratigraphical distribution of Carboniferous Ostracoda in, 505.
- Isastræa Conybearii*, 136.
- oblonga, 134.
- tenuistriata, 126.
- Italy, fossil elephants of, 180.
- Jock's Hole, section from, to Scroggeside Farm, 421.
- Johnston-Lavis, Dr. H. J., award from the Barlow-Jameson Fund to, *Proc.* 36.
- Jones, Prof. T. R., and Mr. J. W. Kirkby on the distribution of the

- Ostracoda of the Carboniferous formations of the British Isles, 496.
- Judd, Prof. J. W., on the gabbros, dolerites, and basalts of Tertiary age in Scotland and Ireland, 49.
- , on the volcanic rocks of the north-east of Fife, 425.
- Jukes-Browne, Mr. A. J., and Mr. W. Hill on the Melbourn rock and the zone of *Belemnitella plena* from Cambridge to the Chiltern Hills, 216.
- Karángli Hill, section through, 254.
- Karoo beds, boulder-conglomerate at base of, 251.
- Kellaways rock in Swindon well-sinking, 290, 295; fossils of the, 292.
- Kendal, pedestal-boulders near, 528, 529.
- Kendall, Mr. Percy F., and Mr. R. G. Bell on the Pliocene beds of St. Erth, 201.
- Kent, Mr. W. Whitaker on some borings in, 26.
- Keuper marl and sandstone, section of contorted, at Radcliff, near Nottingham, 479.
- Kimmeridge Clay in Swindon well-sinking, 288, 293; fossils of the, 291.
- Kirkby, Mr. J. W., and Prof. T. R. Jones on the distribution of the Ostracoda of the Carboniferous formations of the British Isles, 496.
- Lamplugh, Mr. G. W., on glacial shell-beds in British Columbia, 276.
- Lancashire, South, glaciation of, 369.
- Lance-head, flint, from Ffynnon Beuno Cave, 9.
- Later Pennine Boulder-clay of the Trent basin, 471.
- Latimæandra, 128.
- Leckhampton, section from, to Uley Bury, 266.
- Hill, inferior oolite of, 264.
- Liassic and oolitic rocks of Fawler and Charlbury, 143.
- Limestone series, crystalline, Pre-cambrian, of Cape Breton Island, 517.
- Lincolnshire, comparative vertical sections of the Neocomian deposits of, 492.
- Carstone, Mr. A. Strahan on the relations of the, 486.
- Lizard, Mr. R. N. Worth on the existence of a submarine Triassic outlier in the English Channel, off the, 313.
- London Basin, Bagshot beds of the, 402.
- , deep-seated geology of the, 26
- —, results of deep borings in the, 40.
- Clay in the Walton cutting, 155, 157.
- on Walton Common, 147.
- Longmynd rocks of Shropshire, derived fragments in the, 481.
- Lower Greensand in borings in Kent, 39.
- Lydekker, Mr. R., on the occurrence of the crocodilian genus *Tomistoma* in the Miocene of the Maltese islands, 20.
- , on the cranium of a new species of *Erinaceus* from the Upper Miocene of Ceningen, 23.
- , on the fossil Mammalia of Maragha in North-western Persia, 173.
- , on a mandible of *Machærodus* from the Forest-bed, 309.
- , on some Vertebrata from the Red Crag, 364.
- , on a new Emydine Chelonian from the Pliocene of India, 540.
- Lyell Geological Fund, Award of the, to Mr. D. Mackintosh, *Proc.* 35.
- Medal, Award of the, to Mr. W. Pengelly, *Proc.* 34.
- Machærodus*, mandible of, from the Forest-bed, 309.
- Mackintosh, Mr. D., Award of the Lyell Geological Fund to, *Proc.* 35.
- Madreporaria, Prof. P. M. Duncan on the structure and classificatory position of some, from the Secondary rocks of England and South Wales, 113.
- Magila dissimilis*, 552.
- *levimana*, 552.
- Pichleri, 552.
- Magma, action of, upon crystals in igneous rocks, 81.
- Malmesbury, artesian springs at, 305.
- Maltese Islands, Mr. R. Lydekker on the occurrence of the Crocodilian genus *Tomistoma* in the Miocene of the, 20.
- Mammalia, Mr. R. Lydekker on the fossil, of Maragha in North-western Persia, 173.

- Map showing positions of deep-borings in the London basin and South-east of England, 45.
- showing the position of section on Walton Common, 149.
- showing extension of Phosphatic chalk of Ciply, 332.
- of South Lancashire, Cheshire, and the Welsh border, showing positions and directions of glacial striae, 370.
- of the country around Newport, Fife, 418.
- of Pleistocene deposits in part of the Trent basin, 438.
- showing range of Neocomian deposits in Lincolnshire, 492.
- Maragha, in North-western Persia, Mr. R. Lydekker on the fossil Mammalia of, 173; Dr. R. Pohlig on the Pliocene of, and its resemblance to that of Pikermi, 177.
- Mastodon, remains of, in the Red Crag, 365.
- Mecochirus Pearcei*, 557.
- *socialis*, 553.
- Melaphyre of N.E. Fife, 419.
- Melbourn Rock, Messrs. Hillard Jukes-Browne on the, from Cambridge to the Chiltern Hills, 216; sections of, 216, 218-224 minute structure of the, 230.
- Melksham, mineral springs at, 300.
- Melton sand, of the Trent basin, 453.
- Merritt, Mr. W. H., on the Cascade anthracitic coal-field of the Rocky Mountains, Canada, 560.
- Mesvin, vertical section of a quarry near, 336; horizontal section of part of quarry near, 337.
- and Ciply, section near, 327.
- Micrastra breviporus and cor-testudinarium, zones of, 240.
- Micro-pegmatitic structure in igneous rocks, 72.
- Microsolena, 121.
- Middle Pleistocene deposits of the Trent basin, 453.
- Millstone Grit of Cape Breton Island, 522.
- Minerals composing Tertiary eruptive rocks, 63.
- Miocene, Mr. R. Lydekker on the occurrence of the Crocodilian genus *Tomistoma*, in the, of the Maltese islands, 23.
- , Upper, of Oeningen, Mr. R. Lydekker on the cranium of a new species of *Erimacrus* from the, 32.
- Monkton, Mr. H. W., and Mr. R. S. Herries on the Bagshot Beds of the London Basin, 402.
- Mons, Belgium, M. F. L. Cornet on Upper Cretaceous series and the phosphatic beds in the neighbourhood of, 325.
- , section through, 326.
- Montlivaltia, 117.
- *caryophyllata*, 132.
- *foliacea*, 119.
- *pedunculata*, 118.
- Mountain Limestone, plan of weathering of, 533.
- Murchison Geological Fund, Award of the, to Mr. Clement Reid, *Proc.* 33.
- Medal, Award of the, to Mr. W. Whitaker, *Proc.* 32.
- Neocomian deposits of Lincolnshire, map and comparative vertical sections of the, 492.
- Newer Pleistocene deposits of the Trent basin, 466.
- Newport, Fife, map of the country around, 418.
- Newton, Mr. E. T., on fossils from a well-sinking at Swindon, 291.
- on the Cetacea of the Norfolk Forest-bed, 316.
- on the palaeontology of some deep-borings in Kent, 26.
- New Zealand, Exhibition of Photographs of Geysers, hot-springs, and sinter-terraces in, *Proc.* 7.
- , Mr. J. W. Davis on some Fish-remains from the Tertiary strata of, *Proc.* 4.
- Nomenclature of eruptive rocks, 58.
- Norber Brow, pedestal-boulders of, 529; section at, 536.
- Northfield, Fife, pyroxene-andesite from, 425; viridite as an alteration-product in the augite-andesite of, 426.
- North Wales, Dr. H. Hicks on some bone-caves in, 3.
- Nottingham, section of contorted interglacial river-gravel at Gamston, near, 471.
- , section of contorted Keuper marl and sandstone, at Radcliff, near, 479.
- Nova Scotia, Mr. E. Gilpin on the geology of Cape Breton Island, 515.
- Oeningen, Mr. R. Lydekker on the cranium of a new species of *Erimacrus* from the Upper Miocene of, 23.



- Older Pleistocene deposits of the Trent basin, 442.
- Olive Group of the Eastern Salt Range, Punjab, Mr. A. B. Wynne on a fossiliferous pebble-band in the, 341.
- Oolite, Inferior, basement-beds of the, in Gloucestershire, 264.
- Oolitic and Liassic rocks of Fawler and Charlbury, 143.
- Ophitic structure in igneous rocks, 68.
- Oppelismilia, 123.
- Ormerod, Mr. G. W., on Old Seabeaches at Teignmouth, Devon, 98.
- Ostracoda, British Carboniferous, range of, in North America and Europe, 506.
- , distribution of the, of the Carboniferous formations of the British Isles, 496.
- Outlier, Triassic, submarine, in the English Channel, off the Lizard, 313.
- Owen, Sir Richard, on the premaxillaries and scalpriform teeth of a large extinct Wombat (*Phascolumys curvirostris*, Ow.), 1.
- Oxford Clay in Swindon well-sinking, 289, 294; fossils of the, 291.
- , Mr. James Carter on the Decapod Crustaceans of the, 542.
- Oxford, saline water from artesian well at, 303.
- Oxfordshire, Liassic and Oolitic rocks of Fawler in, 143.
- Pagurus* sp., 556.
- Painswick Hill, section through, 266.
- Palæolithic floors, Mr. J. A. Brown on the, associated with the Thames valley surface-deposits in the Ealing district, 192.
- Palæozoic era, Dr. W. T. Blanford on the occurrence of glacial conditions in the, 249.
- Paraffin shales in Western Servia, 565.
- Pebble-band, fossiliferous, Mr. A. B. Wynne on a, in the "Olive Group" of the Eastern Salt Range, Punjab, 341.
- Pembrokeshire, North-west, Dr. H. Hicks on the Pre-Cambrian age of certain granitoid, felsitic, and other rocks in, 351.
- Pengelly, Mr. W., Award of the Lyell Medal to, *Proc.* 34.
- Pennine Boulder-clay, Early, in the Trent basin, 443; Middle, in the Trent basin, 447; Later, in the Trent Basin, 471.
- Perched blocks, Prof. T. McK. Hughes on some, 527.
- Perlitic structure in dacite-glass from Tay Bridge end, 429.
- Permian strata of England, distribution of Ostracoda in, 505.
- Persia, North-western, Mr. R. Lydekker on the fossil Mammalia of Maragha in, 173; D. H. Pohlig on the Pliocene of Maragha in, 177; Dr. H. Pohlig on fossil Elephant-remains from, 179.
- Petrographical province, British-Icelandic, 53.
- Phascalomys curvirostris*, 1.
- Phosphate of lime, production of, near Mons, Belgium, 325; origin of the, 339.
- Photographs of New Zealand geysers, hot-springs, and sinter-terraces, exhibited, *Proc.* 7.
- Phreatura, 507.
- Phyllogyra, 129.
- Physeter macrocephalus*, 316.
- Pikermi, resemblance of the Pliocene of Maragha, Persia, to that of, 177.
- Placoccenia, 136.
- Plan of Ffynnon Beuno cave, 5; of Cae Gwynn cave, 10.
- Planitz, calcite and chalcidony in pitchstone of, 183.
- Plateau-gravel of St. George's Hill, 169.
- of the Walton cutting, 156, 163, 164, 166.
- on Walton Common, 147.
- Pleistocene deposits of the Trent basin, classification of the, 442.
- succession in the Trent basin, Mr. R. M. Deeley on the, 437.
- beds of St. Erth, Messrs. Kendall and Bell on the, 201.
- Plumstone, granitoid rocks of, 354.
- Pohlig, Dr. H., on the Pliocene of Maragha, Persia, and its resemblance to that of Pikermi in Greece, 177; on fossil Elephant-remains of Caucasia and Persia, 179; and on the results of a monograph of the fossil Elephants of Germany and Italy, 180.
- Pointz Castle, granitoid rocks of, 354.
- Porphyrite of N.E. of Fife, 419.
- Porphyritic crystals, origin of, 77.
- Porphyritic structure in igneous rocks, 69.
- Pre-Cambrian rocks of Cape Breton Island, felsite series, 515; crystalline limestone series, 517.

- Productus - limestone of the Salt Range, 255.
- Profile of railway-line between Walton and Weybridge stations, 148.
- Province, petrographical, British-Icelandic, 53.
- Pseudastacus serialis*, 556.
- sp., 556.
- Purton and Cricklade, saline spring at Salt's Hole between, 300.
- Pyromerides, 188.
- Pyroxene - andesite from Northfield, Fife, 425; from Causewayhead, Fife, 426.
- Quartzose sand of the Trent basin, 444.
- Radcliff, near Nottingham, section of contorted Keuper marl and sandstone at, 479.
- Ramsdell Clay, 162.
- Redan Hill, Bagshot beds of, 410, 411; section through, 412.
- Red Crag, Mr. R. Lydekker on some Vertebrata from the, 364.
- Reid, Mr. Clement, Award of the Murchison Geological Fund to, *Proc.* 33.
- Rhætic sections, Rev. P. B. Brodie on two, in Warwickshire, 272.
- Rhinoceros, remains of, in the Red Crag, 366.
- Rhynchonella Cuvieri*, zone of, 236.
- Rhyolite, Silurian, of Digoed, quartzose nodules in, 185.
- River-gravel, Interglacial, of the Trent basin, 467; contorted, at Gamston, near Nottingham, 471.
- Road, mineral water at, 303.
- Roch, granitoid rocks of, 354; hälleflintas of, 359, 361.
- Rocks, eruptive, geographical distribution of, in the British-Icelandic region, 53; geological age of, 56; nomenclature of, 58; mineral composition of, 63; structure of, 66; principles of crystallization of, 78; alterations of, 80; alteration of coarsely spherulitic, 183.
- of N.W. Pembrokehire, Dr. H. Hicks on some, 351; Prof. T. G. Bonney on some, 357.
- , volcanic, of the north-east of Fife, 418.
- Rocky Mountains, Canada, the Cascade anthracitic coal-fields of the, 559.
- Rodbourne Lane, near Swindon, salt in water from well in, 299.
- Ruscombe, Inferior Oolite of, 268.
- Rutley, Mr. Frank, on some eruptive rocks from the neighbourhood of St. Minver, Cornwall, 392.
- St. Anne's Hill, Bagshot-beds of, 403.
- St. David's, granitoid rocks of, 351.
- St. Erth, Messrs. P. F. Kendall and R. G. Bell on the Pliocene beds of, 201; Dr. G. J. Hinde on sponge-spicules from, 214.
- St. George's Hill, plateau-gravel of, 169.
- St. Ives, Oxford clay near, 543.
- St. Margaret's, near Dover, boring at, 37.
- St. Minver, Cornwall, Mr. F. Rutley on some eruptive rocks from the neighbourhood of, 392.
- Salt Range, boulder-beds in the, 253, 256; Productus-limestone of the, 255.
- , Eastern, Mr. A. B. Wynne on a fossiliferous pebble-band in the Olive Group of the, 341.
- series, table of deposits forming the, 346.
- Salt's Hole, saline spring at, 300.
- Sand, quartzose, of the Trent basin, 444; Melton, of the Trent basin, 453; chalky, of the Trent basin, 462.
- Sands, false-bedded, section in, in Walton-common cutting, 154.
- Saxony, angular secondary aggregates in porphyries and pitchstones of, 183, 184.
- Schillerization, 82.
- Scotland, Prof. J. W. Judd on the gabbros, dolerites, and basalts of Tertiary age in, 49.
- , stratigraphical distribution of Carboniferous Ostracoda in, 499.
- Scraper, flint, from Cae Gwynn Cave, 11.
- Seroggeside Farm, section from, to Jock's Hole, 421.
- Sea-beaches, old, at Teignmouth, Devon, 98.
- Secondary rocks of England and South Wales, some Madreporaria from the, 113.
- Sections showing succession of Pleistocene deposits in the Trent basin, 440; through Spondon Hill and Chellaston Hill, 460; of contorted interglacial river-gravel at Gamston, near Nottingham, 471; of contorted Keuper marl and sandstone, Radcliff, near Nottingham, 479; com-

- parative, vertical, of the Neocomian deposits of Lincolnshire, 492; in Norber Brow, Yorkshire, 536; of Oxford clay, west of St. Ives, 543; through and in cutting in Walton Common, 148, 151, 157, 159, 168; of false-bedded sands in Walton-Common cutting, 154; in St. George's Hill, 170; in high-terrace gravel at Acton, 197; at St. Erth, 202, 203; of the face of an exposure of the Melbourn Rock and zone of *Belemnitella plena*, 216; showing usual succession of the beds of the Melbourn Rock and zone of *B. plena*, 219; of the beds of the Melbourn Rock and zone of *B. plena* at Chalkshire, 224; of chalk in the cliff over the western entrance of Shakespeare's Cliff tunnel, 234; in cliffs east of Dover, 235; of rocky beds above the Chalk Rock at Chinnor, Aston, and Henley, 244; through Karángli Hill, 254; from Leckhampton to Uley Bury, 266; of the lower beds of the inferior oolite in the Stroud area of the Cotswolds, 269; across the landward end of the dry dock, Esquimault, V.L., 279; on west bank of Harrison river, British Columbia, 284; of the Swindon well-sinking, 296; through the Haine valley, 326; near Ciply and Mesvin, 327; near Cuesmes, 332; in a quarry near Mesvin, 336, 337; on railway, north of Wellington-College station, 407; at Upwick (or Wick) Hill, and in the California brickfield, near Finchampstead, 409; across the valley of Aldershot Town, 412; along the coast of N.E. Fife, 421.
- Selsley Hill, section through, 266.
- Servia, Dr. A. B. Griffiths on certain Eocene formations of Western, 565.
- Sharman, Mr. G., on the palæontology of some deep borings in Kent, 26.
- Shell-beds, Glacial, in British Columbia, 276.
- Shropshire, Dr. C. Callaway on some derived fragments in the Longmynd and newer Archæan rocks of, 481.
- Silurian, lower, of Cape Breton Island, 578.
- Snitterfield, section of Rhætic beds at, 273.
- Solvents, action of, under pressure, upon the constitution of igneous rocks, 82.
- South Lancashire and Cheshire, positions and directions of glacial striæ in, 369, 388; origin of the striæ, 381.
- South Wales, Prof. P. M. Duncan on the *Astrocœnia* of the Infra-Lias of, 101.
- — — Prof. P. M. Duncan on the structure and classificatory position of some Madreporaria from the Secondary rocks of England and, 113.
- Spherulitic rocks, Mr. G. A. J. Cole on the alteration of, 183.
- Spondon Hill and Chellaston Hill, section through, 460.
- Sponge-spicules, from the deposits at St. Erth, 214.
- Steam, action of, upon the constitution of rocks, 83.
- Strahan, Mr. Aubrey, on the glaciation of South Lancashire, Cheshire, and the Welsh border, 369.
- on the relations of the Lincolnshire Carstone, 486.
- Striæ, Glacial, map showing positions and directions of, in South Lancashire, Cheshire, and on the Welsh border, 370; diagram showing directions of, in South Lancashire and Cheshire, 372; diagram showing directions of, on the Welsh border, 376.
- Stroud, section of lower beds of the Inferior Oolite in the area of, 269.
- Stroude, Bagshot beds at, 404.
- Structure of eruptive rocks, 66; granitic, 67; ophitic, 68; granulitic, 68; glomero-porphyrific, 71; micropegmatic, 72; origin of the, 75.
- Stylastræa, 114.
- Stylohelix, 136.
- Summer Hill, exposure of Rhætic beds in, 272.
- Superficial geology of Cape - Breton Island, 525.
- Sus, remains of, in the Red Crag, 366.
- Sutton Stone, Prof. P. M. Duncan on the *Astrocœnia* of the, 101.
- Swindon, Mr. H. B. Woodward on a well-sinking made by the Great Western Railway Company at, 287.
- well-sinking, vertical section of the, with table of the vertical range of the Ammonites, 296, 297.
- Symphylia, 129.
- Tachylites, porphyritic, 71.
- Talchir, boulder-beds of, 251, 257.
- Tapirus, remains of, in the Red Crag, 366.
- Tay Bridge End, dacite of, 427.
- Teignmouth, old sea-beaches at, 98.
- Terebratulina gracilis*, zone of, 238.

- Thamnastræa Waltoni, 134.  
 Thecosgris, 129.  
 Thecosmia, 115, 133.  
 Thorn Hill, Bagshot beds of, 410, 411; section through, 412.  
*Tomistoma champsoides*, 20.  
 Top sand in Walton cutting, 149, 166,  
 Totternhoe stone, 225.  
 Trefgarn, granitoid rocks and conglomerate of, 355, 358, 362.  
 Trent Basin, Mr. R. M. Deeley on the Pleistocene succession in the, 437.  
 Triassic outlier, submarine, in the English Channel, off the Lizard, 313.  
 — rocks, origin of saline water from the, 303, 306.  
 Trowbridge, brackish water at, 302.
- Uley Bury, section from Leckhampton to, 266.  
 Upnor, boring at Chattenden barracks, north of, 33.  
 Upwick Hill, section at, 409.  
 Uriconian series, 481, 483.
- Vancouver Island, glacial shell-beds in, 276.  
 Vertebrate fossils from the Red Crag, 364.  
 Viridite as an alteration-product in augite-andesite of Northfield, Fife, 426.  
 Volcanic rocks of the north-east of Fife, 418.
- Wales, South, *Astrocenia* of the Infra-Lias of, 101; Madreporaria from the Secondary rocks of England and, 113.  
 Walton Common, Mr. W. H. Hudleston on a recent section through, exposing the London Clay, Bagshot beds, and plateau-gravel, 147.  
 —, generalized section of cutting through, 148; sections in, 151, 157, 159, 163, 170.  
 — and Weybridge stations, profile of railway between, 148.  
 Warwickshire, Rev. P. B. Brodie on two Rhætic sections in, 272.  
 Water, fresh, from wells in North Wiltshire, 305.
- Water, saline, from the Swindon well-sinking, 298; from other wells and springs, 299.  
 Weathering of igneous rocks, 84.  
 — of Mountain Limestone, in connexion with the production of pedestal-boulders, 533.  
 Wellington College Station, section in railway near, 407.  
 Well-sinking at Swindon, 287.  
 Welsh Border, glaciation of the, 369; positions and directions of glacial striae on the, 374.  
 Weybridge and Walton stations, profile of railway between, 148.  
 Whitaker, Mr. W., award of the Murchison Medal to, *Proc.* 32.  
 —, on some borings in Kent: a contribution to the deep-seated geology of the London Basin, 26.  
 Wick Hill, Bagshot beds of, 405; section at, 409.  
 Wiltshire, North, fresh water from wells in, 305.  
 Witchell, Mr. E., on the basement-beds of the Inferior Oolite of Gloucestershire, 264.  
 Wollaston Donation Fund, award of the, to Mr. J. Starkie Gardner, *Proc.* 31.  
 — Gold Medal, award of the, to Prof. Des Cloizeaux, *Proc.* 30.  
 Wombat, Sir R. Owen on the premaxillaries and scalpriform teeth of a large, 1.  
 Woodward, Mr. H. B., on a well-sinking made by the Great Western Railway Company at Swindon, 287.  
 Wormit Bay, Fife, 422.  
 Worth, Mr. R. N., on the existence of a submarine Triassic outlier in the English Channel, off the Lizard, 313.  
 Wrekin area, spherulitic structure in red rocks of, 184.  
 Wynne, Mr. A. B., on a certain fossiliferous pebble-band in the "Olive Group" of the Eastern Salt Range, Punjab, 341.
- Youngia, 507.
- Zwickau, black pitchstone of Planitz near, 183.

END OF VOL. XLII.