

JOURNAL OF THE GEOLOGICAL SOCIETY

Volume 164, Part 3, May 2007

Bicentennial Reviews

- RUSSELL, S. S. The Formation of the Solar System 481
- NAISH, D. & MARTILL, D. M. Dinosaurs of Great Britain and the role of the Geological Society of London in their discovery: basal Dinosauria and Saurischia 493
- HARRIS, N. B. W. Channel flow and the Himalayan–Tibetan orogen: a critical review 511

Specials

- TAYLOR, G. K. Pluton shapes in the Cornubian Batholith: new perspectives from gravity modelling 525

Research Articles

- HOLNESS, M. B. Textural immaturity of cumulates as an indicator of magma chamber processes: infiltration and crystal accumulation in the Rum Eastern Layered Intrusion 529
- KINNAIRD, T. C., PRAVE, A. R., KIRKLAND, C. L., HORSTWOOD, M., PARRISH, R. & BATCHELOR, R. A. The late Mesoproterozoic–Early Neoproterozoic tectonostratigraphic evolution of NW Scotland: the Torridonian revisited 541
- JOLLEY, D. W. & MORTON, A. C. Understanding basin sedimentary provenance: evidence from allied phytogeographic and heavy mineral analysis of the Palaeocene of the NE Atlantic 553
- GARDE, A. A. A mid-Archaean island arc complex in the eastern Akia terrane, Godthåbsfjord, southern West Greenland 565
- HOUNSLOW, M. W., HU, M., MØRK, A., VIGRAN, J. O., WEITSCHAT, W & ORCHARD, M. J. Magneto-biostratigraphy of the Middle to Upper Triassic transition, central Spitsbergen, arctic Norway 581
- WIBBERLEY, C. A. J. PETIT, J.-P. & RIVES, T. The effect of tilting on fault propagation and network development in sandstone–shale sequences: a case study from the Lodève Basin, southern France 599
- PARENTE, M., FRUJA, G. & DI LUCIA, M. Carbon-isotope stratigraphy of Cenomanian–Turonian platform carbonates from southern Apennines (Italy): a chemostratigraphic approach to the problem of correlation between shallow- water and deep-water successions 609
- CRESPO-BLANC, A. Superposed folding and oblique structures in the palaeomargin-derived units of the central Betics (SW Spain) 621
- RING, U., GLODNY, J., WILL, T. & THOMSON, S. An Oligocene extrusion wedge of blueschist-facies nappes on Evia, Aegean Sea, Greece: implications for the early exhumation of high-pressure rocks 637
- CANTALAMESSA, G., DI CELMA, C., RAGAINI, L., VALLERI, G. & LANDINI, W. Sedimentology and high-resolution sequence stratigraphy of the late middle to late Miocene Angostura Formation (western Borbón Basin, northwestern Ecuador) 658
- KELSEY, D. E., HAND, M., CLARK, C. & WILSON, C. J. L. On the application of in-situ monazite chemical geochronology to constraining P – T – t histories in high-temperature (>850 °C) polymetamorphic granulites from Prydz Bay, east Antarctica 667

Discussion

- HOOKE, J., COLLINSON, M., GRIMES, S., SILLE, N. & MATTEY, D. Discussion on the Eocene–Oligocene boundary in the UK; *reply by* GALE, A., HUGGET, J. & LAURIE, E. 685

- Erratum* 684



0016-7649(200705)164:3;1-H

Geological Society Internet site: www.geol Soc.org.uk

JGS online submission: <http://jgs.allentrack.net>

Abstracted and/or indexed in *Current Contents*, *Science Citation Index*, *GeoArchive*, *GeoRef*, *Geobase*, *Petroleum Abstracts*, *Geological Abstracts* and *Mineralogical Abstracts*.

Published by the Geological Society of London

Cover image: bioturbation fabric in shallow marine sandstones, Cretaceous Greensand, Denmark. Photo: Gary Hampson.