

GENERAL INDEX TO VOLUME CX

- Achanalt Semi-pelitic Group (Moines), 25, 27, 28, 34, 37, 43.
- Achnashean (Ross-shire) anticline, 32, 35 fig., 36, 37, 39, figs. 40, 41, 44, 45.
- Agglomerates, Arran Complex, 331-2, 333 *et seq.*, 339, pls. xiii & xv.
- АКААД, М. К., discusses paper by Iyengar &c., 228-9.
- Algae, Top Hosie Shale, 106.
- Algal limestones (Calcite-Mudstone Group), Brecon, 306-7, pl. xii; a. mudstones (Oolite Group), Brecon, 295-6.
- Allauch dome (Provence), 365.
- Alps (French), sect. across comp. w. Glenelg sect., 372 fig.
- Ammonite faunas, Jurassic, W. Sicily, 276-80.
- Amphibolite complex of Mulnamin More, 216-8; amphib. (& migmatite) complex of Meenalargan, 218-22, fig.
- Amphibolites, Isis Point, 12, 13 fig., 14 *et seq.*, pl. i.
- Amplexograptus*, distinction fr. *Climacograptus*, 72-3.
- *elongatus* sp.nov., 62-6, figs.
- *prominens* sp.nov., 57-62, figs.
- An Cabar (Ross-shire) syncline, 32, 35 fig., 36, 37, 40, 41, 42, 45.
- Andalusite, in permeated pelitic rocks of Delting, 189, 190-1, fig., 197.
- ANDERSON, E. M., on Glen Strathfarrar inlier [discussion], 432-3.
- ANDERSON, J. G. C., discusses Kennedy's paper, 385.
- Andesites, Arran Complex, 328 chem. anals., 334-5, 348 fig., 350-1, figs., pls. xiii & xiv.
- Anticosti I. (Canada), graptolites fr. Silurian of, 55-75.
- Appinitic amphibolite complex of Mulnamin More, 216-8; app. amphib. (& migmatite) complex of Meenalargan, 218-22, fig.
- Ardara granite pluton, Co. Donegal, 204, 205, 209, 212 *et seq.*; effects of emplacement of, 222-5.
- Ard Bheinn area of the Arran Igneous Complex, 323-55, figs., pls. xiii-xvi.
- Ards Black Pelitic Schists, 156 fig., 157.
- Ards (=Horn Head) Quartzite, 156 fig., 157-8.
- ARKELL, W. J. (& H. R. WARMAN), a review of the Jurassic of western Sicily based on new ammonite faunas, 267-82, figs.
- Arran. *See* Ard Bheinn.
- ARTHUR-HILL, P., 229.
- Ashford Hill (Berks), 411, 412, 414 sect., 416, 420 sect.
- Avonian. *See* Main Limestone.
- Bagshot Beds, Enborne valley, 411 *et seq.*, 422-3, 425, 426, 428.
- BAILEY, E. B., discusses Sutton & Watson's paper, 51; discusses Kennedy's paper, 386-7.
- Balata (Sicily), Jurassic successn at, 273 fig., 275; ammonite faunas fr., 278-9.
- BARRASS, R., graptolites fr. Anticosti I., 55-74, figs., 75.
- Basalts in Arran Complex, 326-9, chem. anals., 333-5, 348 fig., 349-50, pl. xiv.
- Basement (? Lewisian) complex of Morar, 360, 362 *et seq.*
- Baughurst (Hants) boring, 412, 419 *et seq.*; sects. at, 413, 414, 420, 425, 427; list of fossils fr., 430.
- Beinn Dronaig (Ross-shire) anticline, 37, 38.
- Beni Zaid Limestone, Jebel Hagab, 125, 128.
- Bentham Grit Group, Ingleton Coalfield, 234, 236-7, faunal list.
- Bih Dolomites, Jebel Hagab, 124, 127, 128, 130.
- Binnein na h'Uaimh (Arran), 325 *et seq.*, 330, 337, 340 fig., 342-3, fig., 346.
- Biotite zones of metamorphism, Delting, 182-3, fig., 185 fig.
- Blaen-Dyffryn-Crawnon (Brecon), Calcite-Mudstone Group at, 302-3.
- Blaen Onnen & Daren Dysgwylfa (Brecon), Calcite-Mudstone Group betw., 300-1.
- BLUNDELL, C. R. K., discusses T. N. George's paper, 318-9.
- Boudinage, Creeslough area, 166-7.
- BOWES, D. R., migmatization of tillites [discussion], 431-2.
- Brachiopod fauna of Oolite Group, Brecon, 296, 297.
- Brachiopods, Top Hosie Shale, 106-7.
- Bracklesham Beds, Enborne valley, 411, 413, 423-4, 426, 428-9.
- Brae intrusive complex, Delting, 179-80, fig.
- Braemore (Ross-shire) syncline, 32 *et seq.*, 39, fig., 40, 44, 45.
- Breconshire, Avonian Main Limestone in, 283-322, figs., pl. xii.
- Brimpton (Berks), sect. across Enborne valley at, 418 fig.
- Browning Hill (Baughurst). *See* Baughurst.
- Bryniau Gleision (Brecon), Calcite-Mudstone Group at, 303.
- BULMAN, O. M. B., discusses Barrass's paper, 74-5.
- Bundoran (Donegal), Lr Carb. successn at, 401.

- Calcareous rocks, Delting, effects of permeation on, 194.
- Calcite-Mudstone Group (Avonian), Brecon, 284, 286, 288, 290, 298-305; overstep by, 292, 294; comp. sects. in, 299, 304; sedimentatn of, 305; lithology of, 306-7, pl. xii; age of, 307-8, 310.
- Caledonian Front (NW.), 357, 360, 363, 366, 369, 378; sect. across, 373 fig.; in Skye & the mainland, 374-7, figs.
- Caledonian orogenic phases in NW. Highlands, 377-80.
- Camarotoechia pleurodon*, 105, 106.
- Cambering, Enborne valley, 417, 418 fig. 'Caninia Oolite,' Brecon. See Gilwern Oolite.
- Carbonicola lenicurvata* assemblage, variation diagram for, 239, fig.
- *pseudorobusta* assemblage, variation diagram for, 243, fig.
- *rhomboidalis* assemblage, variation diagram for, 247, fig.
- Carboniferous (Lower), of the Omagh syncline, 391-408, figs., pl. xviii; see also Top Hosie Shale; (Upper) of Ingleton Coalfield, 231-65, figs., pl. xi.
- Carron (Ross-shire) syncline, 37, 38.
- Caton Shales, Ingleton Coalfield, 234, 236.
- Central Igneous Complex of Arran. See Ard Bheinn.
- Chalk, English Channel, 80, 82, 84-5, 86 fig., 91; Enborne valley, 411, 413, 415, 416.
- Channel. See English Channel.
- CHEESMAN, R. L., discusses McCall's paper, 174.
- Claragh Sandstone Group of Omagh syncline, 393, 395-7, faunal list; derivatn of, 405, 406.
- Claughton Flags, Ingleton Coalfield, 234, 236.
- Claystone, from London Clay at Ashford Hill, 419, 421, pl. xix.
- Cleavage in Fannich rocks, 43-4, fig.; in Creeslough area, 167.
- Cleengort (Co. Donegal) migmatites, 214-6, figs.
- Cleengort Hill, sect. through, 214, fig.
- Cleengort Pelites, Maas area, 207 fig., 208, 210 fig., 211 et sqq.
- Cleiothyridina* cf. *roissyi*, 314, figs.
- Climacograptus*, distinction fr. *Ampelcograptus*, 72-3.
- aff. *scalaris*, 66-71, figs.
- Clintfield Coals & Grit, Ingleton Coalfield, 234, 236.
- Clogher (Tyrone), Lr Carb. correl. w. that of Omagh, 402.
- Clonelly Sandstone Group of Omagh syncline, 393, 400-1, faunal list; derivatn of, 405, 406.
- Clonmass Banded Quartzites, Creeslough, 156 fig., 158.
- Clonmass Dolomitic Limestone, 156 fig., 158.
- Clonmass hornfelses, 161-2.
- Clonmass sill, 160 et sqq.
- Clydach valley (Brecon), oolite beds of, 286-91, figs.; Calcite-Mudstone Group in, 298-300, fig.
- Coal Measures, Ingleton Coalfield, 240-56, figs.
- Coleolus carbonarius*, 105, 111.
- Colla Firth (Delting) permeation belt, 187 et sqq., 196 et sqq.
- Colla Firth Series, 181.
- Composita Bed, Brecon, 300.
- cf. *ambigua*, 314-5, figs.
- Cool (N. Ireland) fault, 402, 403 map, 404.
- Cor Quartzite, Maas area, 206, 207 fig., 208, 210 fig., 211 et sqq.
- Coral Bed (Avonian), Brecon, 286, 288, 290, 292, 296, 297; fossils fr. fig'd & descr., 312-5.
- COX, L. R., discusses Craig's paper, 118-9.
- CRAIG, G. Y., the palaeoecology of the Top Hosie Shale (Lower Carboniferous) at a locality near Kilsyth, 103-18, figs., 119.
- Craignurites, Arran Complex, 347.
- Creag an Fheidth (Arran), 325, 340 fig., 344.
- Creag Dubh (Arran), 325, 340 fig., 343, fig.
- Creeslough (Donegal), Dalradian of, 153-75, figs., pl. ix.
- Creeslough Group (Dalradian), 155-7.
- Crenulations in Fannich rocks, 42-3.
- Cretaceous (pre-Chalk), English Channel, 85, 87, 88 fig.
- Cretaceous earth-movement, Trucial Oman, 141-2.
- Cretaceous masses in Arran Igneous Complex, 326.
- Crockard (Co. Donegal) anticline, 210 fig., 212.
- Crohy & Lettermackaward (Co. Donegal), Dalradian correl. w. that of Maas, 208-9.
- Crookham Common (Hants), 411, 412, 415, 423; Reading Beds under, 416-7, fig.; London Clay at, 420, fig.
- Crossdale Shales, Ingleton Coalfield, 234, 236.
- Cumberland & Ingleton coalfields, Coal Measures correl., 261-2, fig.
- Cycloceras* sp., 105, 110.
- Dacites, Arran Complex, 328 chem. anal., 335-6, 348-9 fig.
- Dalradian, Creeslough, 153-75, figs., pl. ix; Maas, 204, 206-9.
- DANCEARD, L., his work on Channel dredgings, 78, 79, 81.
- Daren Dysgwylfa & Blaen Onnen (Brecon), Calcite-Mudstone Group betw., 300-1.
- DAVIS, A. G., 132, 133.
- Delting (Shetland), metamorphism & permeation in, 177-201, figs.
- Derbyshire (N.) & Ingleton Coalfield, Millstone Grit correl., 260-1, fig.

- Diorites, Isis Point, 13 fig., 14 *et seq.*
 Dirrie More (Ross-shire), structure in, 33-6, 40.
 Dolomites (Avonian), Brecon, 284, 286 *et seq.*
 Dolomitization, in Main Limestone of Brecon, 288-90, fig.
 Donegal. *See* Creeslough & Maas.
 Doochary (Co. Donegal) granite, 225-6.
 Droma (Ross-shire) anticline, 32, 34, 35, 39, fig., 40, 41, 44, 45.
 DUNHAM, K. C., on petrology of Jebel Hagab rocks, 137, 143-5, 148.
 Dunnaree Hill (Tyrone), 397, 400, 403 map.
 Dykes, Creeslough, 172-3; Arran Complex, 347, 349.
 Elphinstone Beds, Jebel Hagab, 124, 127, 128, 130 *et seq.*, pl. vii.
 Enborne valley (Berks-Hants), Eocene in, 409-30, figs., pl. xix.
 England (NW.) Lr Carb. comp. w. that of NW. Ireland, 402.
 English Channel, geol. history of, 77-101, figs., pl. iv.
 Eocene, Enborne valley, 409-30, figs., pl. xix.
 Epidiorites, Delting, distributed in metamorphic zones, 184-6, fig.; effects of permeation on, 193-4.
 'Erian' orogenic phase, 379, 380.
 Eye texture in Delting rocks, 188 fig., 189.
 Falcarragh Pelitic Schists, 156 fig., 159.
 FALCON, N. L., discusses paper by Hudson & others, 147.
 Fannich fold, 37, 38.
 Fannich Forest (Ross-shire), Moines of, 21-53, figs., pls. ii & iii.
 Fannich Gneiss, 25, 26, 28 *et seq.*, 46.
 Faults, Creeslough, 167; Ingleton Coalfield, 258-9; Omagh syncline, 402, 404-5, fig.
 Felsites, Arran Complex, 336-9, pl. xv.
 Fionn Bheinn (Ross-shire) syncline, 32, fig., 36, 37, 39, fig., 40, 44, 45.
 FLINN, D., on the time relations betw. regional metamorphism & permeation in Delting, Shetland, 177-99, figs.
 Foliation, Maas area, 226-7.
 Folds, Fannich Forest, 31-41, figs., 42, 43 fig., 47, pl. iii; Creeslough, 163-6, figs.; Maas, 209-14, figs.; Ingleton Coalfield, 257; Omagh syncline, 405.
 Foraminifera, Top Hosie Shale, 106.
 FORD T. D., the Upper Carb. rocks of the Ingleton Coalfield, 231-64, figs., pl. xi, 265.
 Fukhairi Beds, Jebel Hagab, 125, 128, 129, 137-8 *et seq.*, pl. vi.
 Gabbro, Arran Complex, 330-1.
 Garn Caws (Brecon), 301 map, 302.
 Garnet metamorphic zone, Delting, 183-4, fig., 185 fig.
 Gastropods, Top Hosie Shale, 109-10.
 GEORGE, T. N., pre-Seminulan Main Limestone of the Avonian Series in Breconshire, 283-317, figs., pl. xii, 320-2, 435; discusses Ford's paper, 264; discusses Simpson's paper, 407-8.
 Ghail Limestone, Jebel Hagab, 124, 127, 128, 130, 131.
 Gilwern Oolite, Brecon, 286 *et seq.*, pl. xii.
Girvanella?, 105, 106.
 Glen granite, Creeslough, 167-8.
 Glen Méinich (Ross-shire) fold, 41, 45.
 Glenelg (Inverness) 'inlier', 359, 360, 362 *et seq.*; sect. across, 372 fig.; G.-Morar tectonic zone, 371-4.
 Gneisses, Isis Point, 13 fig., 14 *et seq.*
 Granites, Isis Point, 13 fig., 14 *et seq.*; Ardara, 204, 205, 209, 212 *et seq.*, 222-5; Arran Complex, 344-6.
 Granodiorite, Isis Point, 13 fig., 14 *et seq.*, pl. i.
 Graptolites, Silurian, fr. Anticosti I., 55-75 figs.
 Graven intrusive complex, Delting, 179 fig., 180, 195.
 Greta Grit Group, Ingleton Coalfield, 234, 237-8, faunal list.
 Greta R. (Ingleton), Millstone Grit in, 236-40; Coal Measures in, 240-56, figs.; map of part of, 253.
 Grey (Coal) Measures, Ingleton Coalfield, 241-9, figs.
 Grudie (Ross-shire) anticline, 32, 35 fig., 36, 37, 41.
 Hagab thrust, Oman, 125, 127, 128-30, figs.
 Hagil Limestone, Jebel Hagab, 124, 130.
 Hagil window, 127 fig., 128, 129, pls. v & vii.
Hapsiphyllum [*Zaphrentis*] cf. *konincki*, 312-3, figs.
 HARDIE, W. G., discusses McCall's paper, 174.
 Harim thrust, Jebel Hagab, 126 fig., 127, 130.
 HARRISON, J. V., 354; discusses paper by Hudson & others, 147-8.
 HAWKES, L., 354.
 HAWKINS, H. L., the Eocene succession in the eastern part of the Enborne valley, on the borders of Berkshire & Hampshire, 409-29, figs., pl. xix.
 HENSON, F. R. S., discusses paper by Hudson & others, 148-51.
 Highlands (NW.), Caledonian orogenic phases in, 377-80.
 HONEYMAN, A. M., discusses T. N. George's paper, 319.
 Horn Head Quartzite. *See* Ards Quartzite.
 Horn Head slide, 165-6.
 Hornblendic Group of Morar, 360, 362-3.
 HUDSON, R. G. S., 119, 265, 320; (& A. MCGUGAN & D. M. MORTON), the structure of the Jebel Hagab area, Trucial Oman, 121-46, figs., pls. v-viii, 151-2.

- Ingleton Coalfield, Upper Carb. of, 231-65, figs., pl. xi.
- Inverbroom (Ross-shire) Semi-pelitic Group, 25, 27, 28, 37, 38.
- Inverness-shire, geol.-tectonic map of western, 370 map; *see also* Morar.
- ION, D. C., discusses paper by Hudson & others, 147.
- Isis Point (Spitsbergen), geol. of, 11-19, figs., pl. i.
- Isle of Man, *Michelinia* Beds comp. w. Pettigo Limestone, 402.
- Isle of Wight. *See* Whitecliff Bay.
- IYENGAR, S. V. P. (& W. S. PITCHER & H. H. READ), the plutonic history of the Maas area, Co. Donegal, 203-28, figs., pl. x.
- Jebel Hagab area (Trucial Oman), structure of, 121-52, figs., pls. v-viii.
- JONES, O. T., discusses Sutton & Watson's paper, 49-50; discusses George's paper, 317.
- Jurassic, English Channel, 87, 89 fig.; western Sicily, 267-82, figs.
- KELLAWAY, G. A., discusses George's paper, 319-20.
- KENNEDY, W. Q., the tectonics of the Morar anticline & the problem of the North-West Caledonian Front, 357-82, figs., pl. xvii, 388-90.
- Keuper Marl, English Channel, 90, 92, 97, 98.
- Kilsyth (Stirlingshire), Top Hosie Shale nr, 103-19, figs.
- KING, B. C., the Ard Bheinn area of the Central Igneous Complex of Arran, 323-54, figs., pls. xiii-xvi, 354-5.
- KING, W. B. R., the geol. history of the English Channel, 77-101, figs., pl. iv.
- Kishorn (Inverness-shire) nappe, 374, 376 fig., 378.
- Kishorn thrust, 374, 375 fig., 376 fig., 377 fig.
- Knocknafaugh (Donegal) sill, 160 *et sqq.*
- Knowl Hill (Berks), 422 *et sqq.*, 425, fig., 426.
- Knoydart (Inverness), 358, 362, 363, 366 *et sqq.*; sect. to Skye & Soay, 373 fig., 374.
- Koninckopora*, 435, pl. xii.
- Kyanite metamorphic zone, Delting, 183 fig., 184, 185 fig.
- Lackagh (Donegal) Quartzite, 155, 156 fig.
- Lakshaifa Beds, Jebel Hagab, 125, 128, 129, 135-7.
- LAMBERT, R. ST J., discusses Sutton & Watson's paper, 49.
- Lamellibranchs, Top Hosie Shale, 107-9.
- Lamprophyres, Creeslough, 172-3.
- Lancashire & Ingleton coalfields, Coal Measures correl., 261-2, fig.
- Leck Beck (Ingleton), Coal Measures in, 240, 241, 248-9, 251-2; sect. along, 258.
- LEES, G. M., discusses paper by Hudson & others, 146-7.
- Lettermackaward & Crohy (Donegal), Dalradian correl. w. that of Maas, 208-9.
- 'Lewisian' inliers of Ross-shire, 22 *et sqq.*, 29-30, 46-7.
- Lias masses in Arran Igneous Complex, 326.
- Lineation, in Fannich Forest, 43 fig., 44-5, 47, pl. iii; in Creeslough area, 166; in Maas area, 226-7; in Morar, 381 map, 382.
- Lingula squamiformis*, 105, 106.
- Linoproductus* Oolite, Brecon, 298, 300, 301 *et sqq.*, pl. xii.
- Loch Droma (Ross-shire) Pelitic Group, 25, 27, 28.
- Loch Hourn (Inverness) anticline, 359, 369, 371.
- London Clay, Enborne valley, 411 *et sqq.*, 417-22, sects., 424 *et sqq.*
- Lough Nagarnamin anticline, 210 fig., 212.
- Lower Limestone Shales, Brecon, 284, 290, 291.
- Loxoceras?*, 105, 110.
- Maas (Donegal) area, plutonic geol. of, 203-30, figs., pl. x.
- Maas Semi-pelites, 207 fig., 208, 210 fig.
- Maas syncline, 210 fig., 211-12.
- MCCALL, G. J. H., the Dalradian geol. of the Creeslough area, Co. Donegal, 153-73, figs., pl. ix.
- MACGREGOR, A. G., discusses Kennedy's paper, 383.
- MCINTYRE, D. B., discusses Sutton & Watson's paper, 51-2.
- Main Limestone (Avonian), Brecon, 283-322, figs., pl. xii.
- Mam (Port Lough) hornfelses, 162.
- Mam sill, 160 *et sqq.*
- Marble Hill (Donegal) Dolomitic Limestone, 156 fig., 158-9.
- Marsupites* Zone, 411, 413, 415.
- Meall a' Chrasgaidh (Ross-shire) Siliceous Group, 25, 27, 28 *et sqq.*
- Meall an t-Sithe (Ross-shire) Pelitic Group, 25, 27, 28 *et sqq.*, 37-8, 46.
- Meenalargan (Donegal) anticline, 210 fig., 212-13.
- Meenalargan complex, 218-22, fig.
- Megalodon* Beds, Jebel Hagab, 125, 127.
- Metadolerites, Creeslough, 160-2, 171-2; Maas, 209.
- Metamorphic index minerals, Maas area, map of distribtn, 213.
- Metamorphism, Creeslough, 168-72, fig.; Maas, 213-4, fig., 223-4; Arran Complex, 346; Moine Schists of Morar, 364-5; m. & permeation, time relats. betw., 177-201, figs.
- Microcline, in Delting rocks, 192, 193.
- Midland Valley (Scotland), Caledonian orogeny in, 379.
- Migmatite (& amphibolite) complex of Meenalargan, 218-22, fig.; *see also* Cleengort migmatites.

- Milaha Limestone, Jebel Hagab, 124, 127, 128, 129, 131.
- Miliolina* limestone, on Atlantic floor, 80.
- Millstone Grit, Ingleton Coalfield, 234-40, figs.
- Moine nappe, Morar, 359, 366, 378.
- Moine Schists, Morar, 357 *et seq.*; successn, structure & correlatn of, 360-4.
- Moine Series, Ross-shire, 21-53.
- Molloy's Hotel (Maas) strip, 213.
- Monte Bonifato (Sicily), Jurassic successn at, 269, 270, 272 fig., 273, 275; ammonite faunas fr., 277-8.
- Monte Inici (Sicily), Jurassic successn at, 268, 269, 274 fig., 275; ammonite faunas fr., 279-80.
- MOORE, L. R., discusses Ford's paper, 264-5; discusses George's paper, 318.
- Morar (Inverness) anticline, tectonics of, 357-90, figs., pl. xvii.
- Morar nappe, 359, 366 *et seq.*, figs.
- Morar window, 366.
- MOSELEY, F., discusses Ford's paper, 265.
- Mudstones, algal, Brecon, 295-6.
- Mullion structures, Creeslough, 166.
- Mulnamin anticline, 210 fig., 211.
- Mulnamin Calc-silicate Flags, 207, fig., 208, 210 fig., 211 *et seq.*
- Mulnamin More (Donegal), amphibolite complex of, 216-8.
- Mulnamin Siliceous Flags, 206-7, fig., 208, 210 fig., 211 *et seq.*
- Musandam Limestone, Jebel Hagab, 122 *et seq.*, pl. v.
- Muscovite, in Delting rocks, 189, 191-2.
- Nautiloids, Top Hosie Shale, 110.
- Net texture in Delting rocks, 188-9, fig.
- New Red Sandstone, English Channel, 90-5, fig., 97 *et seq.*; in Arran Igneous Complex, 325-6.
- Nidderdale & Ingleton, correl. of Millstone Grit in, 260-1, fig.
- North-East Land. *See* Isis Point.
- Nuculopsis gibbosa*, 105, 107-8.
- Oak Bank Grit, Ingleton Coalfield, 234, 236.
- Old Red Sandstone masses in Arran Igneous Complex, 325.
- Omagh Sandstone Group, 393-5, faunal list; derivatn of, 405-6.
- Omagh syncline (N. Ireland), Lr Carb. of, 391-408, figs., pl. xviii.
- Oman (Arabia). *See* Jebel Hagab.
- Oolite beds, Clydach valley, 286-91, figs.; of Calcite-Mudstone Group, Brecon, 306.
- Oolite Group (Avonian), Brecon, 284, 291-2, 294; dolomitizatn in, 288-90, fig.; comp. sects. in, 293 fig.; lithology of, 294-6, pl. xii; age of, 296-8.
- '*Orthoceras*' cf. *rugosum*, 105, 110.
- Ostracods, Top Hosie Shale, 111.
- OWEN, T. R., discusses George's paper, 319.
- Palaeoecology of Top Hosie Shale, 103-19, figs.
- Palaeozoic floor, English Channel, 95, 96 fig., 97.
- PAULO, L. K., discusses Flinn's paper, 200.
- Pegmatites, Delting, 194-5.
- Pelites & semi-pelites, Delting, metamorphic zones in, 182-5, fig.; effects of permeation in, 187-93, fig.
- Pen-Cerig-calch (Brecon), Yellow Oolite of, 296, 297.
- Permeation & metamorphism, time relats. betw., 177-201, figs.
- Permian, Ingleton Coalfield, 256-7.
- Pettigo Limestone Group of Omagh syncline, 393, 397-400, faunal list.
- PHILLIPS, F. C., discusses Sutton & Watson's paper, 50.
- PITCHER, W. S., in discussion on McCall's paper, 175; (& S. V. P. IYENGAR & H. H. READ), the plutonic history of the Maas area, Co. Donegal, 203-28, figs., pl. x, 229-30.
- Plagioclase-porphyrries, Arran Complex, 328 chem. anal., 335-6, pl. xv.
- PLYMEN, G. H., discusses Sandford's paper, 19.
- Porphyries. *See* Plagioclase-porphyrries & Quartz-porphyrries.
- Porphyrite dykes, Maas, 227.
- Port Dolomitic Limestones, Creeslough, 156 fig., 159.
- Portnoo Limestone, Maas, 207 fig., 208, 210 fig., 211 *et seq.*
- Posidonia corrugata*, 105, 108.
- Productus concinnus*, 105, 107.
- Psammitic Group (Moine), of Morar, 360 *et seq.*
- Pseudamusium* aff. *ellipticum*, 105, 108.
- Pseudorthoceras* cf. *knozense*, 105, 110.
- Pseudozygopleura* (*s.l.*) sp., 105, 109.
- Pwll-y-Cwm Oolite, Brecon, 287 *et seq.*
- Pyroxene, distributn in Delting rocks, 194, 195 fig., 197.
- Quartz-porphyrries, Arran Complex, 336-9.
- Quartzites, Delting, effects of permeation on, 193.
- Radiolaria, Shamal Cherts, 133, 134.
- RAMSAY, J. G., discusses Sutton & Watson's paper, 49; discusses Kennedy's paper, 387; on Lewisian inliers [discussion], 433-4.
- Rashidi anticline, Oman, 130-2.
- READ, H. H., discusses Sutton & Watson's paper, 49; discusses McCall's paper, 173-4; discusses Flinn's paper, 199-200; (& S. V. P. IYENGAR & W. S. PITCHER) the plutonic history of the Maas area, Co. Donegal, 203-28, figs., pl. x; discusses Kennedy's paper, 383-4.
- Reading Beds, Enborne valley, 411, 412, 413-7, sects., 419, 420, 424 *et seq.*

- Rhaetic masses in Arran Igneous Complex, 326.
- Rhyolites, Arran Igneous Complex, 336-7, pl. xv.
- RICHEY, J. E., discusses Kennedy's paper, 387-8.
- ROBERTSON, T., discusses George's paper, 317-8.
- Rocca che Parra (Sicily), Jurassic successn at, 268, 270, 271 fig.; ammonite faunas fr., 276-7.
- Roeburndale Grit, Ingleton Coalfield, 234.
- Ross-shire. *See* Fannich Forest & Strath Bran.
- Rough Rock & Rough Rock Shales, Ingleton Coalfield, 234, 238-40, faunal lists.
- Ruus al Jibal, Oman, 121, 123, 124, 130, 140, 141; map of, 126; structure of, 143.
- SANDFORD, K. S., the geol. of Isis Point, North-East Land (Spitsbergen), 11-18, figs., pl. i, 19.
- Sanguinolites costellatus*, 108.
- *variabilis*, 108.
- Scaphopods, Top Hosie Shale, 111.
- Scardroy (Ross-shire) 'Lewisian' inlier, 22 *et seq.*; successn correl. w. that of Fannich, 30-1.
- Scardroy Striped Hornblendic Group, 25.
- Scatsta (Delting) permeation belt, 187 *et seq.*, 196 *et seq.*
- Scatsta Series, 181.
- Schists, Isis Point, 13 fig., 14 *et seq.*
- Sedimentary masses in Arran Igneous Complex, 325-6.
- Seminula* Oolite, Brecon, 286 *et seq.*
- Zone, Brecon, 284, 286 *et seq.*; overstep by, 308, 310.
- Sessiagh (Donegal) Banded Quartzites, 156 fig., 159.
- Sgurr Mòr (Ross-shire) Pelitic Group, 25, 27, 28 *et seq.*
- SHACKLETON, R. M., discusses Kennedy's paper, 384-5.
- Shamal Cherts, Jebel Hagab, 125, 129, 132-4, 135, 137 *et seq.*, pl. vi.
- Shamal Lava, 135; petrology of, 144-5.
- Shamal Tuffs, 134-5; petrology of, 143-4.
- SHAW, D. M., migmatization of tillites [discussion], 431.
- Shetland. *See* Delting.
- Shimmer aggregate, in Delting rocks, 189, 190-1, fig., 197.
- Sicily (W.), Jurassic of, 267-82, figs.
- Sillimanite, in Delting rocks, 189, 190 fig., 191, 197.
- Sills, Creeslough, 160 *et seq.*
- SIMPSON, I. M., the Lower Carboniferous stratigraphy of the Omagh syncline, 391-407, figs., pl. xviii, 408.
- Skella Dale (Delting) Augen-gneiss, 187, 192.
- Skye, NW. Caledonian Front in, 360, 369, 370 map, 374-7, figs., 378; sect. to Knoydart, 373 fig., 374, 375; S.-Morar sector, major recumbent fold in, 376, 377 fig.
- Sleat penin. (Skye), sect. across, 376, fig.
- Soay (Hebrides), sect. to Knoydart & Skye, 373 fig., 374.
- Southern Uplands (Scotland), Caledonian orogeny in, 379.
- Spirifer* (*Cyrtospirifer*) cf. *tornacencis*, 314.
- Spitsbergen. *See* Isis Point.
- STANTON, W. I., discusses paper by Iyengar &c., 229.
- Stenosisma* [*Camarophoria*] cf. *isorhyncha*, 313-4, figs.
- Strath Bran (Ross-shire), Moines of, 21-53, figs., pls. ii & iii.
- Strath Bran syncline, 37, 38.
- Striped & Pelitic Group (Moine) of Morar, 360 *et seq.*
- STUBBLEFIELD, C. J., discusses Barrass's paper, 74; discusses Craig's paper, 118. 'Sub-Moine Series' of Morar, 359, 360.
- SUTTON, J., (& J. WATSON) the structure & stratigraphical successn of the Moines of Fannich Forest & Strath Bran, Ross-shire, 21-48, figs., pls. ii & iii, 52-3; discusses McCall's paper, 174; discusses Flinn's paper, 200-1; discusses paper by Iyengar &c., 228; discusses Kennedy's paper, 382-3.
- Tertiary, English Channel, 80-2, 83 fig., 91.
- TILLEY, C. E., quoted, 79.
- Todmorden & Ingleton, correl. of Millstone Grit, 260-1, fig.
- Top Hosie Shale, Kilsyth, palaeoecology of, 103-19, figs.
- Tornquistia polita*, 105, 106-7.
- Trachyte, Arran Complex, 328 chem. anal., 330.
- Trias, English Channel, 79, 81, 92, 93, 95.
- Trucial Oman. *See* Jebel Hagab.
- Tuffs, Arran Complex, 339, pl. xv.
- TURNER, J. S., discusses Sutton & Watson's paper, 51; discusses Kennedy's paper, 387; discusses Simpson's paper, 407.
- Tylo'rybont, New (Brecon), Calcite-Mudstone Group at, 292, 303, 305; successn at Old T., 303, 305.
- Uintacrinus* Zone, 411, 415.
- Unconformity, intra-Coal Measures, Ingleton Coalfield, 252-6, figs.
- Usk anticline, effect on Avonian sedimentatn, 311-12, fig.
- Valayre (Delting) Porphyroblast-schist, 187, 192.
- Vale of Neath disturbance, effect on Avonian sedimentatn, 310-11, fig.
- Valley-bulging, Enborne valley, 417, 418, fig.
- Vent agglomerates, Arran Complex, 331-2.

- Vertebrates, evolutn of organizatn of, 1-9.
- Volcanic caldera, Arran. *See* Ard Bheinn.
- WARMAN, H. R. (& W. J. ARKELL), a review of the Jurassic of western Sicily based on new ammonite faunas, 267-82, figs.
- WATSON, J. (& J. SUTTON), the structure & stratigraphical successn of the Moines of Fannich Forest & Strath Bran, Ross-shire, 21-48, figs., pls. ii & iii, 52-3; discussion on Flinn's paper, 201.
- Waylandella cuneola*, 105, 111.
- Weisdale Limestone, Delting, 181.
- Whitecliff Bay (I.o.W.), Eocene correl. w. that at Baughurst, 422, 424, 426-9, sect.
- WHITTEN, E. H. T., discusses McCall's paper, 174-5; discusses paper by Iyengar &c., 229.
- Whitway (Hants) & Baughurst, Eocene correl., 416, 424, 425, fig., 426.
- WILSON, G., discusses Flinn's paper, 200; discusses Kennedy's paper, 385-6.
- WRIGLEY, A., list of fossils fr. Baughurst boring, 430.
- Yabana anticline, Oman, 127, 130, 131 fig.
- Yellow Oolite of Pen-Cerig-calch, 296.
- YOUNG, J. Z., the evolutn of vertebrate organizatn, 1-9.