

## GENERAL INDEX TO VOLUME CXII

- ADAMS, R. D. *See* DAY, A. A.  
 Africa (E. & central), carbonatites of, 189-219; (central & southern) geomorphological comparison between Brazil &, 445-74.  
 'African' denudation cycle, 460-1, 469.  
 AGER, D. V., the geographical distribution of brachiopods in the British Middle Lias, 157-82, figs., 185-7.  
 Aggradational evolution of landscapes in Africa & Brazil, 448-9.  
 AKAAD, M. K., the Ardara granitic diapir of County Donegal, Ireland, 263-88, figs., pls. x-xii.  
 ALLEN, P., discusses Robson's paper, 259.  
 Allerød oscillation, St. Bees Late-glacial deposit &, 100, 101.  
 Alnö (Sweden), carbonatite complex at, 190 *et seq.*  
 American granites, gravity anomalies over, pl. ii.  
 ANDERSON, W., discusses Robson's paper, 259.  
 Aplite veins in Criffell-Dalbeattie granodiorite, 226.  
 ARCHER, A. A., discusses paper by G. F. & T. M. Thomas, 313.  
 Ardara (Donegal) granitic intrusion, 263-90.  
 Arenicolites depressions in Longmyndian rocks of S. Shropshire, 318, 319.  
 ARKELL, W. J., discusses paper by West & Donner, 90-1.  
*Atryplex cf. hastata*, 365.
- BALL, H. W., discusses Simpson's paper, 497.  
 Banbury brachiopod subprovince, 163, 164, 165, 169, 170, 172-3.  
 Banff nappe, 105, 128; *see also* Buchan anticline.  
 Banffshire. *See* Boyndie.  
 Barnesmoor (Ireland) granite, gravity anomalies over, pl. ii.  
 Bayston Group, S. Shropshire, 316, 319-21 *et seq.*  
 Bengairn (Kirkcudbrightshire) quartz-diorite, 222, 235-6, pl. vii.  
 Biotite-granite, Ardara, 265 fig., 275.  
 Birmingham. *See* Nechells.  
 BLYTH, F. G. H., discusses Phillips's paper, 239.  
 Boreholes, Nechells, 374 fig., 375 fig., 378.  
 BOTT, M. H. P., a geophysical study of the granite problem, 45-62, figs., pls. i & ii, 65-7.  
 Boudinage, in Dalradian of Banff coast, 106, 110, 111, 112 fig., 113-4, fig.; in Dalradian at Pittulie, 149, pl. vi; in Ardara rocks, 283-4, fig., pls. x & xi.  
 Boulder-clays. *See* Chalky boulder-clays.  
 Boyndie Bay (Banffshire), 103, 104, 117, 119, 122.  
 Boyndie Bay Group, 104 *et seq.*, 117, 120, 121.  
 Boyndie syncline, 103-30.  
 Boyne Limestone, Banffshire, 104, 105, 110, 113, 115, 117, 127.  
 Boyne Line, 105, 115, 128, 129.  
 Brachiopods, geographical distribution of, in British Middle Lias, 157-87.  
 Brazil & Africa, geomorphological comparison between, 445-74.  
 Bridges Group, S. Shropshire, 316, 321, 322, 324.  
 Bridport brachiopod subprovince, 163, 164, 165, 166-8, 169, 170.  
 Bristol, *Chondrites* in Ir Lias of, 490-2, 493.  
 Brockhurst Shales, S. Shropshire, 316, 317.  
 Buchan anticline, NE. Scotland, 131-56.  
 Buckstone Rock, S. Shropshire, 316 *et seq.*  
 Bukusu (Uganda), carbonatite complex at, 191, 194, 196, 198, 200, 201.  
 BULLARD, E., 43, 64.  
 BULLERWELL, W., discusses Bott's paper, 63-4.  
 Burway Group, S. Shropshire, 316, 317-8.
- Cainozoic sedimentation, Africa & Brazil, 458-60, 462-3, 468-9; mid-C. epeirogenesis in ditto, 461-2, 468-9; late-C. denudational cycles in ditto, 463-4, 468-9.  
 Calcisphaera from Kimeridge Clay, 429-30.  
*Cannosphaeropsis*, 428.  
 — *caulleryi*, 428, pl. xx.  
 CAPEWELL, J. G., the stratigraphy, structure & sedimentation of the Old Red Sandstone of the Comeragh Mountains and adjacent areas, County Waterford, Ireland, 393-410, figs., pl. xix, 411-2; discusses Robson's paper, 259.  
 Carbonatites, African, 189-219.  
 Carboniferous-Mesozoic aggradation in Africa & Brazil, 452-4, 468-9.  
*Cardamine pratensis cf.*, 365-6, fig.  
 Cardingmill Grit, S. Shropshire, 316 *et seq.*

- Carmarthenshire (W.), correl. of Fish-guard Volcanic Series in, 309, 310 fig.
- CARR, P. T., 43.
- Cementstones Group, Coquet valley, 242, 251; heavy minerals in, 251, 253 fig., 254.
- Chalky boulder-clays, stone-orientation in, 70 *et seq.*
- Channel. *See* English Channel.
- Cheviot granite, gravity anomalies over, pl. i.
- Chilwa I. (Nyasaland), carbonatite complex at, 193, 195, 197, 201-2, 204 *et seq.*
- Chishanya (S. Rhodesia), carbonatite complex at, 197, 198, 206 *et seq.*
- Chittol (Shropshire), 323, 324-6, sect. & map.
- Chondrites*, 475-99, figs., pls. xxi-xxiv. — *granulatus*, 486-7, pl. xxi.
- Church Stretton-Linley area (Shropshire), Pre-Cambrian of, 315-37.
- Cistecephalus* Zone (Karoo), 439-40.
- Cleavage, in Dalradian of Banff coast, 108-9, 116-7, 119; in Pre-Cambrian of S. Shropshire, 331.
- Clooney Pelitic Group, Ardara, 266, 267.
- 'Coastal plain' (Tertiary) denudational cycle, Africa, 463-4, 468.
- Coccolithophorida, 428-9.
- COE, K., discusses Akaad's paper, 289.
- Coldyeld (Shropshire), 321, 324; sect. at, 326-7.
- Collieston (Aberdeenshire) coast section, 133, 134, 139 map, 140-5, 147.
- Collieston Beds, 134, 140-5, 147, 152.
- Comeragh Conglomerate-Sandstone Group (O.R.S.), 395, 398-9; petrography of, 404-5.
- Comeragh Mts. (Co. Waterford), O.R.S. of, 393-410.
- Conglomerates in Longmyndian of S. Shropshire, 316, 319 *et seq.*
- 'Congo' (Quaternary) denudation, 466-7, 468.
- COOK, A. H., discusses Bott's paper, 64.
- Coquet valley (Northumberland), Fell Sandstones of, 241-62.
- Corton Beds, 73, 80, 85.
- Coumshingaun (Co. Waterford), 397, 398 map, 399, 403.
- Coumshingaun Conglomerate Group (O.R.S.), 395, 397-8; petrography of, 404-5.
- Cowhythe Gneiss, 104, 105, 110, 111, 112 fig., 113 *et seq.*, 116 fig., 125 fig., 127, 129.
- Cowhythe Head (Banffshire), 105, 111, 113, 115, 116 fig., 127.
- COX, A. H., discusses paper by G. E. & T. M. Thomas, 312.
- COX, I. R., discusses Simpson's paper, 496-7.
- CRAIG, G. Y., discusses Robson's paper, 260.
- Crathie Point Group, Banffshire, 104 *et seq.*
- Cretaceous sedimentation in Africa & Brazil, 456, 458-60, 468-9; mid-Cret. disturbances in ditto, 458, 468-9.
- Criffell-Dalbeattie (Kirkcudbrightshire) granodiorite complex, 221-39; gravity anomalies over Cr. tonalite, pl. i.
- Cromer ice-advance, 76, 78, 80, 81 fig., 82 fig., 85; correlated w. Elster Glaciation, 86.
- Cromer Till, stone-orientation in, 70, 72, 73, 80.
- Croughan Beds (O.R.S.), Comeragh Mts., 395, 401-2.
- Cryptarchaeodinium*, 420. — sp., 420, 421 fig., 422, pl. xx.
- Cullen (Banffshire), diagrammatic sect. to Gamrie Bay, 127 fig.
- Cullen Quartzite, 104 *et seq.*
- Current-bedding in Fell Sandstones of Coquet valley, 245-51, figs., 254-7, figs., pl. viii.
- Cylindrites*, 486.
- Cynognathus* Zone (Karoo), 442.
- Cysts, calcareous, from Kimeridge Clay, 429, pl. xx.
- Dalbeattie. *See* Criffell-Dalbeattie.
- Dalradian, NE. Scotland, 103-30, 131-56.
- Darnford Conglomerate, S. Shropshire, 316, 319-20.
- Dartmoor granite, gravity anomalies over, pl. i.
- DAVIES, R., discusses paper by Day & others, 42-3.
- DAY, A. A., M. N. HILL, A. S. LAUGHTON & J. C. SWALLOW, seismic prospecting in the Western Approaches of the English Channel, with an appendix on the results at two additional seismic stations, by R. D. ADAMS & A. A. DAY, 15-42, figs., 43-4.
- Deadmans Batch (Shropshire), 328-9, map, 330.
- Devil's Study (nr. Collieston), recumbent fold in Collieston Beds at, 144, pl. v.
- Dinoflagellata, 418-25, figs., pl. xx.
- Diorite, Summy Lough, 270-1; *see also* Quartz-diorite.
- DIXEY, F., discusses King's paper 472-3.
- DOLLAR, A. T. J., discusses paper by Day & others, 43; discusses Bott's paper, 65.
- Donegal granite, gravity anomalies over, pl. ii.
- DONNER, J. J. *See* WEST, R. G.
- Dorowa (S. Rhodesia), carbonatite complex at, 195, 197, 198, 202.
- Dorset coast, *Chondrites* in Lr. Lias of 490, 492-3.
- DOWNIE, C., microplankton from the Kimeridge Clay, 413-33, figs., pl. xx, 434.
- Draba cf. incana*, 366-7, fig.
- DUGAN, S. L., interglacial plant remains

- from the Wolvercote Channel, Oxford, 363-72, figs.; pollen analysis of the Nechells interglacial deposits, Birmingham, 373-89, figs.
- DUNHAM, K. C., discusses Bott's paper, 64; discusses Robson's paper, 259; discusses paper by G. E. & T. M. Thomas, 313.
- Durn Hill Quartzite, Banffshire, 104, 105, 110, 111, 112 fig., 113, 114 fig., 116.
- Dykes, in Criffell-Dalbeattie granodiorite, 229-31.
- Earthquakes, energy of, 1-14, figs.
- East Anglia (& E. Midlands), glaciations of, 69-91.
- Ellon (Aberdeenshire) Gneisses, 135; structure, 151, 152 fig.
- Elster Glaciation, Lowestoft & Cromer advances correl. w., 86.
- Elster/Saale Interglacial, Hoxne Interglacial correl. w., 86.
- Endothiodon* Zone (Karroo), 438-9.
- English Channel, seismic prospecting in Western Approaches of, 15-44.
- Epeirogeny, Brazil & Africa, 449-52, 455, 461-2, 468-9.
- EVANS, P., 360.
- EVANS, W. D., discusses paper by G. E. & T. M. Thomas, 311-2.
- FALCON, N. L., discusses Bott's paper, 63; discusses Sandford's paper, 360.
- FARQUHAR, O. C. See READ, H. H.
- Faulting, in Pre-Cambrian of S. Shropshire, 331-2; in Hecla Hoek of NE. Land, 353, 356-7; in O.R.S. of Comeragh Mts., 402-3.
- Fell Sandstones, Coquet valley, 241-62.
- Fen (Norway), carbonatite complex at, 190 *et seq.*
- Fenitized rocks, assoc. w. African carbonatite complexes, 208-12.
- Findlater Castle (Banffshire), 106, 108 fig., 109, 124 fig.
- Findlater Flags, 104 *et seq.*
- Fishguard Harbour, map of, 308; panoramic sect. at, 309; correl. of Volcanic Series at, 309, 310 fig.
- Fishguard-Strumble Head area (Pembrokeshire), volcanic rocks of, 291-314.
- Fishguard Volcanic Series, 291-314.
- Folding, in Dalradian of Banff coast, 107-8, fig., 110-3, fig., 118-23, fig.; in Pre-Cambrian of Shropshire, 332-3, 334 fig.; in Hecla Hoek of NE. Land, 352-3, 354 map; in O.R.S. of Comeragh Mts., 402.
- Foliation, flow, in Criffell-Dalbeattie granodiorite, 225; secondary, in same, 226-8, fig.; in Ardara rocks, 276-7, fig.
- Foraminifera, Kimeridge Clay, 430.
- Fractures, in Criffell-Dalbeattie granodiorite, 231; in Ardara complex, 277-9, fig.
- FRANCIS, G. H., discusses Akaad's paper, 288-9.
- Fraserburgh (Aberdeenshire) coast section, 133, 134, 146 map, 147-51.
- Fraserburgh Beds, 134, 147-51, 152.
- Galway granite, gravity anomalies over, pl. ii.
- Gamrie Bay (Banffshire), 117, 118, 122; diagrammatic sect. to Cullen, 127 fig.
- Garron Point Group, Banffshire, 104, 105, 114 fig.
- GILL, W. D., discusses Capewell's paper, 410-1.
- Gipping Boulder-clay, 73, 74.
- Gipping Glaciation, 84, 85, 86.
- Gipping ice-advance, 76 *et seq.*, 81 fig., 83-4, fig., 85, 86.
- Glaciations of E. Anglia & E. Midlands, 69-91.
- Glienties Series, Ardara, 266, 267.
- Gloucester brachiopod subprovince, 163, 164, 165, 169-71.
- GODWIN, H., discusses paper by West & Donner, 89-90; communicates D. Walker's paper, 93; in discussion of Duigan's papers, 391.
- Gondwana land-surface, Africa & Brazil, 449-51, figs., 468-9; G. denudational cycle, 454-5, 468-9.
- Gonyaulax*, 419.
- *ambigua*, 419, 423 fig.
- *jurassica*, 420, 423 fig.
- *longicornis* sp. nov., 420, 421 fig., pl. xx.
- Goodwick (Fishguard) syncline, Pillow-lava Division of, 297 map; correl. of Volcanic Series at, 310 fig.
- Gramineae, from Wolvercote Channel, 367.
- Granite, geophysical study of origin of, 45-67.
- Granitic intrusion, Ardara, 263-90.
- Granodiorites, Criffell-Dalbeattie, 221-35, 236-8, figs., pl. vii; of Ardara, 265, fig., 274-5, 269 mode.
- Gravity anomalies & the origin of granites, 45-61.
- Great Britain, geographical distribution of brachiopods in Middle Lias of, 157-87, figs.
- Great Quarry (Avon Gorge), *Chondrites* in Dinantian at, 489, 490-1.
- Green Craig (nr. Collieston), recumbent fold in Collieston Beds at, 145, pls. iv & vi.
- GUTENBERG, B., the energy of earthquakes, 1-14, figs.
- Gymnodinium*, 419.
- cf. *luridum*, 419, pl. xx.
- Haddon Hill Grit, S. Shropshire, 316, 318, 319.
- HALLAM, A., discusses Ager's paper, 182-3.

- HALLIMOND, A. F., discusses Bott's paper, 63; paper by Sutton & Watson, 130; Downie's paper, 434.
- HARLAND, W. B., discusses Sandford's paper, 360-1.
- HARRIS, S. A., discusses Robson's paper, 260.
- HARRISON, J. V., discusses King's paper, 471.
- Hebrides brachiopod province, 162, 164, 165, 175-7.
- Hecla Hoek Formation, North-East Land, 339-62.
- Helmeth Grits, S. Shropshire, 316, 317.
- HENSON, F. A., discusses Akaad's paper, 288.
- HILL, M. N. *See* DAY, A. A.
- HOLLINGWORTH, S. E., discusses Bott's paper, 64-5; paper by West & Donner, 90; Walker's paper, 100-1; paper by G. E. & T. M. Thomas, 313; Duigan's papers, 390; Capewell's paper, 411.
- HOPKINS, W., discusses Robson's paper, 260.
- Howe of Tarlair (Banffshire), structures at, 108 fig., 120 fig., 121.
- Hoxne (Norfolk), 73, 76 fig., 77, 78, 80, 81 fig., 82 *et seq.*; Hoxne Interglacial, 85, 86, 89.
- Huckster Conglomerate, S. Shropshire, 316, 319, 328-9, 330, 331.
- HUGHES, N. F., 434.
- Hystrichosphaeridea, 425-8, figs., pl. xx.
- Hystrichosphaeridium*, 425.
- *pattei*, 425-6, fig., pl. xx.
- *polytrichium*, 426, fig.
- *xanthopyxides*, 426.
- — *var. granulosum*, 426-7, fig.
- Ice-advance in E. Anglia & E. Midlands, 70, 76 *et seq.*, 85; episodes of, 80-4, figs.; correlated w. N. German glaciations, 86.
- Ichnogenus & ichnospecies in classification of trace-fossils, 488-9.
- Igneous rocks associated with carbonatite complexes, 196-7, 205-8.
- Ilminster brachiopod subprovince, 163, 164, 165, 168-9, 170, 177.
- Interglacial plants from Wolvercote Channel, 363-72; pollen analysis of intergl. deposits, Nechells, 373-89.
- Inzie Head (Aberdeenshire), gneisses of, 135-7.
- Irish granites, gravity anomalies over, pl. ii.
- Iron Hill (Colorado), 191, 194, 200, 203, 205, 207, 212.
- Iske Sullas (Co. Waterford), 398, map.
- Isopachyte map of O.R.S. of Comeragh Mts., 408 fig., 409.
- JAMES, J. H., the structure & stratigraphy of part of the Pre-Cambrian outcrop between Church Stretton & Linley, Shropshire, 315-35, figs., pl. xv, 337.
- Joints, in Criffell-Dalbeattie granodiorite, 228-9, 230 fig.; in Pre-Cambrian rocks of S. Shropshire, 332; *see also* Fractures.
- JONES, O. T., 64.
- JOYSEY, K. A., discusses Ager's paper, 183-4.
- Jurassic deformations, Africa & Brazil, 455, 468-9.
- Kangankunde (Nyasaland), carbonatite complex at, 192, 193, 195, 197.
- Karoo System, 437-44.
- Kerimasi (Tanganyika), carbonatite complex of, 194, 196, 203.
- Kiltorcan Sandstone Group (O.R.S.), Comeragh Mts., 395, 400-1.
- Kimeridge (Dorset), succession of Kimeridge Clay at, 414 fig.
- Kimeridge Clay, microplankton from, 413-34.
- KING, L. C., a geomorphological comparison between eastern Brazil & Africa (central & southern), 445-70, figs., 473-4.
- KING, W. B. R., 42; discusses Simpson's paper, 497.
- Kinnairds Head Group, Fraserburgh, 147 *et seq.*
- Knock Head (Banffshire), 105, 117, 118, 123, 125; folding & cleavage at, 119.
- Landscape evolution in Africa & Brazil, 447-9.
- LANG, W. D., discusses Simpson's paper, 498.
- Lanternside Cleugh (Coquet valley), sect. in Fell Sandstones in, 244-5, fig.; heavy minerals in, 253 fig., 254.
- Late-glacial deposit, St. Bees, 93-101, figs.
- LAUGHTON, A. S. *See* DAY, A. A.
- Lawn Hill Conglomerate, S. Shropshire, 316, 321.
- Lebanon dome (New Hampshire), gravity anomalies over, pl. ii.
- Lias (Middle), Gt. Britain, geographical distribution of brachiopods in, 157-87, figs.
- Lightsput Group, S. Shropshire, 316, 318, 319, 328, 329, map.
- Lineation, secondary, Ardara, 279.
- Links Bay (Banffshire), tectonic mélange at, 114 fig., 115 fig.
- Linley-Church Stretton (Shropshire), Pre-Cambrian of, 315-37.
- Longmyndian, S. Shropshire, 315, 316, 317-23, 324-35, figs.
- Loolekop. *See* Palabora.
- Loven peninsula (N.E. Land), succession in Hecla Hoek at, 341-2.

- Lowestoft Boulder-clay, 72 *et seq.*  
 Lowestoft Glaciation 85, 86.  
 Lowestoft ice-advance, 78 *et seq.*, figs.;  
 correl. w. Elster Glaciation, 86.  
*Lystrosaurus* Zone (Karoo), 440-1.
- Maas Semi-pelites, Ardara, 266-7.  
 McBURNEY, C. B. M., discusses paper by  
 West & Donner, 90.  
 Macduff Group, Banffshire, 104 *et seq.*,  
 117, 120, fig., 121, 122.  
 McKERROW, W. S., discusses Ager's  
 paper, 182.  
 Magmatic origin of granite, 47, 48, 55-6,  
 57.  
 Mascoma dome (New Hampshire), gravity  
 anomalies over, pl. ii.  
 Mbeya (Tanganyika), carbonatite com-  
 plex at, 195, 196, 199 fig., 201 *et seq.*  
 Meenalargan complex, Donegal, 266, 268,  
 271, 285, 286.  
 Metadolerites, Ardara, 268.  
 Metamorphic rocks, velocity & density  
 measurements on, 33; m. basement in  
 Channel Approaches, 34, 35-6, map;  
 m. complex, NE. Land, relation of  
 Hecla Hoek Formation to, 357-9.  
 Metamorphism in Dalradian of Banff  
 coast, 105-6; in Dalradian of Buchan  
 anticline, 152-3  
 Metasomatic origin of granite, 47-8, 56,  
 57.  
*Micrhystridium*, 427.  
 — *ambiguum*, 427-8, fig.  
 — *areolatum*, 427, fig.  
 Microgranodiorite sheets, Ardara pluton,  
 269 mode, 275.  
 Microplankton, Kimeridge Clay, 413-34,  
 figs., pl. xx.  
 Middle (glacial) Sands, St. Bees, peat beds  
 in, 93-101.  
 Midland brachiopod province, 161, 164,  
 165, 171-4.  
 Midlands (East) & F. Anglia, glaciations  
 of, 69-91.  
 Mill Ponds amphibolitic complex, Done-  
 gal, 266, 268, 285.  
 Minerals, heavy, in Fell Sandstones &  
 Cementstones of Coquet valley, 251-4,  
 figs., 257; in O.R.S. of Comeragh Mts.,  
 405-6.  
 Mintonian, S. Shropshire, 316, 319, 327-  
 30, figs.  
 Monargan Group, Ardara, 266, 267.  
 MOORE, L. R., discusses Downie's paper,  
 433-4.  
 Mormond Hill (Aberdeenshire) quartzite,  
 137-8, 140; structure, 151-2.  
 MUIR-WOOD, H. M., discusses Ager's  
 paper, 184-5.  
 Mullions, in quartzite at Portsoy, 115-6.
- NAIRN, A. E. M., discusses Robson's  
 paper, 260.  
 Napak (Uganda), carbonatite complex of,  
 194, 196, 199 fig., 200, 203, 206, 207.
- Nechells (Birmingham), pollen analysis of  
 interglacial deposits of, 373-89.  
 Nier Sandstone Group (O.R.S.), Come-  
 ragh Mts., 395, 399-400, 405.  
 North-East Land, Hecla Hoek Formation  
 in, 339-62.  
 Northern Drift, stone-orientation in, 70,  
 75, 78, 80.  
 Norwich Brickearth, stone-orientation in,  
 70, 72, 73, 80.
- OAKLEY, K. P., discusses paper by West  
 & Donner, 89; Duigan's papers, 390.  
 Oakswood Conglomerate, S. Shropshire,  
 316, 321-2, 323, 324.  
 Oakswood Group, S. Shropshire, 316,  
 321 *et seq.*  
 Old Red Sandstone, Comeragh Mts.,  
 393-410.  
 Older Drift tills of E. Anglia & E. Mid-  
 lands, stone-orientation in, 69-91.  
 OLIVER, R. L., discusses paper by G. E.  
 & T. M. Thomas, 312-3.  
 Oxford. *See* Wolvercote.
- Palabora (Transvaal), carbonatite com-  
 plex at, 193, 197, 198, 204, 207.  
*Palaeoperidinium*, 422.  
 — *bicuneatum*, 422, pl. xx.  
 — *hyalodermum*, 422, pl. xx.  
 — cf. *hyalodermum*, 422, 423 fig.  
 — *mosaicum* sp. nov., 421 fig., 424,  
 pl. xx.  
 — cf. *nuciforme*, 423, fig.  
 — *nudum* sp. nov., 421 fig., 424, pl. xx.  
 — sp. A., 424-5, pl. xx.  
 — sp. B., 423 fig., 425.
- Palaeozoic rocks, Channel Approaches,  
 33, 34, 36, 37 map.  
 Panda Hill. *See* Mbeya.  
 'Paraguacu' (Quaternary) denudation,  
 467, 468.  
*Pastinaca sativa*, 365 fig., 367-8.  
 Peat-bed in Middle Sands at St. Bees,  
 93-101.  
*Pectinatites pectinatus* Zone, Dorset,  
 microplankton in, 417 table, 418.  
 Pediplanation, Africa & Brazil, 447-8.  
 Pegmatite-aplite veins, Ardara rocks,  
 274, fig., 275.  
 Pen Caer peninsula (Pembrokeshire),  
 volcanic rocks of, 291-314.  
 Pennine Drift, stone-orientation in, 70,  
 83, 84.  
 Permian, faunal breaks in, 435-44; P.  
 (& younger) rocks, Channel Approaches,  
 33, 36, 37 map, 38.  
 PHILLIPS, W. J., the Criffell-Dalbeattie  
 granodiorite complex, 221-38, figs.,  
 pl. vii, 239.  
 Pillow-Lava (Spilite) Division, Pen Caer,  
 292, 295-301, maps.  
 PITCHER, W. S., discusses Phillips's  
 paper, 239; Akaad's paper, 289-90.

- Plants, interglacial, from Wolvercote Channel, 363-72.
- Pleuroceras spinatum* Zone, distribution of brachiopods in, 157-87, figs.
- Plio-Pleistocene epeirogenesis, Africa & Brazil, 464-5, 468-9.
- Pollen, from Late-glacial deposit at St. Bees, analysis of, 95-100, figs.; from interglacial deposits of Nechells, 373-89.
- Porth Lleuog Bay (Pembrokeshire), Strumble Head Series at, 301, 303, fig.
- Porth Sychan Bay (Pembrokeshire), Strumble Head Series at, 301, 302 fig., 303 *et seq.*, pl. xiii.
- Portnoo Limestone Group, Ardara, 266, 267, 281, pl. xi.
- Portsoy (Banffshire), 105, 108 fig., 110 *et seq.*, 125 fig., 127.
- Portsoy Group, 104 *et seq.*, 110, 111, 112 fig., 113, 114 fig., 115 fig., 116.
- Portway Group, S. Shropshire, 316, 319.
- Post-Gondwana denudational cycle, Africa & Brazil, 457-8, 468-9.
- Potamogeton* cf. *filiformis* or *pectinatus*, 366 fig., 368.
- cf. *perfoliatus*, 366 fig., 369.
- Potentilla* sp., 369.
- Pottie Murlan (Aberdeenshire), recumbent folds in Collieston Beds at, 143-4, pl. iv.
- Pre-Cambrian, S. Shropshire, 315-37.
- Prescelly Hills (Pembrokeshire), Fishguard Volcanic Series at, 309, 310 fig.
- Prince Oscars Land (NE. Land), Hecla Hoek Formation in, 347-51, sect., pl. xvi.
- Procolophon* Zone (Karoo), 441.
- Quartz-diorite, Bengaim, 222, 235-6, pl. vii; Ardara, 265, fig., 269 mode, 271-3, fig.
- Quartz fabric analyses of Dalradian rocks of Banff coast, 123-5, fig.
- Quaternary sedimentation, Africa & Brazil, 465-6, 468-9; Q. denudation cycles in same, 466-7, 468-9.
- Radiolaria, Kimeridge Clay, 430.
- Radlith Conglomerate, S. Shropshire, 316, 321, 324, 325.
- READ, H. H., 64; discusses paper by Sutton & Watson, 129; (& O. C. FARQUHAR), the Buchan anticline of the Banff nappe of Dalradian rocks in North-East Scotland, 131-54, figs., pls. iv-vi, 155-6.
- Redhythe Point (Banffshire), 108 fig., 110, 112 fig.
- Rhyolite Division of Fishguard Volcanic Series, 292; Lower, 293-5; Upper, 306-8.
- Rijps Bay (NE. Land), Hecla Hoek Formation at, 346.
- Rijps Valley (NE. Land), Hecla Hoek Formation in, 344-6, pl. xvii.
- ROBSON, D. A., a sedimentary study of the Fell Sandstones of the Coquet valley, Northumberland, 241-58, figs., pls. viii & ix, 260-2.
- Rosbeg Semi-pelitic Group, Ardara, 266, 267.
- Roseheartly Group, Fraserburgh, 147, 149 *et seq.*
- Rumex* cf. *acetosa*, 369-70.
- SABINE, P. A., discusses Capewell's paper, 411.
- 'Saccules,' from Kimeridge Clay, 423 fig., 430.
- St. Albans ice-lobe, 83, 85.
- St. Bees (Cumberland), Late-glacial deposit at, 93-101, figs.
- St. David's (Pembrokeshire), Fishguard Volcanic Series at, 310 fig.
- Sandend (Banffshire), 105 *et seq.*
- Sandend Group, 104 *et seq.*
- SANDFORD, K. S., the stratigraphy & structure of the Hecla Hoek Formation & its relationship to a subjacent metamorphic complex in North-East Land (Spitsbergen), 339-60, figs., pls. xvi-xviii, 361-2; communicates Miss Duigan's paper, 363.
- Sandstones. *See* Fell Sandstones.
- Saxifraga* sp., 370.
- Schlieren, in Ardara quartz-diorite, 273.
- Scotland (NE.). *See* Buchan anticline.
- Sedimentary rocks, table of velocity & density measurements on, 32.
- SHACKLETON, R. M., discusses paper by Sutton & Watson, 129-30; paper by Read & Farquhar, 155, fig.
- SHAW, S. H., discusses Akaad's paper, 289.
- Shawa (S. Rhodesia), carbonatite complex at, 195, 197, 198, 202.
- SHIRLEY, J., discusses Simpson's paper, 497.
- SHOTTON, F. W., discusses paper by West & Donner, 88; Duigan's papers, 389-90.
- Shropshire (S.), Pre-Cambrian of part of, 315-37.
- SIMPSON, S., on the trace-fossil *Chondrites*, 475-96, figs., pls. xxi-xxiv, 498-9.
- Slieve Tooy Quartzite, Ardara, 266, 267.
- SMITH, W. CAMPBELL, a review of some problems of African carbonatites, 189-219, figs.; discusses Akaad's paper, 288.
- Smoothingiron granite (Texas), gravity anomalies over, pl. ii.
- SOLOMON, J. D., discusses paper by West & Donner, 88; Duigan's papers, 390.
- South-western brachiopod province, 161, 163-71.
- SPENCER, H. E. P., discusses paper by West & Donner, 88.
- Spitsbergen. *See* North-East Land.

- Spitzkop (Transvaal), carbonatite complex at, 197 *et seq.*, figs.
- Stanbach Conglomerate, S. Shropshire, 316, 319 *et seq.*
- Stones in tills of E. Anglia & E. Midlands, orientation of, 69-91.
- Strawoghter Group, Ardara, 266, 267.
- Strettonian, S. Shropshire, 316, 317-9, 327-30, figs.
- Strumble Head-Fishguard area (Pembrokeshire), volcanic rocks of, 291-314, figs., pls. xiii & xiv.
- Strumble Head Series, 301-5, maps, pl. xiii.
- Subplanites* Zone, microplankton in, 416, 417 table, 418.
- Sukulu (Uganda), carbonatite complex at, 196, 198, 204, 206.
- 'Sul-Americana' denudation cycle, 460-1, 468.
- Summy Lough (Donegal) diorite, 270-1, 285.
- SUTTON, J., discusses Sandford's paper, 360; (& J. WATSON) the Boyndie syncline of the Dalradian of the Banffshire coast, 103-29, figs., pl. iii, 130.
- SWALLOW, J. C. *See* DAY, A. A.
- Synalds Group, S. Shropshire, 316 *et seq.*, 329, map, 331.
- Syncline, Boyndie Dalradian, 103-30.
- Tapinocephalus* Zone (Karoo), 437-8.
- TAYLOR, J. H., discusses paper by West & Donner, 89.
- TEALE, E., discusses King's paper, 471, 472.
- THOMAS, G. E. (& T. M. THOMAS), the volcanic rocks of the area between Fishguard & Strumble Head, Pembrokeshire, 291-311, figs., pls. xiii & xiv.
- THOMAS, H. D., discusses Simpson's paper, 497.
- THOMAS, T. M., 313-4; *see also* THOMAS, G. E.
- Tills, E. Anglia & E. Midlands, stone-orientation in, 69-91.
- Tilton brachiopod subprovince, 163, 164, 165, 174.
- Tonalite, Ardara complex, 265 fig., 268-70, mode, 273 fig.; origin of, 285-6.
- Tororo (Uganda), carbonatite complex at, 194-5, 196, 200 *et seq.*
- Tourmalinization in Ardara pluton, 284.
- Trace-fossils, classification of, 488-9.
- Uriconian, S. Shropshire, 316-7, 323-7, figs., 335.
- 'Velhas' (Tertiary) denudational cycle, Brazil, 464, 468.
- Vertebrates, Permian faunal breaks &, 437-44.
- Victoria Falls cycle, the name, 463.
- Volcanic rocks. *See* Fishguard Volcanic Series.
- WADIA, D. N., discusses Bott's paper, 62-3.
- Wahlenberg Bay (Spitsbergen), Hecla Hoek succession at, 342, 343, pl. xvii.
- WALKER, D., a Late-glacial deposit at St. Bees, Cumberland, 93-100, figs., 101.
- Waterford, Co. *See* Comeragh Mts.
- Watling Shales, S. Shropshire, 316, 317.
- WATSON, D. M. S., two great breaks in the history of life, 435-44.
- WATSON, I. J., discusses Bott's paper, 65.
- WATSON, J. *See* SUTTON, J.
- Weardale granite, gravity anomalies over, 54, pl. i.
- WELLS, M. K., discusses Phillips's paper, 238.
- Wentnorian, S. Shropshire, 316, 319-23, 324-8, figs., 330.
- WEST, R. G. (& J. J. DONNER), the glaciations of East Anglia & the East Midlands, 69-87, figs., 91.
- West Sands Group, Banffshire, 104 *et seq.*
- Western Approaches. *See* English Channel.
- WHITEHEAD, T. H., discusses James's paper, 335-6.
- Whitehills Group, Banffshire, 104 *et seq.*, 111, 112 fig., 113, 117, 118, 120 fig.
- WHITTARD, W. F., discusses James's paper, 336-7.
- WHITTEN, D. G. A., discusses James's paper, 337.
- WHITTEN, E. H. T., discusses Akaad's paper, 288.
- Whyntie Head (Banffshire), 106, 109, 112 fig., 117 *et seq.*, 123.
- WILSON, G. discusses paper by Read & Farquhar, 154-5.
- WILSON, V., discusses Ager's paper, 184.
- Wolvercote Channel, interglacial plant remains from, 363-72.
- WOOD, A., discusses Phillips's paper, 239.
- Woody Bay (Lynton), *Chondrites* in Lynton Beds, at, 489, 490.
- Xenoliths, in Criffell-Dalbeattie granodiorite, 223, 224-5; in Ardara tonalite, 270, pl. x; in Ardara quartz-diorite, 272-3, pl. xi.
- Yorkshire brachiopod province, 161, 164, 165, 174-5.