

GENERAL INDEX TO VOLUME CXV

- Acid Group (Lr), Cader Idris, 190, 191-2, chem. anal.; (Upper), 190, 195-6. 197 chem. anal., 201 map.
- Aghagrania R., Roscunnish Shales in. 178-80, fig.
- ALEXANDER, F. E. S., observations on tropical weathering: a study of the movement of iron, aluminium & silicon in weathering rocks at Singapore, 123-42, figs., pls. iv & v.
- Algae, calcareous, Middle East, 217-32, pl. viii.
- Aluminium, movement in weathering rocks, 124, 128-9, 137-8.
- Ammonellipsites kayseri*, 271, 273 fig.
- Ancon (Ecuador), Clay Pebble-beds & associated rocks of. 317-38, figs., pls. xiv-xvii.
- ANDERSON, J. G. C., discusses Knill's paper, 362.
- Ankole (NW.), Pre-Cambrian of, 389-420, figs., pl. xxi.
- Annagh Hill (Arklow), 29, 34; intrusions of, 30, map & sect.
- Aplite dykes, Meldon Quarry, 92-3, fig.
- Arachnida, from silt at Rodbaston, 6, pl. i.
- ARCHER, A. A., 38.
- Arklow (Ireland), Lr Palaeozoic of. 17-40, figs., pl. ii.
- Arklow fault, 25 fig., 26 fig., 27 figs., 28, 30, 33, 35.
- Arklow Rock, 20, 22, 24, 31.
- AUDEN, J. B., discusses Alexander's paper, 143-4.
- Aughrim thrust, Arklow, 24, 26 fig., 27 fig.
- Avoca (Wicklow) mineralization. 32 *et seq.*, 38 *et seq.*
- Axial-plane structures in Loch Luichart area, 371 map.
- BADEN-POWELL, D., discusses Stevens's paper, 314-5.
- BAILEY, E. B., 334.
- Ballinasilloge fault, Arklow, 21 *et seq.*, figs.
- Ballymore Beds, Carrick syncline, 167 fig., 169-70; faunal assemblages of, 174-7; zonal position of, 178.
- Ballymoyle Hill (Arklow), 24, 25 sect., 26 fig., 31; structure betw. Rathdrum &, 26 fig.
- Barnstaple (Devon), Culm SW. of. 261-89, figs., pls. xii & xiii.
- Basic Group (Lr), Cader Idris, 190, 192-3, chem. anal.; (Upper), 190, 193-4, chem. anal.
- Bedding, in Buhwezu Group, 406-7, fig.
- BISSET, C. B., discusses Reece's paper, 419.
- BLACK, C. D. G. *See* MARCHANT, S.
- BLACK, M., in discussion of Alexander's paper, 144.
- Bluff Head Formation, Hong Kong, 237, 238-40, sect.
- Boulder-clay (Lr), Manchester-Stockport area, 109, 110 fig., 111 *et seq.*, 117, 118; (Upper) 109, 110 fig., 113-4, fig., 117, 118.
- Boyle Sandstone Group, Carrick syncline, 165-7, fig., 178.
- BROWN, C. BARRINGTON, his views on Ancon Clay Pebble-beds discussed, 317-8, 319, 321-2, 324-5, 327-30; discusses Marchant & Black's paper, 336-7.
- Buhwezu Group, Ankole, 390, 394, 396-412, 414, 415; orogenesis of, 412-4.
- BURNHAM, C. P., discusses Shotton & Strachan's paper, 13.
- BUTCHER, N. E., discusses Dearman's paper, 104; Prentice's paper, 288.
- Cader Idris granophyre, 189-216, chem. anal., figs., pl. vii.
- Calcareous algae, Middle East, 217-32, pl. viii.
- Calcareous Group (Culm), Meldon. 68, 69 *et seq.*
- CALDWELL, W. G. E., the Lr Carboniferous rocks of the Carrick-on-Shannon syncline, 163-86, figs., pl. vi.
- Caledonian structural history, Arklow, 28-35, figs.
- Cambrian (Lr & Middle) trilobites, evolutionary 'bursts' in, 149-53.
- Carboniferous (Lr), of Carrick syncline, 163-87, figs., pl. vi; *see also* Culm.
- Carbonocoryphe* aff. *bindemanni*, 271, 272, pl. xii.
- Carrick-on-Shannon syncline, Lr Carboniferous of, 163-87, figs., pl. vi.
- Castlemacadam fault, Arklow, 22, 23 fig., 24, 26, 27, 33.
- Castletimon Hill (Arklow), 20, 24, 28, 29 map.
- Cavetown Limestone Group, Carrick syncline, 167 fig., 170-3, figs.; faunal assemblages of, 174-7; zonal position of, 178.
- Chaetangiaceae, geol. history of, 227-8.

- Chert Beds (Culm), N. Devon, 264 fig., 265-6, fig., 268-9; palaeontology & correlation of, 271-8, fig.
- Clay Pebble-beds, SW. Ecuador, 317-27, 330, 331, figs., pls. xiv-xvi.
- Cleavage, Craignish-Kilmelfort area, 343-57, figs.; in Buhwezu Group of Ankole, 407, fig.
- CLIFFORD, P., the geol. structure of the Loch Luichart area, Ross-shire, 365-86, figs., pls. xix & xx, 388.
- Codden Hill (N. Devon) Chert Beds, 264 fig., 265-6, fig.
- COLLINS, R. S., 144.
- Coleoptera, from silt at Rodbaston, 6, 7.
- Concretions, iron-oxide, in weathering rocks at Singapore, 128, 130-5, figs.
- Convolute bedding, in Socorro Beds, 328, 330, pl. xv.
- Craignish-Kilmelfort district (Argyll), tectonics of, 339-63, figs., pl. xviii.
- Cretaceous algae, Middle East, 222-4; Cr. problematicum, 228-30, pl. viii.
- Croghan Limestone Group, Carrick syncline, 167 fig., 169, 170; faunal assemblages of, 174-7; zonal position of, 178.
- Croghan Mtn (Arklow), 20, 25, 29, 33, 35; intrusions of, 30 map & sect.
- Croghan thrust, Arklow, 24, 25 fig., 26 fig.
- Culm, Meldon, 65-106 maps & sects.; SW. of Barnstaple, 261-89, figs., pls. xii & xiii.
- Curlew fault, Carrick syncline, 182-3.
- Cyrtosymbole (Waribole) cf. aequalis*, 271, 272, pl. xii.
- Dalradian, Craignish-Kilmelfort district, 339-63.
- Dartmoor granites, Meldon, 65, 66 fig., 67, 70 fig., 72, 96, 99, 101.
- DAVIES, K. A., discusses Reece's paper, 417.
- DAVIES, R. G., the Cader Idris granophyre & its associated rocks, 189-213, chem. anal., figs., pl. vii, 215-6.
- DEARMAN, W. R., the structure of the Culm Measures at Meldon, near Okehampton, N. Devon, 65-103, maps & sects., 105-6; discusses Prentice's paper, 286-7.
- Devon (N.). See Barnstaple & Meldon.
- Devonian, Meldon, 68, 80-1.
- Dinantian (& Namurian) & Westphalian). SW. of Barnstaple, 261-89, figs., pls. xii & xiii.
- DIXEY, F., discusses Reece's paper, 418.
- Dolerites, Cader Idris, 197 chem. anal.
- Drift. See Pleistocene.
- DUNNING, F. W., discusses Tremlett's paper, 38-9.
- Dykes, Hong Kong, 247-51, map; sandstone d. in Socorro Beds, 329, pl. xvii.
- Ecuador (SW.), Clay Pebble-beds & associated rocks of, 317-38 figs., pls. xiv-xvii.
- ELLIOTT, G. F., fossil calcareous algal floras of the Middle East with a note on a Cretaceous problematicum, *Hensonella cylindrica* gen. et sp. nov., 217-32, pl. viii.
- England (E.), subdivision of Pleistocene of, 58-9, 60 table.
- Eocene algae, Middle East, 226.
- EVANS, P., discusses Simpson's paper, 119.
- EYLES, V. A., discusses Alexander's paper, 142-3.
- FALCON, N. L., discusses Prentice's paper, 287.
- Faults & faulting, Arklow, 24-35, figs.; Wadi-el-Dirbar, 41-7; Meldon, 66 et seq., 97-9, 101, figs.; Carrick syncline, 182-3; Cader Idris, 201-3, figs.
- Folds & folding, Arklow, 20-3, figs.; Sinai, 42 map, 45-6; Meldon, 66-7, 70 et seq., 97-9, 101, figs.; Carrick syncline, 181; Craignish-Kilmelfort area, 339-61, figs.; Loch Luichart area, 366-82, figs.
- Fremington (N. Devon), Culm succession at, 264 fig.; geol. map of, 267; sects. nr, 267-70, fig.
- Gastrioceras cf. carbonarium*, 278, pl. xii.
- GEORGE, T. N., discusses Tremlett's paper, 37-8; Caldwell's paper, 186-7.
- Germany (N.), subdivision of Pleistocene of, 59, 60 table.
- Gibbsitic concretions in weathering rocks, 137-8.
- GILL, W. D., discusses Shotton & Strachan's paper, 13; Tremlett's paper, 37; Marchant & Black's paper, 334.
- Gipping Till, 293, 294 fig., 295, 296 fig.; G. gravel, 293, 297.
- Gliding, gravitational, in Socorro Beds, 328-9.
- Goniatites aff. falcatus*, 273 fig., 274, pl. xii.
- *spiralis* bed, N. Devon, 264 fig., 265, 269, 275-6.
- Goniatites, Carb., N. Devon, 271, 272, 273 fig., pl. xii.
- Granites, Hong Kong, 246-7.
- Granophyre, Cader Idris, 189-216, chem. anal., figs., pl. vii.
- HARLAND, W. B., discusses Dearman's paper, 104; Knill's paper, 362.
- HARRISON, J. V., discusses Marchant & Black's paper, 333.
- Hensonella* gen. nov., 229.
- *cylindrica* sp. nov., 229-30, pl. viii.
- HODSON, F., 186; discusses Simpson's paper, 119.

- HOLLINGWORTH, S. E., 214; discusses Shotton & Strachan's paper, 12; Stevens's paper, 313-4.
- Hong Kong, geol. of, 233-60, figs., pls. ix-xi.
- Hydrozetes cf. palustris*, 6, pl. i.
- Igara Group, Ankole, 390, 391-4; map of folding of, 395; Igara land-surface, 402-3, map, 404, 405, 412; orogenesis of, 412-4.
- Igneous rocks, weathering, movement of iron, aluminium & silicon in, 126-9.
- Instow (N. Devon), Culm succession at, 264 fig.
- Instow Beds, 264 fig., 266-7, 269.
- Instow Fish Bed, 264 fig., 265 fig., 266, 278-9.
- Interglacial, Nar Valley, 291-315, figs.
- Intrusions, Arklow, faults &. 28-35, figs.
- Irish Sea glacier, kettle-hole formed by, at Rodbaston, 3-5, 12 *et sqq.*
- Iron, movement in weathering rocks, 124, 126-8, 130 *et sqq.*, figs., 139-40.
- Isingiro Conglomerate, Ankole, 394, 396, 400 *et sqq.*, 412, 414; isopachyte map, 401; current directions in, 404, 405 map, 406.
- Joints & jointing, Meldon, 99-102, figs.; Cader Idris, 210; Craignish-Kilmelfort area, 357-8, fig., 359 fig.
- JONES, O. T., discusses Marchant & Black's paper, 333-4.
- Jurassic algae, Middle East, 221-2.
- Kasyoha Shales, Ankole, 394, 398, 402, 406; structures in, 408-9, 410 fig. 411-2, fig.
- Kat O Formation, Hong Kong, 254-6, sect.
- KELLAWAY, G. A., discusses Shotton & Strachan's paper, 13.
- Kettle-hole, Rodbaston, 1-15.
- Kilbryan Limestone Group, Carrick syncline, 166 fig., 167; faunal assemblages of, 174-7; zonal position, 178.
- Kilmacrea fault, Arklow, 26 fig., 27, 33.
- Kilmelfort-Craignish district (Argyll) tectonics of, 339-63, figs., pl. xviii.
- KING, B. C., discusses Dearman's paper, 105; Knill's paper, 362; Reece's paper, 417-8.
- KING W. B. R. 313; discusses Shotton & Strachan's paper, 12-3.
- KNILL, J. L., discusses Tremlett's paper, 38; the tectonic pattern in the Dalradian of the Craignish-Kilmelfort district, Argyllshire, 339-62, figs., pl. xviii, 363.
- LAMBERT, R. St. J., 387.
- Lan Tau (Hong Kong), geol. map of, 248.
- Lava, Singapore, movement of iron & silicon during weathering, 130; Cader Idris lava, chem. anal. of, 194.
- 'Lensing,' in Socorro Beds, 329.
- Lepidocylinidae, morphological anal. of, & long-range correlation, 51-6, figs., 57 fig.
- Limekiln Beds (Culm), N. Devon, 264 fig., 266, 269, 278.
- Linear structures in Loch Luichart area, map of, 370; in Buhwezu Group, Ankole, 407-9, fig., 410 fig.
- Linoproductus* Beds, Carrick syncline, 167 fig., 169.
- Llyn Cau Mudstone Group, 190, 195.
- Llyn-y-Gader Group, Cader Idris, 190, 192 chem. anal., 193.
- Load-casting, in Socorro Beds, 328, 329, 330, pl. xiv.
- Lowestoft Till, 293, 294 fig., 295, 296 fig., 297, 298.
- Lubare Quartzite, Ankole, 394, 396-8, 400 *et sqq.*; map of isopachytes, 401; current direction in, 404, 405 map, 406.
- Luichart, Loch, area (Ross-shire), geol. structure of, 365-88, figs., pls. xix & xx.
- Lukiri (Ankole) area, geol. map of, 399.
- Lukiri Mudstones, 394, 396, 400.
- Manchester-Stockport area, Pleistocene succession in, 107-21, figs. pl. iii.
- MARCHANT, S. (& C. D. G. BLACK), the nature of the Clay Pebble-beds & associated rocks of SW. Ecuador, 317-32, figs., pls. xiv-xvii, 334-6, 337-8.
- Meldon (N. Devon), Culm at, 65-106, maps & sects.
- Merocanites cf. similis*, 273 fig.
- Metamorphism, folding &, in Craignish-Kilmelfort area, 358-9.
- Middle East, calcareous algal floras of, 217-32, pl. viii.
- Middle Sand, Manchester-Stockport area, 109, 110 fig., 111-3, figs., 114, 117.
- Mineralization, Arklow & Avoca, 32-5, 36, 38-9, 40.
- Miocene algae, Middle East, 227.
- Mollusca, from silt at Rodbaston, 6.
- Munyoni Quartzites, Ankole, 394, 398, 402, 406.
- Mynydd Moel, geol. map of, 202.
- Namurian (& Dinantian & Westphalian), SW. of Barnstaple, 261-89, figs., pls. xii & xiii.
- Nar Valley (Norfolk), interglacial of, 291-315, figs.
- Nar Valley Clay, 293, 295-7, figs.; pollen diagrams fr., 298-9, 302 fig., 303 fig., 304-5, 306 *et sqq.*
- Nar Valley Freshwater Beds, 293, 295, 298; pollen diagram fr., 299, 300 fig., 301 fig., 304, 306 *et sqq.*

- Narborough (Norfolk) gravel, 297-8.
Neoglyphioceras spirale, 273 fig., 275, 276.
 pl. xii.
 Netherlands, subdivision of Pleistocene
 of, 58-9, 60 table.
- Oakport Limestone Group, Carrick syn-
 cline, 166 fig., 167-9; faunal assem-
 blages of, 174-7; zonal position of,
 178.
- Okehampton. *See* Meldon.
 Oligocene algae, Middle East, 227.
 Ordovician (& Tremadocian) trilobites,
 evolutionary "bursts" in, 153-8.
 Ostracoda, from silt at Rodbaston, 6.
- Palaeocene algae, Middle East, 224-6.
 Palaeozoic (Lr), Arklow, 17-40, figs.,
 pl. ii.
- PEACH, B. N., his sect. across Loch
 Luichart area discussed, 384-5, fig.
 Peat moor, Rodbaston, 1-15, figs., pl. i.
 Pebbles, from Clay Pebble-beds of
 Ancon, 325-6, pl. xvi.
 Penhill Farm quarry (nr Barnstaple),
 sect. in Chert Beds at, 266 fig.
 Penkridge (Staffs.). *See* Rodbaston.
 Permian algae, Middle East, 219-21.
 pH, variation of in weathering rocks,
 138 table, 139-40.
Phillibole? (*Cystispina*) *spatulata*, 271.
 272, pl. xii.
 — — (? *Cystispina*) sp. nov., 271, pl. xii.
 — — (*Liobole*) *glabra glabra*, 271, 272.
 pl. xii.
- PHILLIPS, W. J., discusses Rcece's paper,
 418-9.
- Phyllites, Craignish, small-scale folds in,
 343-6, figs.
- Pilton Beds, N. Devon, 264 fig., 265,
 267-8, 270-1.
- Plants, from silt at Rodbaston, 6, 7.
- Pleistocene, subdivisions in England &
 on Continent, 58-9, 60-1 tables;
 in Manchester-Stockport area, 107-21,
 figs., pl. iii; in Nar Valley, 291-315,
 figs.
- Plover Cove Formation, Hong Kong,
 237, 238, 240-4, sects.
- Poland, subdivision of Pleistocene of, 59,
 61 table.
- Pollen, from kettle-hole sediments at
 Rodbaston, 7-11, figs.; p. diagrams,
 Nar Valley interglacial beds, 298-305,
 figs., 306 *et seq.*
- POOLE, E. G., discusses Shotton &
 Strachan's paper, 14; Simpson's
 paper, 119-21.
- Port Island (Hong Kong), geol. map of,
 252; geol. sect., 253.
- Port Island Formation, 251-4, figs.
Posidonia beds, N. Devon, 262, 263, 264
 fig., 268, 269, 270.
- Pre-Cambrian, Ankoole, 389-420, figs., pl.
 xxi.
- PRENTICE, J. E., Dinantian, Namurian &
 Westphalian rocks of the district SW.
 of Barnstaple, N. Devon, 261-86, figs.,
 pls. xii & xiii, 288-9.
- Problematicum, Cretaceous, 228-30, pl.
 viii.
- PUGH, W., 119
- Pustula* Beds, Carrick syncline, 167 fig.,
 170.
- Quartz, solution of in weathering rocks,
 135-6, pl. iv.
- Quartz-diorite silt. Cader Idris, 198,
 200 chem. anal.
- Quartz-porphry sheets, Hong Kong,
 244-5.
- Quartz-vein structures, Meldon Quarry,
 79-80, fig., 99.
- Quartzites, weathering reactions of,
 130-3.
- Quaternary (& Tertiary), stratigraphical
 division of, 49-63, figs.
- RAMSAY, J. G., discusses Clifford's paper,
 387.
- RAST, N., discusses Davies's paper, 214-5.
- Rathdrum (Arklow), 21, 26, 35; struc-
 ture betw. Ballymoyle Hill &, 26 sect.
- Rathdrum fault, 20, 24, 26, 28, 33.
- Red-a-ven Brook (Meldon), structure of
 Culn in, 92, 95, 96.
- REECE, A., the stratigraphy, structure &
 metamorphism of the Pre-Cambrian
 rocks of NW. Ankoole, Uganda, 389-
 416, figs., pl. xxi, 419-20.
- Reefs, limestone, Carrick syncline, 173.
- Rift Valley faulting, Sinai structures &
 41-7.
- River terraces. *See* Terraces.
- ROBSON, D. A., the geol. structure of the
 Wadi el Dirba area of Sinai, 41-7, figs.
- Rockingham Estate (Carrick-on-
 Shannon), sect. in Oakport Group at,
 168.
- Rocks, weathering, movement of iron,
 aluminium & silicon in, 123-44,
 figs., pls. iv & v.
- Rodbaston (Penkridge), peat moor at,
 1-15, figs., pl. i.
- 'Roller-bearing slide,' Socorro Beds,
 328, pl. xv.
- Roscunnish Shales, Carrick syncline, 166
 fig., 178-80, fig.
- Russian plain, subdivision of Pleistocene
 of, 59, 61 table.
- RUTLAND, R. W. R., discusses Knill's
 paper, 362-3; Clifford's paper, 387.
- RUNTON, B. P., geol. of Hong Kong,
 233-60, figs., pls. ix-xi.
- SABINE, P. A., 105.
- Salt Rock thrust, Arklow, 24, 27 fig., 28.
- Sandstone dykes, in Socorro Beds, 329,
 pl. xvii.
- 'Sealing-wax flow,' Socorro Beds, 327-8.

- Sedimentary rocks, weathering, movement of iron, aluminium & silicon in, 129-38, figs.
- SHACKLETON, R. M., 104, 418; discusses Davies's paper, 214.
- Shale & Quartzite Group (Lr), Meldon, 68-9, 70 *et seq.*; (Upper), 68, 69 *et seq.*
- Shales, weathering, aluminous concretions in, 137-8; anal. of weathering stages of, 138 table.
- SHEARMAN, D. J., discusses Prentice's paper, 287-8.
- Sheemore (Carrick-on-Shannon), Cave-town Group at, 171-2, map, sect.
- SHOTTON, F. W. (& I. STRACHAN), the investigation of a peat moor at Rodbaston, Penkridge, Staffordshire, 1-12, figs., pl. i, 14-15.
- Silicon, movement of, in weathering rocks, 124, 128-9, 131, 135, 136, 139-40.
- Silt, underlying peat at Rodbaston, 5; fauna & macroflora of, 5-7.
- SIMPSON, I. M., the Pleistocene succession in the Stockport and S. Manchester area, 107-19, figs., pl. iii, 121; discusses Shotton & Strachan's paper, 13; Dearman's paper, 105; Prentice's paper, 286.
- Sinai, folding & faulting in, & Rift Valley movements, 42, figs., 43-6, map.
- Singapore, weathering of rocks at, 123-44.
- Slate-with-lenticles Group (?Devonian) Meldon, 68, 71 *et seq.*
- Slaty cleavage, Craignish-Kilmelfort, 343-51, figs.
- Sliding, gravitational, as origin of Ancon sediments, 317-8, 319, 321-2, 324-5, 326-7, 330-1.
- SMITH, A. J., discusses Marchant & Black's paper, 334; Knill's paper, 362.
- Socorro Beds, SW. Ecuador, 318, 319, 320 fig., 322, 323 fig., 324, 327-30, figs., 331.
- SOLOMON, J. D., discusses Stevens's paper, 313.
- Starling Inlet (Hong Kong), sect. nr, 256, fig.
- STEVENS, L. A., the interglacial of the Nar Valley, Norfolk, 291-312, figs., 315.
- Stockport-S. Manchester area, Pleistocene of, 107-21, figs., pl. iii.
- STRACHAN, I. *See* SHOTTON, F. W.
- Strain-slip cleavage, Craignish-Kilmelfort, 351-7, figs.
- Strath Conon, sect. to Loch Luichart, 384-5, fig.
- STUBBLEFIELD, C. J., evolution in trilobites, 145-62, figs.
- Sub-drift surface, Stockport area, 115-7, map.
- Suez Rift faulting, Sinai folding &, 42 map, 45-6.
- SUTTON, J., in discussion of Clifford's paper, 387-8.
- Syncline, Carrick, Lr Carboniferous of, 163-87, figs., pl. vi.
- Tallyllyn Mudstones, Cader Idris, 190, 196.
- Tanjong Kling lava, Singapore, 130.
- Tarvie syncline, 368-72, 373, 377 *et seq.*, 383.
- Tawstock (N. Devon), Culm succession at, 264 fig.
- Tear-faulting, Meldon, 96-7.
- Terraces (river), Manchester-Stockport area, 109, 110 fig., 114-5.
- Tertiary, subdivision of, 49-63; T. tectonics, Hong Kong, 256-7, sect.
- THOMAS, J. M., discusses Prentice's paper, 287.
- Tills, Norfolk, preferred orientation of stones in, 293, 294 fig.; *see also* Lowestoft Till.
- Toberduff thrust, Arklow, 24, 25 fig., 26 fig.
- Tolo Harbour Formation, Hong Kong, 237-8.
- Tomnaskela fault, Arklow, 23 fig., 24, 28.
- Tremadoc (& Ordovician) trilobites, evolutionary "bursts" in, 153-8.
- TREMLETT, W. E., the structure of the Lr Palaeozoic rocks of the Arklow district (Ireland), 17-36, figs., pl. ii, 39-40.
- Triassic algae, Middle East, 221.
- Trilobites, evolution in, 145-62, figs.; Carboniferous, N. Devon, 271, 272, 273, pl. xii.
- Tuffs, Cader Idris, chem. anal., 194.
- Turbidity currents as origin of Socorro Beds, 327 *et seq.*, figs.
- Uganda. *See* Ankole.
- Upper Sand & Gravel, Manchester-Stockport area, 109, 110 fig., 114, 117.
- VAN DER VLERK, I. M., problems & principles of Tertiary & Quaternary stratigraphy, 49-63, figs.
- Volcanic Group (Culm), Meldon, 68, 69 *et seq.*
- Volcanic series, Arklow, 19, 20.
- Wadi el Dirba (Sinai) area, geol. structure of, 41-7, figs.
- Weathering, tropical, at Singapore, 123-44.
- WELLS, A. K., discusses Davies's paper, 214.
- WEST, R. G., discusses Stevens's paper, 312-3.
- West Okement R. (Meldon), structure of Culm in, 73, 90, 92, 99.

- Westphalian (& Namurian & Dinantian),
SW. of Barnstaple, 261-89, figs., pls.
xii & xiii.
- WILSON, G., discusses Dearman's paper,
103-4.
- Woodbrook fault, Carrick syncline. 182,
183.
- YATES, P., discusses Caldwell's paper,
186.