

ALPHABETICAL INDEX.

TO THE

PROCEEDINGS OF THE GEOLOGICAL SOCIETY.

[The fossils referred to are described, and those of which the names are printed in italics are also figured.]

- Adams, Dr. A. Leith, on the death of Fishes on the coast of the Bay of Fundy, 303; on the discovery of the Asiatic Elephant in the fossil state, 496.
- Affinities of *Rhinoceros Etruscus*, Falc., 214; *Thylacoleo carnifex*, Owen, 307; West-Indian fossil Corals, 26.
- Age of the Pennine Chain, 329.
- Ages of the leading physical features and lines of elevation of the Carboniferous districts of Lancashire and Yorkshire, Mr. E. Hull on the, 323.
- Albrighton, Shropshire, section of red surface-loam between Codsall and, 374.
- Aldborough, section from the river Trent to the sea-cliff beyond, 160.
- Alps and the Himalayas, Mr. H. B. Medlicott on the, a geological comparison, 34.
- Amiens Gravel, Mr. A. Tylor on the, 1, 103.
- Ammonites Astierianus, zone of, 234.
— Noricus, zone of, 234.
— Speetonensis, zone of, 234.
- Analyses of rocks containing iron, 356; manganese, 399.
- Anatina Cothamensis, 206.
- Andirovitho, Island of, Sea of Marmora, 58.
- Angle of repose, 90.
- Anniversary Address of the President, xxix-lxxxviii. See also Smyth, W. W., Esq.
- Annual Report, i.
- Antigua, fossil corals from, 18.
- Appleby, section of the "cliff" at Redding's Wood, two miles east of, 177.
- Aptien, Étage, 228.
- Argile plastique and Calcaire grossier in a clay-pit at Vaugirard, Paris, section of the, 372.
- Argyll, Duke of, on the physical geography of Argyllshire, in connexion with its geological structure, 253.
- Argyllshire, physical geography and geology of, 255.
- Arve, sections in the valley of the, 118, 119.
- Ashdown Sands, Hastings, section of variegated yellow sandstone in the, 390; Wealden, 392.
- Ashley Down, section of quarry on, 200; to Cotham, section from, 200.
- Asiatic Elephant in a fossil state, 496.
- Asterosmia anomala, 16.
— cornuta, 16.
— exarata, 16.
- Astræa grandis, 18, 20.
— Pariana, 14.
- Atkin, Rev. J., on Volcanoes in the New Hebrides and Banks's Island, 305.
- Australian Marsupial, *Thylacoleo carnifex*, Owen, affinities and probable habits of the extinct, 307.
- Avicula Sandersi, 206.
- Award of the balance of the proceeds of the Wollaston donation-fund, xxviii; Wollaston Medal, xxvii.
- Babbage, C., Esq., on the Parallel Roads of Glen Roy, 273.
- Bain and the Steeping, section across the valleys of the, 161.

INDEX TO THE PROCEEDINGS.

- Baker, Captain T., note accompanying some fossils from Port Santa Cruz, Patagonia, 509.
- Banded rocks, sections of, 389-393.
- Banks's Islands, volcanoes in the New Hebrides and, 305.
- Basalt of Saxon Switzerland, 557.
- Bas-Boulonnais, Lower Cretaceous beds of the, 472.
- Bay of Fundy, death of fishes on the coast of the, 303.
- Bedminster, Lower Lias beds at, 204.
- Benthall, near Broseley, section of yellow-banded Carboniferous sandstone at, 393.
- Bisulphide of Iron, variegation due to the decomposition of, 378.
- Bleaching connected with joints, 366; of red beds, 359.
- Boulder-clay at Hesse, 251; of Lincolnshire and South-east Yorkshire, 147.
- Boulonnais, Lower Cretaceous beds of the, 472.
- Brachyphyllia Eckelsi*, 13.
- *irregularis*, 13.
- Brander Pass, section across the, 268.
- Brentwood, section from Brickenden Green to near, 469.
- Brickenden Green to near Brentwood, section from, 469; to Bright's Hill Wood, Hertfordshire, section from, 284.
- Bridgnorth, section of Bunter Sandstone at Linley, near, 367.
- Bristol Channel, Mr. D. Mackintosh on the encroachment of the sea on some parts of the shores of the, 279.
- Bristol, Mr. C. O. Groom-Napier on the Lower Lias beds near, 204; Mr. W. W. Stoddart on the Lower Lias beds of, 199.
- British species of Graptolites, 521.
- Broseley, section of yellow-banded Carboniferous sandstone, Benthall, near, 293.
- Brown Willy granite, 440.
- Buckton cliffs, coast section from Kilnsea Beacon to the Speeton and, 148.
- Bunter sandstone, Linley, near Bridgnorth, section of, 367; near Shiffnall, Shropshire, section of, 363.
- Burnley district, thickness of the Carboniferous rocks of the, 321.
- Busk, G., Esq., on the discovery of the Asiatic Elephant in a fossil state, 496.
- Caffers, section in a railway-cutting west of, 473; section through, 474.
- Cagny, in the valley of the Arve, section near, 118.
- Calcaire grossier and Argile plastique in a clay-pit at Vaugirard, Paris, section of the, 372.
- Calcareous strata, sections showing the relations of grey beds to, 383.
- Cambrian slates, variegated, 379.
- Camelford granite, 440.
- Camps-Hill Brickfield, Herts, section in, 287.
- Carbonaceous rocks of Devon and Cornwall, 401.
- Carboniferous Corals, Mr. J. Thomson on some, 463; districts of Lancashire and Yorkshire, physical features and lines of elevation of the, 323; grit and sandstone, Willey Park, Shropshire, section of, 399.
- Carboniferous rocks, denudation of the, 327; of Lancashire, Mr. E. Hull, on the thickness of the, 319.
- Carboniferous sandstone, Benthall, near Broseley, section of yellow-banded, 393; coast south of Whitehaven, section of, 391, 392.
- Carrickfergus and Larne, worked flint flakes from, 495.
- Caryophyllia affinis, 17.
- Cement-bed at Speeton, 249.
- Cephalaspidian Fishes in Devonshire and Cornwall, 546.
- Chalk, of Amiens, 110; Whitecliff Bay, 519; section showing decomposed, 111, 113.
- Chalki, Island of, Sea of Marmora, 60.
- Chloride of sodium, pseudomorphous Crystals of, 546.
- Chud Brook, through Waddon Barton to Higher Duncombe, section from the, 409.
- Clacton, fossil deer from, 511; probable age of the freshwater strata at, 515.
- Clark, J., Esq., on the geological peculiarities of that part of Central Germany known as the Saxon Switzerland, 548.
- Clevedon, Posttertiary submergences near, 283.
- Cliff-section at Speeton, 229.
- Clive Hill, Shropshire, section of Keuper Sandstone at, 376.
- Climacograpsus teretiusculus, 528.
- Coal in the Eastern Hemisphere, Dr. C. Collingwood on some sources of, 98.

INDEX TO THE PROCEEDINGS.

- Coal-mines of Iwanai, Japan, 511.
 Coal-plant from Sinai, Mr. J. W. Salter on a true, 509.
 Coast-section at Speeton, 220; from Kilnsea Beacon to the Speeton and Buckton cliffs, 148.
 Codrington, T., Esq., on a section of the strata from the Chalk to the Bembridge Limestone at Whitecliffe Bay, Isle of Wight, 519.
 Codsall and Albrighton, Shropshire, section of red surface-loam between, 374.
 Collingwood, Dr. C., on some sources of Coal in the Eastern Hemisphere, 98; on the geological features of the northern part of Formosa, and of the adjacent islands, 94.
Columnastræa Eyrei, 17.
 Combination of iron in stratified rocks, states of, 354.
 Concretions of hydrous sesquioxide of iron, 375.
 Coniston Flags, Dr. H. A. Nicholson on the Graptolites of the, 521; Grits, Austwick, Clapham, Yorkshire, section of, 368; group, Professor R. Harkness and Dr. H. A. Nicholson on the, 296.
 Contortion of the Miocene strata in the Alps and the Himalayas, 48.
 Copper-ores, sections illustrating the "Kernel-roasting" of, 398.
 Coprolite bed at Speeton, 250.
 Coralline Crag, Mr. J. Prestwich on the, 288.
 Corals of the West-Indian Islands, Dr. P. Martin Duncan on the fossil, 9.
 —, Mr. J. Thomson on some Carboniferous, 463.
 Cornwall, Cephalaspidian fishes in Devonshire and, 546; Dr. H. B. Holl on the older rocks of South Devon and East, 400.
 Correlation of the Coniston Flags with foreign deposits, 542.
 Cotherham, Lower Lias beds at, 200, 204; section from Ashley Down to, 200; quarry, section of, 203.
 Crag, Mr. W. Boyd Dawkins on a new species of Deer from the Norwich, 516.
 Crag-beds of Norfolk and Suffolk, Mr. J. Prestwich on the structure of the, 288, 460.
 Crag-pit, Suffolk, section in the Wangford, 377.
 Cretaceous beds of the Bas-Boulonnais, Mr. W. Topley on the Lower, 472.
 Cretaceous corals from the West Indies, 22.
 Crummuch-Water beck, section of Coniston Grits at the head of, 368.
 Crustacea from the Upper Silurian rocks of Lanarkshire, Mr. H. Woodward on some, 289.
 Culm-measures of Devon and Cornwall, 401.
 Cumberland, section of Carboniferous sandstone at Workington, 389.
 Dartmoor granite, 440.
Dasyurus ursinus, 313.
 Dawkins, W. Boyd, Esq., on a new species of Fossil Deer from Clacton, 511; from the Norwich Crag, 516; on the Dentition of *Rhinoceros Etruscus*, Falc., 207.
 Death of Fishes on the coast of the Bay of Fundy, 303.
 Decomposition of bisulphide of iron, variegation due to the, 378.
 Deer from Clacton, Mr. W. Boyd Dawkins on a new species of fossil, 511; the Norwich Crag, Mr. W. Boyd Dawkins on a new species of, 516.
Dendrograpsus Hallianus, 142.
 Dentition of *Rhinoceros Etruscus*, Falc., 207.
 Denudation in Lancashire and Yorkshire, periods of, 332; of the Carboniferous rocks, 327; Yorkshire and Lincolnshire, 175.
 Depleted areas of red and purple beds, 386.
 Desvres, section east of, 475.
 Devonshire and Cornwall, Cephalaspidian fishes in, 546.
 Devon and East Cornwall, Dr. H. B. Holl on the older rocks of South, 400.
 Devonian rocks of Devon and Cornwall, 414.
 Diagram of flexures in Mid-Lancashire, 326.
Dichograpsus Logani, 128.
 — *multiplex*, 129.
 — *octobrachiatus*, 129.
 — *reticulatus*, 143.
Didymograpsus bifidus, 136.
 — *caduceus*, 133.
 — *geminus*, 134.
 — *nitidus*, 135.
 — *patulus*, 135.
 — *serratulus*, 136.
 — *sextans*, 134.
 — *V-fractus*, 134.
 Dimlington Cliff, section from Rand to, 169.

INDEX TO THE PROCEEDINGS.

- Diplocænia monitor*, 21.
Diplograpsus angustifolius, 525.
 — antennarius, 139.
 — confertus, 526.
 — folium, 524.
 — geminus, 134.
 — mucronatus, 139.
 — palmeus, 523.
 — pristiniiformis, 140.
 — pristinus, 527.
 — putillus, 527.
 — tamariscus, 526.
 — teretiusculus, 139.
 — vesiculosus, 527.
 Discoloration and bleaching connected with joints, 366; of red beds, 382.
 Disposition of Manganese in variegated strata, 399.
 Disturbance of the level of the land near Youghal, 4.
 Dogger of the north-west Himalaya, 508.
 Donations to the Library, ix, 64, 185, 336, 559; Museum, viii.
 Drift of Hessele, 250.
 Duncan, Dr. P. Martin, on the fossil Corals of the West-Indian Islands. Part IV. Conclusion, 9.
 Du Noyer, G. V., Esq., on Flint Flakes from Carrickfergus and Larne, 495.
 Dunscombe, section from the Chud Brook to Higher, 409.
 East Cornwall, older rocks of, 401.
 Eastern Hemisphere, sources of coal in the, 98.
 Earthquakes in northern Formosa, 510.
 Economic products of the Speeton Clay, 249.
 Egerton, Sir P. G., on the characters of some new Fossil Fish from the Lias of Lyme Regis, 499.
 Elephant in a fossil state, Dr. A. Leith Adams on the Asiatic, 496.
Elephas Indicus, 497.
 Elevation of the Carboniferous districts of Lancashire and Yorkshire, Mr. E. Hull on the lines of, 323.
 Elinghen, Bas-Boullonnais, section near, 477.
 Encroachment of the Sea on the shores of the Bristol Channel, 279.
 England, Quaternary gravels of, 455.
 Eocene corals from the West Indies, 22.
 Erosion, formation of valleys by, 255.
 Eruption of the Kaimeni of Santorin, Dr. J. S. J. Schmidt on the, 457.
 Essex, pebble-beds of, 464.
Eulepidotus sauroides, 503.
Eurypterus obesus, 293.
 — (Pterygotus) punctatus, 290.
 — scorpioides, 292.
 Exe, supposed glacial markings in the valley of the, 3.
 Faults in Lancashire and Yorkshire, system of north-west, 332.
 Favoidea Junguhni, 20.
 Ferruginous accumulation in banded yellow sandstones, section showing direction of line of, 394; bands in Carboniferous sandstone, 389.
 Filey Bay, section of the beds exposed in, 227.
 Fish from the Lias of Lyme Regis, 499.
 Fishes in Devonshire and Cornwall, Mr. E. Ray Lankester on Cephalaspidian, 546; on the coast of the Bay of Fundy, Dr. A. Leith Adams on the death of, 303.
 Flabellum exaratum, 16.
 Flexures in Lancashire and Yorkshire, 325.
 Flint flakes from Carrickfergus and Larne, Mr. G. V. Du Noyer on worked, 495.
 Flower, W. H., Esq., on the affinities and probable habits of the extinct Australian Marsupial *Thylacoleo carnifex*, Owen, 307.
 Fossil Asiatic Elephant, 496; corals of the West-Indian Islands, 9; Deer from Clacton, 511; fish from the Lias of Lyme Regis, 499.
 Fossils from the beds below the Upper South Devon limestones, 432; Coniston group, 299; Headon series, 520; Lower Neocomian of Speeton, 235; Menevian group, 510; Middle Neocomian of Speeton, 232; Middle Kimmeridge of Filey Bay, 240; Portlandian of Speeton, 238; Port Santa Cruz, Patagonia, 505; Upper Kimmeridge of Speeton, 239; Upper Silurian rocks of Lanarkshire, 289; of the Coniston Flags, 523; Devonian rocks, 446, 450; Speeton Clay, distribution of the, 241, 245; Upper Neocomian of Speeton, 226.
 Foote, R. B., Esq., on the distribution of Stone Implements in Southern India, 484.
 Forbes, Mr. D., analysis by, 397.
 Formation of the Parallel Roads of Glen Roy, 83.
 Formosa, coal in, 98; Dr. C. Collingwood on the geology of, 94; Earthquakes in northern, 510.

INDEX TO THE PROCEEDINGS.

- France, section in the Trias of the east of, 383.
- Freshwater strata at Clacton, probable age of the, 515.
- Fundy, death of Fishes on the coast of the Bay of, 303.
- Gault of the Bas-Boulonnais, 473; relation of the Speeton Clay to the, 223.
- Geikie, Mr. A., on the formation of valleys, 255.
- Geological age of the flexures of Lancashire and Yorkshire, 325; Penine Chain, 329; comparison of the Alps and the Himalayas, 34; features of Formosa, 94; peculiarities of Saxon Switzerland, 548; structure of Argyllshire in connexion with its physical geography, 255.
- Geology of the Bas-Boulonnais, 472; Princes Islands in the Sea of Marmora, 53; South Devon and East Cornwall, 400; Trinidad, 10.
- Germany, geology of Central, 548.
- Gieumal sandstone, Himalaya, 508.
- Glacial and Postglacial structure of Lincolnshire and South-east Yorkshire, Mr. S. V. Wood, jun., and the Rev. J. L. Rome on the, 2, 146.
- Glacial markings in the valley of the Exe, 3.
- Glacial origin of lake-basins, 50.
- Glasgow, concretions of hydrous sesquioxide of iron from, 375.
- Glen Roy, Mr. C. Babbage on the Parallel Roads of, 273; Sir J. Lubbock on the Parallel Roads of, 83.
- Granite, apparent oblique lamination in, 278.
- Granite near Newton, section from Minwonnet to the, 418; north of Ughborough to Salcombe, section from the, 438; of Dartmoor and Brown Willy, 440; of Saxon Switzerland, 553.
- Granite, origin of smoothed, rounded, and hollowed surfaces of limestone and, 277.
- Graptolites from the Coniston group, 299.
- Graptolites of the Coniston Flags, Dr. H. A. Nicholson on the, 521; Skiddaw series, Dr. H. A. Nicholson on the, 8, 125.
- Graptolites Bohemicus*, 539.
- *discretus*, 539.
- *fimbriatus*, 536.
- *latus*, 141.
- *lobiferus*, 532.
- Graptolites Nilssoni*, 142, 537.
- *priodon*, 540.
- *sagittarius*, 141, 541.
- *Sedgwicki*, 533.
- *tenuis*, 142, 538.
- *turriculatus*, 542.
- Gravel of Amiens, 1, 103, 116.
- Gravels of England, 455; Hertfordshire, 283; Middlesex, Essex, and Herts, 464.
- Greensand and Gault of the Bas-Boulonnais, 473, 475.
- Grès des Vosges, section of banded sandstone in the, 390.
- Grey beds to Calcareous strata, sections showing the relations of, 383.
- Griesthorpe cliff, section of, 180.
- Guigencourt, section near, 111.
- Guillon, M., survey of Amiens and its vicinity, 106.
- Harkness, Prof., and Dr. H. A. Nicholson, on the Coniston Group, 296.
- Hastings, section in the Ashdown Sands, 392; variegated yellow sandstone, 390.
- Hatch, D., Esq., on a Saliferous Deposit in St. Domingo, 335.
- Headon Series, fossils from the, 520.
- Heliastræa altissima*, 12.
- *insignis*, 19.
- Hertford to near Bramfield, section from near, 284.
- Hertfordshire, Mr. T. M'K. Hughes on the plains and gravels of, 283.
- Herts, pebble-beds of, 464.
- Hessle clay and sand, Mr. S. V. Wood, jun., and the Rev. J. L. Rome on the, 150.
- Hessle drift, Professor J. Phillips on the, 250.
- Hicks, H., Esq., on some fossils from the Menevian group, 510.
- Highlands, formation of valleys in the, 256.
- Hilsthon, 233.
- Himalayas, Dr. F. Stoliczka on Jurassic deposits in the north-west, 506; Mr. H. B. Medlicott's geological comparison of the Alps and the, 34; section at the southern base of the north-western, 49.
- Hinnites minutus*, 206.
- Holl, Dr. H. B., on the older rocks of South Devon and East Cornwall, 400.
- Holophagus gulo, 502.
- Holt, H. F., Esq., on the recent earthquakes in Northern Formosa, 510.
- Hughes, T. M'K., Esq., on the two

INDEX TO THE PROCEEDINGS.

- plains of Hertfordshire and their gravels, 283.
- Hull Docks, section constructed from the borings for the, 182.
- Hull, E. Esq., on the relative ages of the leading physical features and lines of elevation of the Carboniferous district of Lancashire and Yorkshire, 323; on the thickness of the Carboniferous rocks of the Pendle range of hills, Lancashire, as illustrating the author's views regarding the "south-easterly attenuation of the Carboniferous sedimentary strata of the north of England," 319.
- Humber, section across the river, 152.
- Hypsiprymnus Grayii*, 313.
- Implements in Southern India, Mr. R. Bruce Foote on the distribution of stone, 484.
- India, Mr. R. Bruce Foote on the distribution of stone implements in Southern, 484.
- Ireland, disturbance of the level of the land on the south coast of, 4.
- Iron in variegated strata, Mr. G. Maw on the disposition of, 351.
- Iron-ore deposits of the Northamptonshire Oolites, 395.
- Isastræa confusa*, 14.
- Isocolum granulatum*, 501.
- Isothermal surfaces, theory of the change of, 276.
- Iwanai, Japan, coal-mines of, 511.
- Jamaica, fossil corals from, 17.
- Japan, coal in, 101, 511; fossil tooth of *Elephas indicus* from, 497.
- Joints, discoloration and bleaching connected with, 366.
- Judd, J. W., Esq., on the Speeton Clay, 218.
- Jurassic deposits in the North-west Himalaya, 506.
- Kaimeni of Santorin, Dr. J. S. J. Schmidt on the eruption of the, 457.
- Kelung, 95.
- Kelsea Hill ballast-pit, section in, 154.
- Kent and the Bas-Boulonnais, comparative sections of Cretaceous beds in, 482.
- "Kernel-roasting" of copper-ores, sections illustrating the, 398.
- Keuper marls, variegation of the, 369; sandstone, Clive Hill, Shropshire, section of, 376.
- Keuper, "Waterstone beds" of the, 546.
- Keynsham, Lower Lias beds at, 204.
- Kilnsea Beacon to the Speeton and Buckton Cliffs, coast-section from, 148.
- Kimmeridge beds in the Speeton Clay, 238.
- Kingsbridge Inlet at Salcombe, section from the granite north of Ugborough to the, 438.
- Koala, a phytophagous marsupial, skull of, 313.
- Kurrachee, flood at, 124; map of the district near, 125.
- Labuan, coal in, 99.
- Lake-basins, formation of, 50.
- Lake-district, Coniston group in the, 296.
- Lamellastræa Smythi*, 20.
- Lamination in granite, 278.
- Lanarkshire, crustacea from the Upper Silurian rocks of, 289.
- Lancashire and Yorkshire, relative ages of the leading physical features and lines of elevation of, 323.
- Lancashire, thickness of the Carboniferous rocks of, 319.
- Land near Youghal, disturbance of the level of the, 4.
- La Neuville, Amiens, section at, 108, 117, 123.
- Lankester, E. Ray, Esq., on the discovery of the remains of Cephalaspidian fishes in Devonshire and Cornwall, and on the identity of *Steganodictyum*, M'Coy, with genera of those fishes, 546.
- Larne, worked flint flakes from Carrickfergus and, 495.
- Leicestershire, thickness of the Carboniferous rocks of, 322.
- Lepidodendron from Sinai, 509.
- mosaicum, 509.
- Level of the land near Youghal, disturbance of the, 4.
- Lias-beds at Cotham, Bedminster, and Keynsham, near Bristol, 204; of Bristol, 199.
- Lias of Lyme Regis, Sir P. G. Egerton on some new fossil fish from the, 499; the north-west Himalaya, 507.
- Library, donations to the, ix, 64, 185, 336, 559.
- Lime and magnesia, discoloration of red beds by, 382.
- Limestone and granite, origin of smoothed, rounded, and hollowed surfaces of, 277.
- Limestones, beds below the Plymouth and Torbay, 414; beds overlying the Plymouth and Torbay, 433; Plymouth and Torbay, 427.

INDEX TO THE PROCEEDINGS.

- Lincolnshire and South-east Yorkshire, Glacial and Postglacial structure of, 2, 146; general section across Central, 161.
- Linkingham, section from Yeolm Bridge to Pengelly, near, 417.
- Linley, near Bridgnorth, section of Bunter Sandstone, 367.
- List of the Graptolites of the Coniston Flags, 523.
- Loch Awe, section across the bed of, 264
- Loess at Amiens, 116; section showing the escarpment of, 113.
- Longueau and St. Acheul-road, section along the, 111; to the Station Works, Amiens, section along the railway from, 123.
- Lower Cretaceous beds of the Bas-Boulonnais, 472; Greensand of the Bas-Boulonnais, 475; Kimmeridge in the Speeton Clay, 240; Lias beds of Bristol, 199; Cotham, Bedminster, and Keynsham, near Bristol, 204; Neocomian in the Speeton Clay, 234.
- Lowlands of Scotland, formation of valleys in the, 261.
- Lubbock, Sir J., on the parallel roads of Glen Roy, 83.
- Lusatian granite, 553.
- Lyme Regis, new fossil fish from the Lias of, 499.
- Mackintosh, D., Esq., on a striking instance of apparent oblique lamination in granite, 278; on the mode and extent of encroachment of the sea on some parts of the shores of the Bristol Channel, 279; on the origin of smoothed, rounded, and hollowed surfaces of limestone and granite, 277.
- Madreporaria of the West-Indian Islands, 9.
- Magnesia, discoloration of red beds by lime and, 382.
- Malm (?) of the North-west Himalaya, 508.
- Manganese in variegated strata, disposition of, 399.
- Manicina areolata, 16.
- Map of Speeton Cliff, 230; the district near Kurrachee, 125; showing the area of Southern India which would be submerged by a depression of 500 feet, 485.
- Marmora, geology of the Princes Islands in the Sea of, 53.
- Marsupial, *Thylacoleo carnifex*, Owen, Mr. W. H. Flower on the extinct Australian, 307.
- Maw, G., Esq., on the disposition of iron in variegated strata (with 6 plates), 351.
- Medlicott, H. B., Esq., on the Alps and the Himalayas, 34.
- Menevian group, fossils from the, 510.
- Metamorphic rocks of Devonshire, 439.
- Middle Glacial formation, 147; Neocomian in the Speeton Clay, 232; Kimmeridge in the Speeton Clay, 239.
- Middlesex, Essex, and Herts, pebblebeds of, 464.
- Mill Hill Quarry, near Tavistock, section from the limestone at Stowford to, 409.
- Millstone-grit series, Pendle range, thickness of the, 320.
- Mineralization of West-Indian fossil corals, 15.
- Minwonnet to the granite near Newton, section from, 418.
- Miocene corals from the West Indies, 22; strata in the Alps and the Himalayas, contortions of the, 48.
- Mitford, A. B., Esq., on the coalmines of Iwanai, Island of Jesso, Japan, 511.
- Molasse, 38.
- Montiers, gravel and loess near, 117; section along the railway at, 123.
- Montpelier Quarry, section of, 202.
- Murray, A., Esq., on the diminution of the volume of the sea during past geological epochs, 495.
- Museum, donations to the, viii.
- Mysore plateau across Naggery Mountain, section from the, 487.
- Naggery Mountain, section from the Mysore plateau across, 487.
- Nahun group, 45.
- Napier, C. O. G., Esq., on the Lower Lias beds occurring at Cotham, Bedminster, and Keynsham, near Bristol, 204.
- Nen at Peterborough to the Trent at Newark, section from the, 160.
- Neocomian beds at Wissant, 475; formation in the Speeton Clay, 225.
- Newark to Peterborough, section from, 160.
- New Hebrides and Banks's Islands, volcanoes in the, 305.
- Newton, section from Minwonnet to the granite near, 418.
- Niandros, Island of, Sea of Marmora, 62.
- Nicholson, Dr. H. A., on the Coniston

INDEX TO THE PROCEEDINGS.

- group, 296; on the Graptolites of the Coniston flags, with notes on the British species of the genus *Graptolites*, 521; on the Graptolites of the Skiddaw series, 8, 125.
- Norfolk and Suffolk, structure of the crag-beds of, 288, 460.
- Northamptonshire Oolites, section of banded yellow rock in the, 390; variegated iron-ore deposits of the, 395.
- Norwich Crag, new species of *Deer* from the, 516.
- Oolites, section of banded yellow rock in the Northamptonshire, 390; variegated iron-ore deposits of the Northamptonshire, 395.
- Organic matter in inducing variegation, influence of, 371.
- Ormerod, G. W., Esq., on the "Waterstone beds" of the Keuper, and on pseudomorphous crystals of chloride of sodium, 546.
- Osteorachis macrocephalus*, 500.
- Oxide, bleaching of red beds due to abstraction of the colouring, 359.
- Oxide of manganese in Carboniferous grit and sandstone, section showing, 399.
- Paleozoic rocks of South Devon and East Cornwall, 400; the Princes Islands, Sea of Marmora, 56.
- Pamur, section through, 487.
- Paracyathus Henekeni*, 16.
- Parallel Roads of Glen Roy, 83, 273.
- Parallelism of the Alpine and Sub-himalayan sections, 48.
- Paris, section in a clay-pit at Vaugirard, 372.
- Patagonia, fossils from Port Santa Cruz, 505.
- Pebble-beds of Middlesex, Essex, and Herts, Mr. S. V. Wood, jun., on the, 464.
- Pendle Hills, Lancashire, thickness of the Carboniferous rocks of the, 319.
- Pendle range, sections across the, 324, 328.
- Pengelly, near Linkingham, section from Yeolm Bridge to, 417.
- Pennine Chain, age of the, 329.
- Periods of denudation in Lancashire and Yorkshire, 332.
- Petala, Island of, Sea of Marmora, 61.
- Peterborough to Newark, section from, 160.
- Petherwin, list of fossils from, 450.
- Phascolarctos cinereus*, 313.
- Phillips, Prof. J., on the Hesse Drift as it appeared in sections above forty years since, 250.
- Phyllograpsus angustifolius*, 132.
— *typus*, 133.
- Physical features and lines of elevation of the Carboniferous districts of Lancashire and Yorkshire, Mr. E. Hull on the relative ages of the, 323.
- Physical geography of Argyllshire in connexion with its geological structure, 255; of Hertfordshire, 284.
- Placotrochus Lonsdalei*, 17.
— *Saukinsi*, 18.
- Plains of Hertfordshire and their gravels, Mr. T. M'K. Hughes on the two, 283.
- Plateau of Saxon Switzerland, section illustrating the last upheaval of the, 551.
- Plati, Island of, Sea of Marmora, 62.
- Pleurograpsus vagans*, 144.
- Pluvial period, Mr. A. Tylor on a, 120.
- Plymouth and Torbay limestones, 427; beds below the, 414; beds overlying the, 433.
- Pocillopora crassoramosa*, 17.
— *tenuis*, 21.
- Pollaphant, section through, 418.
- Portland beds in the Speeton Clay, 237.
- Postglacial structure of Lincolnshire and South-east Yorkshire, 2, 146.
- Posttertiary submergences of the shores of the Bristol Channel, 282.
- Præ-Permian flexures of Lancashire, section illustrating the, 324.
- Prestwich, J., Esq., on the structure of the Crag-beds of Norfolk and Suffolk, with some observations on their Organic Remains. Part I. Coralline Crag, 288.
- Princes Islands in the Sea of Marmora, Mr. W. R. Swan on the geology of the, 53.
- Prinkipo, Island of, Sea of Marmora, 53.
- Proti, Island of, Sea of Marmora, 61.
- Pseudomorphous crystals of chloride of sodium, 546.
- Pteraspis Cornubicus*, 546.
- Pterygotus*, Mr. H. Woodward on the structure of, 294.
— *bilobus*, 294.
— *raniceps*, 294.
- Purbeck beds of the Bas-Boulonnais, 481.

INDEX TO THE PROCEEDINGS.

- Purple beds, depleted areas of red and, 386.
- Quader sandstone of Saxon Switzerland, 553.
- Quaternary gravels of England, Mr. A. Tylor on the, 455.
- Raised sea-bed near Watchet, 281.
- Ramiapatnam, section from Roodrar to, 487.
- Rand to Dimlington Cliff, section from, 169.
- Range of *Rhinoceros Etruscus*, Falc., 216.
- Rankine, Prof. W. J. Macquorn, on the angle of repose, 91.
- Rastrites Linnæi*, 531.
- *peregrinus*, 531.
- Rat-kangaroo, skull of, 313.
- Red and purple beds, depleted areas of, 386.
- Red beds, primary condition of iron in, 357.
- Red Crag of Suffolk, Mr. J. Prestwich on the, 460.
- Report, Annual, i; of the Library and Museum Committee, ii.
- Repose, angle of, 90.
- Retiolites Geinitzianus*, 530.
- *perlatus*, 530.
- Rhinoceros Etruscus*, Falc., Mr. W. Boyd Dawkins on the dentition of, 207.
- River-gravels of Hertfordshire, 286.
- River Humber, section across the, 152; Nen at Peterborough to the River Trent at Newark, section from beyond the, 160; Steeping, section across the, 163; Trent at Newark, section from the river Nen at Peterborough to the, 160; Trent to the sea-cliff beyond Aldborough, section from the, 160.
- Rivers Bain and Steeping, section across the valleys of the, 161.
- Rocks, states of combination of iron in stratified, 354.
- Rome, Rev. J. L., on the Glacial and Postglacial Structure of Lincolnshire and South-east Yorkshire, 146.
- Roodrar to Ramiapatnam, section from, 487.
- Salcombe district, metamorphic rocks of the, 439; section from Ugborough to, 438.
- Saliferous deposit in St. Domingo, 335.
- Salter, J. W., Esq., on a true Coal-plant (*Lepidodendron*) from Sinai, 509; on fossils from the Menevian group, 510.
- Santa Cruz, Patagonia, fossils from Port, 505.
- Santorin, Dr. J. S. J. Schmidt on the eruptions of the Kaimeni of, 457.
- Saveuse valley, near Amiens, section across the, 115.
- Saxon Switzerland, Mr. J. Clark on the geology of, 548.
- Schmidt, Dr. J. S. J., on the eruption of the Kaimeni of Santorin, 457.
- Sea-beaches, section illustrating the form of, 89.
- Sea during past geological epochs, Mr. A. Murray on the diminution of the volume of the, 495.
- Sea, encroachment of the, 279.
- Sea of Marmora, geology of the Princes Islands in the, 53.
- Section across Central Lincolnshire, 161; the bed of Loch Awe, 264; Brander Pass, 268; Pendle Range, 324; river Humber, 152; river Steeping, 163; Saveuse Valley, near Amiens, 115; south-westerly extremity of the Pendle Range, 328; valleys of the Bain and the Steeping, 161; along the railway at Montiers, 123; St. Acheul and Longueau Road, 111; at La Neuville, Amiens, 108, 117, 123; Speeton, 229; the southern base of the north-western Himalayas, 49; constructed from the borings for the Hull Docks, 182; east of Desvres, 475; from Ashley Down to Cotham, 208; below the Coniston limestone to the Coniston grits, 297; beyond the river Nen, at Peterborough, to the river Trent, at Newark, 160; Brickenden Green, three miles south of Hertford, to Bright's Hill Wood, one mile north of Bramfield, 284; Brickenden Green to the brow of the Thames valley near Brentwood, 469; Kilnsea Beacon to the Speeton and Buckton Cliffs, 148; Longueau to the Station Works, Amiens, 123; Minwonnet by Pollaphant to the granite near Newton, 418; Rand to Dimlington Cliff, 169; Roodrar through Pamur to Ramiapatnam, 487; Yeolm Bridge to Pengelly, near Linkingham, 417; the Chud Brook through Waddon Barton to Higher Dunscombe, 409; granite north of Ugborough to the Kingsbridge Inlet at Salcombe, 438; limestone at Stowford to Mill Hill quarry, near Tavistock, 409; Mysore Plateau across Naggery Mountain

INDEX TO THE PROCEEDINGS.

- to the sea, 487; river Trent to the sea-cliff beyond Aldborough, 160; tunnel at Greenway House to Kingswear, 435; illustrating the form of sea-beaches, 89; "kernel-roasting" of copper-ores, 398; last upheaval of the plateau of Saxon Switzerland, 551; in a chalk-quarry near Guigencourt, 111; railway-cutting west of Caffers, 473; Camps-Hill brick-field, Hertfordshire, 287; Kelsea Hill ballast-pit, 154; the Ashdown Sands, Hastings, 392; Subhimalayas, 44; Wangford Crag-pit, Suffolk, 377; near Amiens, 106; Cagny, in the valley of the Arve, 118; Elinghen, Bas-Boullonnais, 477; of a bleached patch in the Keuper marls near Worcester, 370; banded sandstone, Grès des Vosges, near Raon l'Étape, Vosges, 390; banded yellow rock, Northamptonshire Oolites, 390; Bunter sandstone near Shiffnal, Shropshire, 363; Carboniferous grit and sandstone, Willey Park, Shropshire, 399; sandstone, Workington, Cumberland, 389; coast south of Whitehaven, 391, 392; cliff east of Southwold, Suffolk, 375; Coniston grits, Austwick, Clapham, York-shire, 368; Cotham Quarry, 203; Cretaceous beds in Kent and the Bas-Boullonnais, 482; Grinstead cliff, 180; Hessle cliff, 253; Keuper sandstone, Clive Hill, Shropshire, 376; Montpellier Quarry, 202; quarry on Ashley Down, 200; red surface-loam between Codsall and Albrighton, Shropshire, 374; variegated yellow sandstone, Ashdown Sands, Hastings, 390; the Alps, 38; Argile plastique and Calcaire grossier in a clay-pit at Vaugirard, Paris, 372; beds exposed in Filey Bay, 227; "Cliff" at Redding's Wood, two miles east of Appleby, 177; Hessle drift, 252; parallel roads of Glen Roy, 83, 88; strata from the chalk to the Bembridge limestone at Whitecliff Bay, Isle of Wight, 519; showing decomposed chalk, 111, 113; details of structure of the Oolitic iron-ore formation, Northamptonshire, 396; direction of line of ferruginous accumulation in banded yellow sandstones, 394; escarpment of Loess between the quarry and the Imperial Road, Amiens, 113; relation of grey beds to calcareous strata, Upper Silurian formation, Shropshire, 383; in the Trias of the east of France, 383; the subdivisions of the Speeton Clay, 231; thickness of the Carboniferous rocks from North Lancashire to Leicestershire, 322; through Caffers, 474; the north of the Bas-Boullonnais, 483; ridge prolonging the Wold-scarp in Lincolnshire, 165.
- Scrapis, temple of, 276.
- Shiffnal, Shropshire, section of Bunter sandstone near, 363.
- Shropshire, section of Carboniferous grit and sandstone in Willey Park, 399.
- Siberia, coal in, 100.
- Silurian formation, Shropshire, section of the Upper, 383; rocks of Lanarkshire, Crustacea from the, 289.
- Sinai, true coal-plant from, 509.
- Siralik strata, 45.
- Skiddaw series, Dr. H. A. Nicholson on the Graptolites of the, 8, 125.
- Slates, variegated Cambrian, 379.
- Smyth, W. W., Esq. (President), Address on handing to Professor Ansted the Wollaston Medal for transmission to Dr. C. F. Naumann, of Leipzig, xxvii; address on handing to Mr. Godwin-Austen, for M. Bosquet, of Maestricht, the balance of the Wollaston Donation-fund, xxviii, Anniversary Address, February 21, 1868, xxix; *Obituary notices of deceased Fellows*:—Mr. W. J. Hamilton, xxix; Earl of Rosse, xxxiii; Dr. C. G. B. Daubeny, xxxiii; Mr. Ashurst Majendie, xxxvi; Sir George Clerk, Bart., xxxvii; Sir Charles Lemon, Bart., xxxvii; Dr. James Black, xxxviii; Mr. Evan Hopkins, xxxviii; Admiral Theobald Jones, xxxix. Geological Survey of the United Kingdom, xxxix; of Italy, xl; of Austria, xli; of the Western United States, xlvi; physical structure of Palestine, li; Fraas's 'Aus dem Orient,' li; change of climatal conditions, lviii; Dove's 'Eiszeit, Föhn, und Scirocco,' lx; Heer's 'La Flore Miocène des régions polaires,' lxi; Von Waltershausen's 'Ueber die Klimate der Gegenwart und der Vorwelt,' lxiv; Hochstetter's 'New Zealand,' lxv; Favre's 'Recherches géologiques dans les parties de la Savoie, &c., voisines du Mont Blanc,' lxxi; Granites of

INDEX TO THE PROCEEDINGS.

- Ireland, lxxiv ; Senft's 'Die krystalinischen Felsgemeintheile,' lxxvi ; Vogelsang's 'Philosophie der Geologie,' lxxvii ; Subterranean Temperature, lxxix.
- Sodium, pseudomorphous crystals of chloride of, 546.
- Somme, gravel of the valley of the, 1, 103.
- South Devon, older rocks of, 401.
- Southwold, Suffolk, section of cliff east of, 375.
- Speeton and Buckton cliffs, coast-section from Kilnsea Beacon to the, 148.
- Speeton Clay, distribution of the fossils of the, 241, 245 ; Mr. J. W. Judd on the, 218 ; vertical section showing the subdivisions of the, 231.
- Speeton, cliff-section at, 229.
- Speeton Cliff, sketch-map of, 230.
- Spiti Shales, Himalaya, 508.
- St. Acheul, sections at, 106.
- St. Croix, Trinidad, list of fossil corals from, 12.
- St. Domingo, fossil corals from, 16 ; saliferous deposit in, 335.
- Steeping, section across the, 163 ; valleys of the Bain and the, 161.
- Stegano dictyum Cornubiicum, 546.
- Stephanocenia Reussi*, 19.
- Stoddart, W. W., Esq., on the Lower Lias Beds of Bristol, 199.
- Stoliczka, Dr. F., on Jurassic deposits in the North-west Himalaya, 506.
- Stone implements in Southern India, Mr. R. Bruce Foote on the distribution of, 484.
- Stowford to Mill Hill quarry, near Tavistock, section from the limestone at, 409.
- Strata, disposition of iron in variegated, 351.
- Structure of Argyllshire, 255.
- Stylocenia lobato-rotundata, 20.
- Stylophora minuta, 14.
- Subathoo group, 45.
- Subhimalayan sections, description of some, 44.
- Submergences of the shores of the Bristol Channel, 282.
- Suffolk, Crag-beds of Norfolk and, 288 ; structure of the Crag-beds of Norfolk and, 460.
- Surfaces of limestone and granite, origin of smoothed, hollowed, and rounded, 277.
- Swan, W. R., Esq., on the Geology of the Princes Islands, in the Sea of Marmora, 53.
- Switzerland, geology of Saxon, 548.
- Table of Devonian fossils, 446, 450 ; fossils from the beds below the Upper South Devon limestones, 432.
- Tagling limestones of the north-west Himalaya, 507.
- Tavistock, section from the limestone at Stowford to Mill Hill quarry, near, 409.
- Tertiary strata of the Alps, 38 ; Subhimalayas, 45 ; Whitecliff Bay, 519.
- Tetragrapsus bryonoides, 131.
- crucifer, 144.
- Headi, 131.
- quadribrachiatus, 131.
- Thames Valley, section from Brickenden Green to the brow of the, 469.
- Thickness of the Carboniferous rocks of Lancashire, 319.
- Thomson, J., Esq., on some Carboniferous corals, 463.
- Thylacoleo carnifex*, Owen, restoration of the skull of, 312.
- Tooth of *Elephas Indicus*, sketch of a fossil, 497.
- Topley, W., Esq., on the Lower Cretaceous beds of the Bas-Boulonnais, with notes on their English equivalents, 472.
- Torbay limestones, beds below the Plymouth and, 414 ; beds overlying the Plymouth and, 433 ; Plymouth and, 427.
- Trachytic rocks of the Princes Islands, Sea of Marmora, 54.
- Trap-rocks of the Princes Islands, Sea of Marmora, 56.
- Trias of the East of France, section in the, 383.
- Trinidad, geology of, 10.
- Trent at Newark to the Nen at Peterborough, section from the, 160.
- Trent to the sea-cliff beyond Aldborough, section from the river, 160.
- Tylor, A., Esq., on the Amiens Gravel, 1, 103 ; on the Quaternary Gravels of England, 455.
- Ugborough to Salcombe, section from, 438.
- Upper Glacial Clay of Lincolnshire and South-east Yorkshire, 147 ; Greensand and Gault of the Bas-Boulonnais, 473 ; Kimmeridge in the Speeton Clay, 238 ; Neocomian in the Speeton Clay, 225 ; Silurian formation, Shropshire, section of

INDEX TO THE PROCEEDINGS.

- the, 383; rocks of Lanarkshire, Crustacea from the, 289.
- Valley of the Exe, supposed glacial markings in the, 3; Somme, gravel of the, 1, 103.
- Valleys, Duke of Argyll on the formation of, 255; of the Bain and the Steeping, section across the, 161.
- Variiegated strata, disposition of manganese in, 399.
- Vaugirard, Paris, section of the Argile plastique and Calcaire grossier in a clay-pit at, 372.
- Voelcker, Dr., analyses by, 356, 364.
- Volcanoes in the New Hebrides and Banks's Islands, Rev. J. Atkin on, 305.
- Volume of the sea during past geological epochs, 495.
- Voages, section of banded sandstone in the, 390.
- Waddon Barton, section through, 409.
- Watchet, form of sea-coast near, 279; raised sea-bed near, 281.
- "Waterstone Beds" of the Keuper, 546.
- Wangford Crag-pit, Suffolk, section in, 377.
- Wealden beds of the Bas-Boulonnais, 476.
- West-Indian Islands, fossil corals of the, 9.
- Weston, C. H., Esq., on the Mendip anticlinal, 483.
- Weston-super-mare, encroachments of the sea near, 281.
- Whitecliff Bay, Mr. T. Codrington on a section at, 519.
- Whitehaven, section of Carboniferous sandstone, coast south of, 391, 392.
- Whitley, N. Esq., on supposed Glacial markings in the valley of the Exe, North Devon, 3.
- Wissant, Neocomian beds at, 475.
- Wold-brow at Cawkwell, 161; Welton Mill, 163.
- Wold-scarp in Lincolnshire, section through the ridge belonging to the, 165.
- Wollaston donation-fund, award of the balance of the proceeds of the, xxviii; Medal, award of the, xxvii.
- Wood, S. V., Jun., on the Glacial and Postglacial structure of Lincolnshire and South-east Yorkshire, 2, 146; on the Pebble-beds of Middlesex, Essex, and Herts, 464.
- Woodward, H., Esq., on some new species of Crustacea from the Upper Silurian rocks of Lanarkshire &c., and further observations on the structure of *Pterygotus*, 289.
- Worcester, section of a bleached patch in the Keuper marls near, 370.
- Workington, Cumberland, section of Carboniferous sandstone at, 389.
- Wynne, A. B., Esq., on disturbance of the level of the land near Youghal, 4.
- Yeolm Bridge to Pengelly, section from, 417.
- Yorkshire and Lancashire, relative ages of the leading physical features and lines of elevation of, 323.
- Yorkshire, Glacial and Postglacial structure of Lincolnshire and south-east, 2, 146; section of Coniston grits at Austwick, Clapham, 368.
- Youghal, Mr. A. B. Wynne on disturbance of the level of the land near, 4.
- Zone of Ammonites Astierianus, 234; A. Noricus, 234; A. Speetonensis, 234.

THE END.