

GENERAL INDEX

TO

THE QUARTERLY JOURNAL

AND

PROCEEDINGS OF THE GEOLOGICAL SOCIETY.

- Abbey-Cwmhir (Radnorshire), geology of district around, 651-76 figs. & pl. xlvii (map).
- ABDALLAH, A. S., 544.
- ABEL, O., elected For. Correspondent, cxxxv.
- Abercwmmeiddaw Group & Red Vein (Bala), 259-62.
- Abu Nefukh, Wadi (Egypt), Plioc. deposits of, 510-11; river-terraces of 'bay', 533.
- Abydos (Egypt), Plioc. deposits betw. Dendera and, 509; A. 'bay', Plioc. deposits of, 513; river-terraces of A. 'bay', 534-35; do. betw. Dendera and, 532-33.
- Actæonina scalaris*, 641.
- Adelaide (S. Australia), Lipalian fossils from, vi.
- Africa, biological evidence of land-connexion of S. America and, lxxxvii-xciii; contrary evidence of do., xcvi-xcix; *see also* Rhodesia.
- Akhmin, *see* Qau.
- ALDERMAN, A. R., 617, 618.
- Algal limestones in process of formation in S. Australia, 613-23 & pls. xxxv-xli.
- Allendale (& other) glaciers, 583-85 w. map.
- Allesley Conglomerate, 170, 171.
- Allt-Ddu Mudstones (Bala), 254-55.
- Alston Block, &c., glaciation of, 549 *et seqq.* & pl. xxxii (map).
- Alton Seam, *see* Derbyshire
- Analyses, chemical, of biotite-hornblende-granite & scapolite-gabbro, 144; *anals.* of soils derived from Upper Boulder Clay, 601; *chem. anals.* of limestone 'biscuits' & cavernous limest., 617, 618; of lake-marl deposits, 619.
- Andesites in Borrowdale Volc. Series of Kentmere, &c., 14, 16-17, 18-19, 20-22, 24-26, 29 & pl. iii; andesitic group in Jamaica, 465-66, 487.
- Angola Gulf & its southern ending, lxxxiv-lxxxvi.
- Annual General Meeting, xi *et seqq.*
- Anthracomya confusa* sp. nov., 103 & pl. ix; *A. cf. curtata*, 89 & pl. ix; *A. polita* sp. nov., 102 & pl. ix; *A. aff. robertsoni*, 89 & pl. ix.
- Antilles (& Mediterranean), Mid-Kainozoic shallow-water marine faunas of, xciii-xcvi; *see also* Jamaica.
- Antrim Co. (N. Ireland), metamorphic rocks from, cxxiii.
- Aplite (Hook Granite), 139, 145.
- Aran Mawddwy (Merioneth), *gen. section* to the Avon Dyff from, 264.
- Archhelenis, cv-cvii.
- ARKELL, W. J., 381, 545-46.
- Arley-Exhall Conglomerate, 170.
- Arntully (Jamaica), serpentine, &c. of, 460-61, 486.
- ASHCROFT, F. N., elected Treasurer, xxvii.
- Ashow Group in Kenilworth district, 170, 179-81.

- Assets, statement of, xlv.
 Assiut, *see* Nile Valley.
 Atlantic Ocean, geol. history of, lxviii-cxxii w. maps.
 Atlantis, age of, cii-cv.
 Atlas Mts. (N. Africa), western extension of, c-cii.
 Auditors elected, vi.
 Augite- (& hornblende-) gabbros (Hook Granite), 144.
 Augite-picrite erratic in Oxon., 364, 385, 387.
 Augite-syenite (Hook Granite), 143; a. quartz-syenite (H. G.), 142-43.
Aulacothyris sp. (Rhætic), 644 & pl. xlv.
 Avon Dyfi (Merioneth), gen. section to Aran Mawddwy from, 264.
 Avonian in Cattybrook cutting, 2-6.
- BADEN-POWELL, D., 381.
 Baginton Hill (Warwickshire), sect. across, 210; sect. at Baginton descr., 211-12.
Baiera gracilis, 422-25 figs; *B. scalbiensis* sp. nov., 425-27 figs.; *B. spectabilis*, 427-28 fig.
 Bala Series in district betw. Llany-mawddwy & Llanuwchllyn, 249-74 figs.; in Abbey-Cwmhir district, 654 *et seq.*, 656-61.
 Balance-sheet for 1928, xxxviii-xxxix.
 Baliana (Egypt). Plioc. deposits of district, 509, 511; river-terraces betw. Qena and, 532-33; do. betw. Sohag and, 534-35.
 BALL, J., 543-44.
 BANCROFT, B. B., 256, 304.
 BARLOW-JAMESON Fund, list of recipients, xxxv.
 BARNES, J., obituary of, lxiv-lxv.
 Barton Beds (Lr.), horizons of Bryozoa in, 224-27; (Middle), do., 227-32; (Upper), do., 232-36.
 Basal complex of Jamaica, 440-92 figs. & pls. xxiii-xxv.
 Base exchange, & its bearings on the formation of coal & petroleum, cxxix-cxxxv.
 BATHER, F. A., cxi-cxli.
Batillaria-pleurotomoides Bed (Upper Barton), 235.
 Beacon Hill Pericline (Mendips), 67, 68-69.
 Beaumont Quarries, *see* Adelaide.
 BECKE, F. J., Wollaston Medal awarded to, xlv-xlvii.
 Beddugre Hill (Radnorshire), sect. to Llywy from, 662.
 Beechwood Conglomerate, *see* Tile Hill Marl Group.
 Bewcastle Falls (Cumberland), ground-moraine in S. part of, 560-61.
 Bibliography of Borrowdale Volcanic Series of Kentmere, &c., 11-13; of geology of Central Mendips, 45-47; of Coal Measure non-marine lamellibranchs, 104-105; of geology of N.W. Rhodesia, 162-63; of geology of Kenilworth district, 218-20; of Upper Eocene of Hants, 236; of geology of district betw. Llany-mawddwy & Llanuwchllyn, 243-46; of Upper Estuarine Series of Yorks., 436-37; of Jamaican geology, 475-76; of Triassic geology of Persia, &c., 647-48; of geology of Abbey-Cwmhir district, 652-53.
 Biddle Fault (Mendips), 49 *et seq.*; B. Combe, sect. of, 66.
 BIGSBY Medallists, list of, xxxiv; B. Medal awarded to P. G. H. Boswell, li-lii.
 Binegar Syncline (Mendips), 68.
 Biotite-granites (Hook Granite), 137-38 & pl. xiii.
 Birkhill (Lr.) Group in Abbey-Cwmhir district, 654, 655, 661-63.
 Biscuit Flat (S. Australia), limestone- 'biscuits' from, 614-17 & pls. xxxvi-xl.
 BLACK, MAURICE, on Drifted Plant-Beds of the Upper Estuarine Series of Yorkshire, 389-437 figs.
 BLACKMORE, H. P., obituary of, lxv.
 Borrowdale Volcanic Series in Troutbeck, Kentmere, &c., 9-44 figs. & pls. iii-vi.
 BOSWELL, C. F., obituary of, lxvi.
 BOSWELL, P. G. H., 42, 622-23; Bigsby Medal awarded to, li-lii.
 BOSWORTH, T. O., obituary of, lxiv.
 Bottomset beds defined, 397.
 BOULTON, W. S., 218.
Brachyphyllum (Upper Estuarine Series), 421.
 BRAMMALL, A., 490; (reads A. W. Groves's paper), cxxvi.
 BRIGHTON, A. G., 437.
 BROMEHEAD, C. E. N., 107.
 BRUNTON, G., 544.
 Bryozoa, horizons of, in Upper Eocene of Hampshire, 223-41 w. vert. sect.
 Buchenstein (Upper) Beds, cxxiv.
 Buck Crag (Westmorland) sect. to Dun Crag from, pl. v.

- BUNSEN, Sir MAURICE DE, cxi.
 Burniston Wyke (Yorks.), 394, 395 *et seqq.*; minor channel in, 403 fig.; lenticular shales in, 410.
- BURTON, E. St. J., on the Horizons of Bryozoa (Polyzoa) in the Upper Eocene Beds of Hampshire, 223-39 w. vert. sect., 240-41.
- Bwlch y Groes (Merioneth), geol. map of area around, 266; sect. illustratg. relations of rock-groups, &c. at, 286.
- Cambrian quartzites in Kenilworth Breccia, &c., 190.
- Camlo Hill Group (Bala), 654, 655, 658-61.
- CAMPBELL, R., award fr. Wollaston Fund to, liii.
- Cancrinite-syenite, 149-50 w. anal. & pl. xiii.
- Carbonicola cf. aquilina*, 87 fig., 88 fig., 89 fig., 92 fig., 94 fig.; *C. cf. robusta*, 83 & pl. ix; *C. cf. communis*, 86 fig.; *C. sp. nov. cf. turgida*, 92 & pl. ix; *C. spp.*, 80-81 figs., 84-85 figs., 93 fig.
- Carboniferous section at Cattybrook, 1-8 fig. & pls. i-ii; Carb. rocks of Kenilworth district, 168-88 figs.
- Carlisle Plain, &c., glaciation of, 549 *et seqq.* & pl. xxxiii (map).
- Carmel Group (Bala), 654, 655, 656-58.
- Cassian, *see* St. Cassian.
- Cassianella decussata*, 638.
- Cattybrook (Bristol), Carb. sect. at, 1-8 fig. & pls. i-ii.
- Coiswyn Beds (Bala), 249-57.
- Ohama* Bed (Upper Barton), 233-34.
- CHAMBERLIN, T. C., obituary of, lvi-lvii.
- Chanobie Series (N.W. Rhodesia), 133.
- CHAPMAN, W. S., 619.
- CHARLESWORTH, J. K., on the South Wales End-Moraine, 335-55 fig. & pls. xx-xxi (maps), 358; (& A. Jowett), on the Glacial Geology of the Derbyshire Dome and the Western Slopes of the Southern Pennines, 307-34 & pl. xix (map).
- CHATWIN, C. P., elected Auditor, vi.
- Cheddar Syncline (Mendips), 53 *et seqq.*
- Chilcote Combe (Somerset), sect. to Worminster Sleight, pl. vii.
- Chipongwe Conglomerate (N.W. Rhodesia), 132.
- Ohlamys* sp. (Upper Trias), 636 & pl. xlv.
- Church Hill, *see* Dulcote Hill.
- Cipit Limestone, cxxiv.
- Cladophlebis* (Upper Estuarine Series), 420.
- Cleavage, rock-, in district betw. Llanymawddwy & Llanuwchllyn, 292-93.
- Cleistopora* Zone in Central Mendips, 48.
- Cliff Wood Inlier (Mendips), 71-72.
- CLIFT, S. G. (& A. E. Trueman), on the Sequence of Non-Marine Lamellibranchs in the Coal Measures of Nottinghamshire & Derbyshire, 77-105 figs. & pls. ix-x.
- Cloughton (Yorks), map of coast betw. Gristhorpe and, 396.
- Coal (& petroleum), formation of, cxxix-cxxxv.
- Coal Measures in Cattybrook cutting, 6-7; C.M. of Notts & Derbyshire, sequence of non-marine lamellibranchs in, 77-108 figs. & pls. ix-x.
- Contopteris* (Upper Estuarine Series), 419.
- Constant Spring (Jamaica), sect. to Morce's Gap from, 452.
- Coorong (S. Australia), 613 *et seqq.*; 'coorongite', 620.
- Corley Conglomerate, 170; beds between C. C. & Tile Hill Marls, 171.
- CORMACK, P., 615.
- Correlation of Borrowdale Volc. Series of Kentmere district w. that of Grasmere & of the Eastern Lake District, 40-41; of superficial deposits of Kenilworth district w. those of other areas, 216-18; of Valentian & Bala rocks of district betw. Llanymawddwy & Llanuwchllyn with those of other regions, 293-302 fig.; of Jamaican geology w. that of other W. Indian is., 466-74, 488-89; of glacial deposits of Edenside w. those of East Coast, 606-607; of Trias of E. Central Persia w. that of other areas, 629-31; of Ordovician & Silur. of Abbey Cwmhir district w. that of other areas, 670-73.
- Corries in Cross Fell Range, &c., 569-70.
- Council, annual report of, xi-xiii; (& Officers) elected, xxvii.
- Cox, A. H., 356, 676.
- Cox, L. R., award fr. Murchison Fund to, liii-liv.

- Craig y Pant (Merioneth), vert. sect. through Derwen Group at, 279; vert. sect. through basal beds of Ystwyth Stage at, 284; vert. sects. illustrating relations of sequence at, w. those of Machynlleth & Skelgill Beck, 296.
- Croglin, Lake (Glacial), 588.
- Croscombe Inlier (Mendips), 71.
- Crush-breccias in Jamaica, 482.
- Cuba (W. I.), correlat. of rocks w. those of Jamaica, 466-68.
- CULLIS, C. G., 162.
- Current-Bedded Sandstone (Upper Estuarine Series), 397 *et seqq.*
- Cuspidaria gladius*, 638.
- Cwm Hirnant (Merioneth), Bala & Valentian of, 271-73 w. plan.
- Cwmere Group (Valentian), 274-78.
- Cyrtina*, 643 fig.
- Czekanowskia* (Upper Estuarine Series), 428-29 fig.
- Dachstein Dolomite, cxxv.
- DANIEL-PIDGEON Fund, list of recipients, xxxv: awarded to J. S. Turner, cxxvi.
- DAVID, Sir T. W. EDGEWORTH, exhibits photographs of Lipalian fossils fr. S. Australia, vi; exhibits *Girvanella*-nodules fr. Lr. Cambrian of W. Australia, cxxvii.
- DAVIES, A. M., 8; Lyell Medal awarded to, xlix-li; exhibits *Orbitoides* sp. (Upper Cretaceous), cxxiii.
- DAVIS, A. G., 236, 240.
- DAWKINS, Sir WILLIAM B., obituary of, lix-lx.
- Deep Soft Seam, *see* Derbyshire.
- Delphinulopsis binodosa*, 640.
- Dendera (Egypt), Plioc. deposits betw. Nagada and, 506-507; do. betw. Abydos and, 509; river-terraces betw. Nagada and, 529-31; do. betw. Abydos and, 532-33.
- Derbyshire (& Notts.), sequence of non-marine lamellibranchs in Coal Measures of, 77-108 figs. & pls. ix-x; Derbyshire Dome, &c., glacial geology of, 307-34 & pl. xix (map).
- Derwen Group (Valentian), 278-83 w. vert. sect.
- DEWEY, H., 381.
- Dibunophyllum* Zone in Central Mendips, 48.
- Dielasma* sp. (Rhætic), 644 & pl. xliv.
- 'Dioritic' rocks in Kentmere district, 29-30.
- DIX, (Miss) E., 78.
- DIXON, E. E. L., 221, 386-87, 609, 611-12, 622; receives Lyell Award for C. Edmonds, liv.
- DODD, C., obituary of, lxvi.
- Dolerites in N.W. Rhodesia, 123, 129-30.
- Dolomites (Western), structure of, cxxiii-cxxvi.
- Dolomitic lake-marl deposit in S. Australia, 619-20.
- Dominican Republic, *see* Hispaniola.
- DON, B. J. M., obituary of, lxvi.
- Donors to Library, lists of, xvi-xxii.
- DORLODOT, H. DE, obituary of, lviii-lviii.
- DOUGLAS J. A., resigns Secretaryship, xxvi; on a Marine Triassic Fauna from Eastern Persia, 624-49 figs. & pls. xlii-xlvi, 650.
- Dulcote Hill (Mendips), 72-73.
- Dun Crag (Westmorland), sect. to Buck Crag from, pl. v.
- Dunsil Seam, *see* Nottinghamshire.
- DWERYHOUSE, A. R., 356, 612.
- Eaker Hill (Mendips), inverted beds N. of, 52 w. sect.
- EARLE, K. W., 490-91.
- East Harptree Inlier (Mendips), 52-53.
- EASTWOOD, T., 107-108, 220-21, 609.
- Ebbor Complex (Mendips), 65-66; sect. through do., 62; map of do., 64.
- Eden, Lake (Glacial), 587, 589-90.
- Edenside, Eastern, &c., glaciation of, 549 *et seqq.* & pl. xxxiv (map).
- EDMONDS, C., award fr. Lyell Fund to, liv.
- EDWARDS, J. H., 218.
- EDWARDS, W. N., 437, 438.
- Election of Auditors, vi; of Council & Officers, xxvii; of Fellows, ii, iii-iv, vi, ix, x, cxxiii, cxxvi, cxxvii, cxxxv; of For. Members & For. Correspondents, cxxxv.
- ELLES, (Miss) G. L., 305.
- Emborough Complex (Central Mendips), sketch-map of, 50; E. Quarries, anomaly of dips explained, 60 fig.
- End-moraine of S. Wales, 335-58 fig. & pls. xx-xxi (maps).
- Enville Series, 170-88 figs.; Enville-Keuper unconformity, 184-86 fig.

- Eocene of W. Africa, lxxxvi-lxxxvii; (Upper) of Hants., horizons of Bryozoa in, 223-41 w. vert. sect.; Eocene of Jamacia, 448 *et seqq.*; Eocene shales & flags w. reversed dip at Silver Hill overfold, 451, 453 fig.; recumbent fold of Eoc. Mt. Hybla Beds, 454 fig.
- Eretmophyllum pubescens*, 435-36.
- Erratics (& drift) of Derbyshire Dome, 309-16; erratics of Oxford district, 359-88 figs. & pl. xxii (map).
- Esker, term defined, 573.
- Estimates for 1929, xxxvi-xxxvii.
- Estuarine Series (Upper) of Yorks., drifted plant-beds of, 389-439 figs.
- Eurypterids, appendages (?) of, vi.
- EVANS, D. C., 675.
- Farlam, Lake (Glacial), 587.
- Farm Hill area (Jamaica), Basal Complex in, 457-58, 485.
- Faulting (& folding) in Kentmere district, 30-36; faulting in district betw. Llanymawddwy & Llanuwchllyn, 288-92; in Abbey-Cwmhir district, 669-70; *see also* Tectonics.
- Fayûm (Egypt), specims. fr. lake-beds of, cxxviii-cxxix.
- FEAENSIDES, W. G., cxxxii-cxxxiii, 78, 106-107, 305.
- Fellows elected, ii, iii-iv, vi, ix, x, cxxiii, cxvii, cxxvii, cxxxv; names read out, i, cxxxv; number of, xi, xxiii-xxv.
- FENNER, C. N., elected For. Correspondent, cxxxv.
- FERMOR, L. L., cxxxiv, 649-50.
- Filicales in Upper Estuarine Series, 419-20.
- Finham Brook (Warwickshire), sect. across valley of, 214.
- FITCH, A. A. (& R. Murray-Hughes), on the Geology of part of North-Western Rhodesia, 109-63 figs. & pls. xi-xiv, 166.
- FLEET, W. F., 182, 185, 218, 220.
- Florida (U.S.A.), Upper Miocene land-bridge to Spain & North Africa, xcix-c.
- Fluvioglacial gravels of Kenilworth, 213-15 fig.
- Foel-y-Dinas Mudstones (Bala), 262-65.
- Folding (& faulting) in Kentmere district, 30-36; folding in district betw. Llanymawddwy & Llanuwchllyn, 286-88; in Abbey-Cwmhir district, 667-69; *see also* Tectonics.
- Foreign Members, list of, xxviii; elected, cxxxv; For. Correspondents, list of, xxix; elected, cxxxv.
- Foreset beds, use of term, 397.
- Fossils, pyritized & phosphatized, protective coverings for, iii; recent improvements in technique of examining fossils, iv-v.
- FRANCKENSTEIN, Baron G., unveils Sues Memorial Tablet, cxxxix, cxxxix-cxl.
- Friar's Oven (Mendips), 73, 74.
- Froswick Tuffs, 15-16.
- Furnace Coal, *see* Derbyshire.
- Fusain, format. of, cxix *et seqq.*
- Gabbro in N.W. Rhodesia, 123.
- GARDNER, (Miss) E. W., 546; on specimens fr. the lake-beds of the Fayûm, cxxviii-cxxix.
- Gala, *see* Tarannon.
- Garnedd-wen Beds (Upper), 265-74 figs.
- GARWOOD, E. J., 622; exhibits *Neulandia cf. frondosa* fr. Spitsbergen, cxxvii.
- Gebel el Gurn (Egypt), Plioc. deposits of district, 507-508; river-terraces *ibid.*, 531-32.
- Gelli-Grin Calcareous Ash Series (Bala), 255-56.
- Geltsdale, Lake (Glacial), 587-88.
- Gibbet Hill Group in Kenilworth district, 170, 173-77; constituents of G. H. Conglomerate, 190 *et seqq.*; W. derivation of do., 194-98 fig.
- GIBBS, F. L., 162.
- Ginkgoites huttoni*, 431-33 figs.; *G. scaburgensis* sp. nov., 433-35 figs.
- Girvanella* (Lr. Cambrian), cxxvii.
- Glacial (& other superficial) deposits of Kenilworth district, 203-18 figs.; glacial geology of Derbyshire Dome & western slopes of Southern Pennines, 307-34 & pl. xix (map).
- Glaciation in Oxford district, age of S. limit of, 359-88 figs. & pl. xxii (map); glaciation of Eastern Edenside, the Alston Block, & the Carlisle Plain, 549-612 fig. & pls. xxxii-xxxiv (maps).
- Glacial-lakes in Eastern Edenside, &c., 579-80, 536-600, 603-606.
- Glyn-Gower Sandstones (Bala), 253-54.
- Gneisses in N.W. Rhodesia, 115 *et seqq.*

- GORDON, (Mrs.) M. M. OGILVIE, on the Structure of the Western Dolomites, cxxiii-cxxvi.
- GORDON W. T., 438; elected Secretary, xxvii; obituary of B. J. Tully, lxxvii.
- Granodiorites & granulites of Jamaica, 477 *et seqq.* & pl. xxv.
- GRAY, C. E., 218.
- GRAY, K. WASHINGTON, 631.
- GREEN, J. F. N., 42, 43-44, 165; receives Lyell Award for E. O. Teale, liv-lv.
- Green River area (Jamacia), Basal Complex of, 453-57, 484-85.
- GREENLY, E., 76.
- GREGORY, J. W., cxxx, 164, 240, 355-56, 490, 545, 609, 649; re-elected President, xxvii; addresses to Medallists & recipients of Awards, xlv *et seqq.*; obituaries of deceased Fellows, &c., lvi-lxxvii; on the Geological History of the Atlantic Ocean, lxxviii-cxxii w. maps on p. cxviii; on the career of Eduard Suess, cxxxvi-cxxxix.
- Gristhorpe (Yorks.), map of coast betw. Cloughton and, 396; G. plant-bed contrasted w. Scalby plant-bed, 412, 413.
- Ground-moraine of maximum glaciation in Edenside, &c., 560-69.
- Haiti, *see* Hispaniola.
- Halt-stages in retreat of maximum glaciation in Eastern Edenside, &c., 590-600.
- Hampshire, horizons of Bryozoa in Upper Eocene of, 223-41 w. vert. sect.
- HARPER, S. J., cxli.
- Harter Fell Andesites, 16-17.
- Hayes Conglomerate of Jamaica, 462-63, 486.
- Hauz-i-Khan, Hauz-i-Panj, & Hauz-i-Sheikh, *see* Naiband.
- HAWKINS, H. L., 385-86.
- Helia hortensis*, range of, lxxiv, lxxv.
- HERRIES, R. S., resigns Treasurership, xxvi.
- Heterastridium conglobatum* var. nov., 646-47 & pl. xlv.
- HICKLING, G., cxxx-cxxxi.
- High Hazles Seam, *see* Nottinghamshire.
- HIGHAM, F., Petrographical Notes on Rocks from the Basal Complex of Jamaica, 476-90 & pl. xxv (microscope-sects.).
- Hipparion*, *see* Miocene (Upper) land-bridge.
- Hird Gill (Westmorland), sect. to Wrengill from, pl. v.
- Hirnant Beds (Bala), 265-74 figs.
- Hispaniola (W.I.), correlat. of rocks w. those of Jamaica, 468-70, 488.
- HOBLEY, C. W., 164-65.
- Hærnesia* sp. cf. *H. sturi*, 638-39.
- HOLGATE, H. W., 461.
- HOLLINGWORTH, S. E., 108, 562, 609.
- HOLTEDAHL, O., elected For. Correspondent, cxxxv.
- Homomya* (?) *sublariana*, 637.
- Hook Granite (N.W. Rhodesia), 134-51 figs.
- HOPKINS, W., 106.
- HORNE, J., obituary of, lx-lxxii.
- HORNE, W., obituary of, lxxi.
- Hornfelses, microgranulitic, in Jamaica, 481-82.
- HUME, W. F., 543, 545.
- Icelandic Transatlantic land, lxxiv-lxxv.
- ILLING, V. C., cxxxiii.
- Indopecten* subgen. nov., 632-33; *I. glabra* sp. nov., 635 & pls. xliii-xlv; *I. seinamensis*, 633-35 & pl. xlv; *I. subserraticosta*, 635.
- Interglacial gravels & sands of Kenilworth district, 206-13 figs.; interglacial period (first) in Eastern Edenside, &c., 559-60.
- Ireland - Newfoundland land - connexion, lxxvi-lxxviii.
- Irish-Sea Ice, end-moraine of, 340-44.
- Isostasy & the Atlantic Subsidence, cxvi-cxix.
- Iving Scar (Kentmere), rhyolites of, pl. iv.
- JACKSON, J. W., lxxv.
- Jamaica (B.W.I.), basal complex of, 440-92 figs. & pls. xxiii-xxv.
- JANISCH, (Miss) E. P., 437.
- JENNINGS, R. C., 631.
- JESSON, T., obituary of, lxxvi-lxxvii.
- JONES, F., 221.
- JONES, O. T., 268, 305-306, 356-58, 386, 675; on the History of the Yellowstone Cañon (Yellowstone National Park), U.S.A., vii-ix; on boring in Tawe Valley, xii-xiii.
- JOWETT, A. (& J. K. Charlesworth), on the Glacial Geology of the Derbyshire Dome & the Western Slopes of the Southern Pennines, 307-34 & pl. xix (map).

- Kafue (Pretoria) System in N.W. Rhodesia, 130-34.
- Kainozoic (Middle) shallow-water marine faunas of Antilles & Mediterranean, xciii-xcvi; *see also* Eocene, Pliocene, &c.
- Kalahari System in N.W. Rhodesia, 156-57.
- Kame, term defined, 573.
- Karrata, Lake (S. Australia), algal reef-formation at, 617-18 & pls. xl-xli.
- Karoo System in N.W. Rhodesia, 151-56.
- KENDALL, P. F., 356, 385, 437-38, 610-11.
- Kenilworth (Warwickshire), geology of country around, 167-222 figs. & pls. xvi-xvii; K. Breccia Group, 170, 177-79; 199-203; W. derivation of do., 194-98 fig.
- Kentmere, &c. (Westmorland), Borrowdale Volcanic Series in, 9-44 figs. & pls. iii-vi; K. Pike Rhyolites, 19-20; K. Hall, sect. to Wander Scar from, pl. v.
- Keuper of Kenilworth district, 188-89; K.-Enville unconformity *ibid.*, 184-86 fig.
- Kilburn Seam, *see* Derbyshire.
- KING, W. B. R., 218.
- Kingston district (Jamaica), Basal Complex of, 445-59 figs. & pls. xxiii-xxiv.
- KITCHIN, F. L., 78.
- KITTO, B., obituary of, l xv.
- Knapp Hill (Mendips), 67.
- Knowle Hill (Mendips), 73, 74.
- KNOWLES, Sir LEES, obituary of, l xv-lxvi.
- Konetta Head Station, *see* Biscuit Flat.
- Laccopteria* (Upper Estuarine Series), 419.
- Lamellibranchs (non-marine), sequence of, in Coal Measures of Notts. & Derbyshire, 77-108 figs. & pls. ix-x.
- Lamprophyres in Kentmere district, 29; in Jamaica, 478.
- Landslide above Roeken End, i-ii.
- Landstream-deltas, term defined, 579.
- LANG, W. D., 240.
- LAPWORTH, H., 675.
- Laterite in N.W. Rhodesia, 160-61.
- Lazaretto, Kingston Harbour (Jamaica), Basal Complex at, 459-60, 486.
- Leek-Wootton (Warwickshire), Carb. inlier, 187.
- Lepidomelane - hastingsite-granite, 147-49.
- Level-Bedded Series (Upper Estuarine Series), 397 *et seqq.*
- Library, annual report of Committee, xiv-xv; lists of Donors to, xvi-xxii.
- Lignanea Plain (Jamaica), sect. to St. Christopher's from, 448; sect. to Morce's Gap from, 452.
- Lillington (Warwickshire), sect. in Pratt's sand-pit, descr. & fig., 206-209.
- Lipalian fossils fr. S. Australia, vi.
- Lithothamnion*-like growths of Lake Karatta, 618, 620-21 & pls. xl-xli.
- Llandeilo volc. rocks of district betw. Llanymawddwy & Llanuwchllyn, 248-49.
- Llanuwchllyn (Merioneth), geology of district betw. Llanymawddwy and, 242-306 figs. & pl. xviii (map).
- Llanymawddwy (Merioneth), geology of district betw. Llanuwchllyn and, 242-306, figs. & pl. xviii (map).
- Llywy (Radnorshire), sect. to Beddugre Hill from, 662.
- Long Mead End Bed (Upper Barton), 235.
- Long Nab (Yorks.), sect. to middle of Scalby Wyke from, 400; washouts betw. L. N. & Scalby Ness, 402-403 figs.
- Long Sleddale, &c. (Westmorland), Borrowdale Volcanic Series in, 9-44 figs. & pls. iii-vi.
- Lovćenipora vinassai*, 646.
- Low Main Coal, *see* Derbyshire.
- Luangwa Beds (Karoo), 151-54.
- Luidi Tuff (N.W. Rhodesia), 134.
- Lunfuti Beds (Karoo), 154-56.
- Lusaka (Transvaal) System & associated dolerites in N.W. Rhodesia, 123-30 & pl. xiii; L. Limestone, breccia in, 124 & pl. xi.
- Luxor, *see* Nile Valley.
- Lyatt Hill (Mendips), 71.
- Lyell Medallists & recipients of L. Award, lists of, xxxii-xxxiii; L. Medal awarded to A. M. Davies, xlix-li; L. Fund awarded to C. Edmonds & E. O. Teale, liv-lv.
- MACMILLAN, W. H., 78.
- MCPHERSON, W., obituary of, l xvii.
- Mainbright Seam, *see* Nottinghamshire.

- Maps illustratg. geol. history of Atlantic Ocean, cxviii; showg. trend of principal axes of Devonian & pre-Bala folding in Kentmere district, 33; geol. map of the Troutbeck, Kentmere, & Long Sleddale valleys, pl. vi; map of Emborough Complex, 50; of Ebbor Complex, 64; geol. map of part of N.W. Rhodesia, pl. xv; map showg. distribution of pneumatolytic minerals in Hook Granite, 136; map of solid rock-formations of Kenilworth district, pl. xvi; map of superficial formations of the same area, pl. xvii; maps illustratg. change in interpretation of strata & faulting around Berkswell railway-station & Burton Green, 180; geol. map of area around Bwlch y Groes, 266; map of rock-groups in Nant Eiddew-fawr, 269; map of rock-groups in Cwm Hirnant, 271; illustratg. geology of district betw. Llanymawddwy & Llanuwchllyn, pl. xviii; map of British Isles showg. extent of Newer Drift, 336; map illustratg. Glacial retreat fr. western slopes of Southern Pennines, pl. xix; map illustratg. Extra-Glacial Lakes of S.W. Wales, pl. xx; map of end-moraine of Newer Drift of S. Wales, pl. xxi; topogr. map of Oxford district, 362; map illustratg. paths of the erratic rocks of the early Pleistocene glaciation in the southern part of England, pl. xxii; map of coast betw. Cloughton & Gristhorpe, 396; map of W. & S.W. areas of Basal Complex of Kingston district (Jamaica), pl. xxiii; of middle & E areas of do., pl. xxiv; maps showg. geol. struct. of country adjoining Nile Valley & Wadi Qena, 494, 518; topogr. map of country betw. Wadi Qena, Luxor, & Assiut, pl. xxvi; map illustratg. phenomena of retreat of main glaciation in E. & W. Allendale, 584; map illustratg. directions of ice-movement on the Alston Block & adjacent areas, pl. xxxii; map illustratg. Glacial deposits & phenomena of retreat of Scottish Re-advance Ice on the Carlisle Plain, pl. xxxiii; map illustratg. phenomena of retreat in Eastern Edenside, pl. xxxiv; map of part of S.E. coast of South Australia, pl. xxxv; geol. map of Naiband district, pl. xlii; of Abbey-Cwmhir district, pl. xlvi.
- Mardale Ill Bell (Westmorland), sect. to Stile End Pass from, pl. v.
- MARR, J. E., 42, 218.
- MATLEY, C. A., 356; on the Crater of Papandajan (Java), v-vi; Murchison Medal awarded to, xlvii-xlix; on the Basal Complex of Jamaica, with special reference to the Kingston District, 440-76 figs. & pls. xxiii-xxiv, 492.
- Matulla, Wadi (Egypt), Plio-Pleistocene of, 517.
- MAUFE, H. B., 162.
- MAWSON, Sir DOUGLAS, on some South Australian Algal Limestones: in Process of Formation, 613-22 & pls. xxxv-xli, 623.
- Mediterranean (& Antilles), Mid-Kainozoic shallow-water marine faunas of, xciii-xcvi.
- Megalodon rostratiforme*, 637-38.
- Mendips, Central (Somerset), geol. struct. of, 45-76 figs. & pls. vii-viii.
- Menhiot picroite erratic in Oxon., 364, 385, 387.
- Metamorphic rocks in Basal Complex of Jamaica, 479 *et seqq.*
- Microgranodiorites in Basal Complex of Jamaica, 478 *et seqq.*
- 'Millstone Grit' in Central Mendips, 49 *et seqq.*; M. G. appearing as a 'window' in the S.W. Syncline, 61, 62 fig.
- Milne Bank (N. Atlantic), lxxix.
- Milton Hill (Mendips), 66-67.
- Minette in N.W. Rhodesia, 151.
- Miocene (Upper) land-bridge from Florida to Spain & N. Africa, xcix-c.
- MITCHELL, G. H., on the Succession & Structure of the Borrowdale Volcanic Series in Troutbeck, Kentmere, & the Western Part of Long Sleddale (Westmorland), 9-43 figs. & pls. iii-vi, 44.
- Modiolaris* Zone (Coal Measures), sequence of non-marine faunas in, 85-89 figs., 93-97 figs., 99.
- Moelfryn Sandstones (Bala), 261.
- MONCKTON, H. W., 240.
- Monodonta* aff. *suprandosa*, 639-40 & pl. xlv.
- Montivaltia norica*, 645 & pl. xlvi.
- Moor Grit, 397 *et seqq.*
- Morce's Gap (Jamaica), sect. to Constant Spring from, 452.
- Mount Hybla Beds (Jamaica), 451 *et seqq.*, 453-54 figs.

- MURCHISON Medallists & recipients of M. Award, lists of, xxxi; M. Medal awarded to C. A. Matley, xlvii-xlix; M. Fund awarded to L. R. Cox, liii-liv.
- MURRAY - HUGHES, R. (& A. A. Fitch), on the Geology of Part of North-Western Rhodesia, 109-63 figs. & pls. xi-xiv.
- Mylonites in Jamaica, 478 *et seqq.*
- Myophoria seranensis*, 636; *M. verbeeki*, 636.
- Nagada (Egypt), Plioc. deposits betw. Dendera and, 506-507; river-terraces *ibid.*, 529-31.
- Naiadites*, occurrence of, 103-104; *N. spp.*, 90-91 figs.
- Naiband district (Persia), geol. struct. of, 626-27 & pl. xlii (map); Triassic fauna of, 627-28.
- Names of Fellows read out, i, cxxxv.
- Nan Bield Andesites, 14.
- Nangoma Quartzites (N.W. Rhodesia), 134.
- Nant Eiddew-fawr (Merioneth), Bala & Valentian of, 268-71 w. plan.
- Nant-hir Shales (Bala), 252-53.
- Neritopsis armata*, 640.
- Newfoundland - Ireland land - connexion, lxxvi-lxxviii.
- Newlandia cf. frondosa*, cxxvii.
- NICHOLAS, T. C., 44, 437.
- Nile Valley betw. Luxor & Assiut (& Wadi Qena), Plioc. & Pleistoc. deposits of, 493-548 figs. & pls. xxvi-xxxi.
- Nod Glas (Bala), 257-59.
- Non-marine lamellibranchs, sequence in Coal Measures of Nottinghamshire & Derbyshire, 77-108 figs. & pls. ix-x.
- North Africa (& Spain), Upper Miocene land-bridge from Florida to, xcix-c.
- North Hill Pericline (Mendips), 49-55 figs.
- Nottinghamshire (& Derbyshire), sequence of non-marine lamellibranchs in Coal Measures of, 77-108 figs. & pls. ix-x.
- Number of Fellows, &c., xi, xxxiii-xxv.
- Officers (& Council) elected, xxvii.
- Oliva-branderi* Zone (Upper Barton), 234-35.
- Olivine-basalts in Jamaica, 478.
- Oolitic limestone in Cattybrook cutting, 5 & pl. i.
- Opis aff. laubei*, 638.
- Orbitoides* sp. (Upper Cretaceous), cxxiii.
- Ose, term defined, 573.
- Outwash-moraines of maximum glaciation in Edenside, &c., 570-79.
- Ovalis* Zone (Coal Measures), sequence of non-marine faunas in, 79-85 figs., 98.
- Overflow-deltas, term defined, 579.
- OVERY, the Rev. C., 381, 384-85.
- OWEN, W. E., 218.
- OWER, L. H., 491-92, 623.
- Oxford district, erratic rocks & age of S. limit of glaciation in, 359-88 figs. & pl. xxii (map).
- Pagiophyllum* (Upper Estuarine Series), 421.
- Palaocardita buruca*, 637.
- Papandajan (Java), crater of, v-vi.
- Papine (Jamaica), schists, &c. of, 463.
- Pecten clignetti*, see *Indopecten*.
- Pegmatites in Swaziland System, 119, 120-21 figs.
- Pen Hill Pericline (Mendips), 55-60 figs.
- Pennine Escarpment, ground-moraine on, 562-64.
- Pennines (S.), glacial geology of western slopes of, 307-34 & pl. xix (map)
- Persia (E.), marine Triassic fauna from, 624-50 figs & pls. xlii-xlvi.
- PETRIE, Sir W. FLINDERS, 493, 543.
- Petroleum (& coal), formation of, cxxix-cxxxv.
- Phillipsii* Zone, sequence of non-marine faunas in, 97, 100-101.
- Pholadomya* Bed (Lr. Barton Beds), 227.
- PIDGEON, see DANIEL - PIDGEON Fund.
- Piper Seam, see Derbyshire.
- Plant - beds, drifted, in Upper Estuarine Series of Yorkshire, 389-439 figs.
- Plateau Drift in Oxford district, 359 *et seqq.*; sect. illustratg. its relationship to Boulder Clay outside the Cotteswold scarp & to the past and present river-profile, 370; age of P. D., 371-77.
- Pleistocene (early) age of Plateau Drift, 374-77; early Pleistoc. submergence, 377-81; Pleistoc. (& Pliocene) deposits of Wadi Qena & Nile Valley betw. Luxor & Assiut, 493-548 figs. & pls. xxvi-xxxi.

- Plio-Pleistocene times in Egypt, 516-20 w. map.
- Pliocene (& Pleistoc.) deposits of Wadi Qena & Nile Valley betw. Luxor & Assiut, 493-548 figs. & pls. xxvi-xxxii.
- Polyzoa, *see* Bryozoa.
- Pont Erwyd Stage (Valentian), 274-83 fig.
- Port Henderson Hills (Jamaica), sect. across, 458.
- Port Maria Conglomerate of Jamaica, 462.
- Porto Rico (W. I.), correlat. of rocks w. those of Jamaica, 470-72, 488-89.
- PRATT, T., 218.
- Pre-Bala unconformity in Kentmere district, 37-38.
- Pre-Cambrian, late, fossils fr. S. Australia, vi.
- PRELLER, C. S. DU RICHE, bequest to Geol. Soc., cxxvi.
- PRESTWICH Medallists, list of, cxxiv.
- Priddy Faults (Mendips), 53 *et seqq.*
- PRINGLE, J., 78.
- Promathildia* aff. *bittneri*, 640-41 & pl. xlv; *P. (?) jenningsi* sp. nov., 641 & pl. xlv; *P. cf. trochleata*, 640.
- Ptilophyllum* (Upper Estuarine Series), 420.
- PUGH, W. J., on the Geology of the District between Llanymawddwy & Llanuwchllyn (Merioneth), 242-305 figs. & pl. xviii (map), 306; communicates R. O. Roberts's paper, 651, 676.
- Pyroclastic rocks in Basal Complex of Jamaica, 479 *et seqq.*
- Qasab, Wadi (Egypt), Plioc. deposits of, 512-13; river-terraces of, 534.
- Qau (Egypt), Plioc. deposits betw. Sohag and, 514-15; Plioc. deposits of Q. 'Bay', 515-16; river-terraces betw. Akhmin & Qau 'Bay', 535; do. at Q. 'Bay', 536; fossil bones found at Q., 536-41.
- Qena, Wadi (& Nile Valley), Plioc. & Pleistoc. deposits of, 493-548 figs. & pls. xxvi-xxxii.
- Quartz - gilbertite - rock (Hook Granite), 140.
- Quartz - orthoclase - porphyry (Hook Granite), 139.
- Quartz-porphyry in Kentmere district, 28-29; in Basal Complex of Jamaica, 478 *et seqq.*
- Quartz-syenite & syenite (Hook Granite), 138-39.
- Quartz - syenodiorite, micrometric anal., 150.
- Quartz-tourmaline-rock in Swaziland System, 119, 122 fig.; do (Hook Granite), 140.
- Quartzites, Cambrian, in Kenilworth Breccia, &c., 190.
- Radford Semele (Warwickshire), well-section descr., 209, 211.
- RADLEY, E. G., [on Protective Coverings of Pyritized & Phosphatized Fossils], iii.
- Rafinesquina hirnantensis*, 305-306.
- Raibl Sandstones & Marls, cxxiv.
- Rainsborrow Crag (Kentmere), coarse tuffs of, pl. iv.
- Raised Beach of S. Wales, age of, 354.
- RASTALL, R. H., 363, 381.
- Ravenbeck, Lake (Glacial), 588-89.
- Red Vein & Abercwmiddaw Group (Bala), 259-62.
- REES, D. J., obituary of, lxvi.
- REYNOLDS, S. H., 45; (& Stanley Smith), on the Carboniferous Section at Cattybrook, near Bristol, 1-8 fig. & pls. i-ii.
- Rhaetic in E. Central Persia, 626 *et seqq.*
- Rhodesia, geology of part of N.W., 109-66 figs. & pls. xi-xv.
- Rhyolites in Borrowdale Volc. Series of Kentmere, &c., 15-16, 19-20, 26-28 & pl. iv.
- RICHARDSON, F. D. S., 649.
- RICHARDSON, L., 218.
- River-terraces of Kenilworth district, 215-16; correlat. of do. w. those of lower reaches of Warwickshire Avon, 217-18; river-terraces in Nile region, 520-36 fig.
- Robe, *see* South Australia.
- ROBERTS, J., cxxxi-cxxxii.
- ROBERTS, R. O., on the Geology of the District around Abbey-Cwmhir (Radnorshire), 651-75 figs. & pl. xvii (map).
- Rocken End (I. of Wight), landslide above, i-ii.
- Rodney Stoke (Mendips), 67.
- ROMANES, J., cxxxiii-cxxxiv; elected Auditor, vi.
- Rookham Fault (Mendips), 53, 55 *et seqq.*
- Rudyard Series of overflow-channels (Glacial), 322-27.

- St. Cassian Beds, cxxiv.
 St. Christopher's (Jamaica), sect. to Liguanea Plain from, 448.
 Sainthill Bank (N. Atlantic), lxxix.
 Salimone (Egypt), Plioc. deposits of, 515.
 SANDFORD, H. A., 381.
 SANDFORD, K. S., on the Erratic Rocks & the Age of the Southern Limit of Glaciation in the Oxford District, 359-84 figs. & pl. xxii (map), 387-88; on the Pliocene & Pleistocene Deposits of Wadi Qena & of the Nile Valley between Luxor & Assiut (Qau), 493-545 figs. & pls. xxvi-xxxi, 547-48.
 Santo Domingo, *see* Hispaniola.
Scalaria aff. elegans, 639 & pl. xlv.
 Scalby (Yorks), 393 *et seqq.*; S. Wyke, map showg. position of plant-bed, 398; sect. across do., 399; sect. fr. Long Nab to middle of S. Wyke, 400; washouts betw. Long Nab & Scalby Ness, 402-403 figs.; plant-bed of Scalby Wyke, 410; do. contrasted w. Gristhorpe plant-bed, 412-13.
 Scapolite, development of, 127 & pl. xiii, 145-47 figs.; scapolite-diorite or gabbro, 143-44 w. chem. anal.
 Scarborough (Yorks.), washouts in coast-section S. of, 404.
 'Scatter-diagrams' of Coal-Measure non-marine lamellibranchs, 82-83 figs., 95 fig.
 Schlern Dolomite, cxxiv.
 SCHUCHERT, C., elected For. Member, cxxxv.
 SCHWARZ, E. H. L., obituary of, lxi-lxiii.
 Scottish (early) glaciation, 558-60; Scottish re-advance glaciation, 600-602; recession of do., 602-606.
 'Sebakh', meaning of term, 502.
Selaginellites sp. (Upper Estuarine Series), 418.
Seminula Zone in Central Mendips, 48.
Serania seranensis, 638.
 Serge Island (Jamaica), Basal Complex at, 461-62, 486.
 Sericite - tourmaline - rock (Hook Granite), 140.
 Serpentine in Jamaica, 478 *et seqq.*
 Severn Series of overflow-channels (Glacial), 329-32.
 Shepton Mallet region (Somerset), inliers of, 69-70.
 SHOTTON, F. W., on the Geology of the Country around Kenilworth (Warwickshire), 167-220 figs. & pls. xvi-xvii, 221-22.
 SIBLY, T. F., 45.
 Silkstone Seam, *see* Derbyshire.
 Silver Hill Thrust (Jamaica), 451, 453-54 figs.
Similis-Pulchra Zone, sequence of non-marine faunas in, 89-93 figs., 97, 99-100.
 Slab House Fault (Mendips), 57 *et seqq.*
 SMITH, BERNARD, 546, 609-10.
 SMITH, STANLEY, 45; & S. H. Reynolds on the Carboniferous Section at Cattybrook, near Bristol, 1-8 fig. & pls. i-ii.
 SMITH, W. CAMPBELL, 162, 165-66, 492; re-elected Secretary, xxvii; receives Wollaston Award for R. Campbell, liii.
 Sodalite-syenite, 150 w. anal.
 Sohag (Egypt), Plioc. deposits betw. Baliana and, 511; do. betw. Qau and, 514; river-terraces *ibid.*, 535-36; do. betw. Baliana and, 534-35.
 SOLLAS, W. J., cxli, 381, 384.
 South Atlantic land, cvii-cix; S. A. islands, cix-cxi.
 South America, biological evidence of land-connexion of Africa and, lxxxvii-xciii; contrary evidence of do., xcvi-xcix.
 South Australia, algal limest. in process of formation in, 613-23 & pls. xxxv-xli.
 South Tyne (& other) glaciers, retreat of, 583-85 w. map.
 South Wales End-Moraine, 335-58 fig. & pls. xx-xxi (maps).
 South-Western Syncline (Mendips), 60-67 figs.
 Spain (& N. Africa), Upper Miocene land-bridge from Florida to, xcix-c.
 SPATH, L. F., on the Landslide above Rocken End (I. of W.), i-ii.
Sphenopteris (Upper Estuarine Series), 420.
 Spilites of Kentmere district, 29.
Spiriferina uncinata, 642-44 figs.; *S. walcotti*, 643 fig.
 STAUB, R., elected For. Correspondent, cxxxv.
Stephanocenia schajhæutli, 646.
 Stile End Pass (Westmorland), sect. to Mardale III Bell from, pl. v.
 Stoberry Inlier (Mendips), 67.
 STOCKLEY, G. M., 475.
 Stoke Series of overflow-channels (Glacial), 327-29.

- Stoneleigh Deer Park (Warwickshire), sect. in, 186.
- STRAHAN, Sir AUBREY, obituary of, lviii-lix.
- STUDT, F. E., 162.
- Stylophyllopsis lindströmi*, 645 & pl. xlv.
- Suess (E.) memorial tablet, cxxxv-cxli.
- Sutton (Notts.), Coal Measures in boring at, 93-97 figs.
- Swaziland Basement - Schists & Gneiss (in N.W. Rhodesia), 115-17; S. Gneiss in bed of Chongwe R., 117 & pl. xii.
- SWINNERTON, H. H., 78.
- Syringothyris* Zone in Central Mendips, 48.
- Tarannon or Gala Stage in Abbey-Cwmhir district, 654, 655, 663-65.
- Tawe Valley (Glamorgan), boring in, xii-xiii.
- TAYLOR, E. MACKENZIE, on Base Exchange & its Bearing on the Formation of Coal & Petroleum, cxxix-cxxx, cxxxiv-cxxxv.
- TEALE, E. O., award fr. Lyell Fund to, liv-lv.
- Tectonics of Kentmere district, 30-38; of Kenilworth district, 180 figs., 181-86 fig.; of district betw. Llanymawddwy & Llanuwchllyn, 286-93.
- Temnotropis* aff. *carinata*, 641-42.
- Terebratula gregaria*, 644 & pl. xlv.
- TERMIER, P., elected For. Member, cxxxv.
- Terquemia* aff. *cassiana*, 637 & pl. xlv.
- Tethys, North Atlantic basin of western, lxxviii-lxxx.
- Thamnastræa rectilamellosa*, 645-46 & pl. xlv.
- Thebes (Egypt), Plioc. sequence near, 505-506; river-terraces near, 527-29.
- Thecosmilia clathrata*, *Th. cyathophylloides*, & *Th. fenestrata*, 645.
- Thermal springs in N.W. Rhodesia, 159-60.
- THOMAS, HERBERT H., iii; obituary of Sir A. Strahan, lviii-lix.
- THOMAS, H. HAMSHAW, 437, 439.
- THOMPSON, L. A., 565.
- THOMSON, J. A., obituary of, lxiii-lxiv.
- Threshwaite Mouth (Troutbeck), volc. agglomerate west of, pl. iii.
- Tile Hill Marl Group in Kenilworth district, 170, 171-73.
- TILLEY, C. E., 620-21; receives Wollaston Medal for F. J. Becke, xlv-xlvii; exhibits metamorphic rocks fr. Co. Antrim, cxxiii.
- TING, V. K., elected For. Correspondent, cxxxv.
- Titwell Wood Inlier (Mendips), 72.
- Top Hard Seam, see Nottinghamshire.
- Topset beds defined, 397.
- Tourmaline-aplite (Hook Granite), 139-40.
- Tourmaline-granites (Hook Granite), 139.
- TRECHMANN, C. T., 106.
- TREVOR, T. G., 164.
- Triassic marine fauna fr. E. Persia, 624-50 figs. & pls. xlii-xlvi.
- TROTTER, F. M., on the Glaciation of Eastern Edenside, the Alston Block, & the Carlisle Plain, 549-609 fig. & pls. xxxii-xxxiv (maps), 612.
- Troutbeck, &c. (Westmorland), Borrowdale Volcanic Series in, 9-44 figs. & pls. iii-vi.
- TRUEMAN, A. E. (& S. G. Clift), on the Sequence of Non-Marine Lamellibranchs in the Coal Measures of Nottinghamshire & Derbyshire, 77-105 figs. & pls. ix-x, 108.
- Trust-Funds & Special Funds, statement of, xl-xliii.
- Tuffs in Borrowdale Volc. Series of Kentmere, &c., 15, 17-18, 22-24 & pls. iii-iv.
- TULLY, B. J., obituary of, lxvii.
- TURNER, J. S., award fr. Daniel-Pidgeon Fund to, cxxvi.
- Tupton Coal, see Derbyshire.
- 'Tyne Gap' area, ground-moraine in, 561-62.
- Ullstone Gill (Kentmere), flow-brecciated andesite in, pl. iii.
- ULRICH, E. O., elected For. Member, cxxxv.
- Unconformity, pre-Bala, in Kentmere district, 37-38; Enville-Keuper, in Kenilworth district, 184-86 fig.
- Undularia (Protocula) subpunctata*, 641.
- Valentian of Shelve-Longmynd area, xii; of district betw. Llanymawddwy & Llanuwchllyn, 274-86 figs.; in Abbey-Cwmhir district, 654 *et seq.*, 661-65.

- VAUGHAN, T. W., elected For. Member, cxxxv.
- Virgin Is. (W.I.) & Porto Rico, correlat. of rocks w. those of Jamaica, 470-72, 488-89.
- Voluta-suspensa* Zone (Middle Barton Beds), 227-28.
- Wadi Qena, *see* Qena.
- Walden Series of overflow-channels (Glacial), 321-22.
- WALTON, J., on Recent Improvements in the Technique of Examining Fossils, & their Bearing on the Nature of Fossilization, iv-v.
- Wander Scar (Westmorland), sect. to Kentmere Hall from, pl. v.
- Warwick, Carb. inlier, 187-88; sect. in brick-pit at, descr., 189.
- Washouts in Upper Estuarine Series, 401-405 figs.
- Waterloo Seam, *see* Nottinghamshire.
- WATTS, W. W., 42, 162, 221, 475, 490.
- WAYLAND, E. J., 166, 546-47.
- WELCH, F. B. A., on the Geological Structure of the Central Mendips, 45-76 figs. & pls. vii-viii.
- Wengen Beds, cxxiv.
- Wenlock Series in Abbey-Cwmhir district, 654 *et seqq.*, 666-67.
- West Africa, Eocene of, lxxxvi-lxxxvii.
- Westphalia Schists (Jamaica), 455.
- White Limestone of Jamaica, 447 *et seqq.*
- WHITTARD, W. F., on Valentian outcrop in Shelve-Longmynd area, xii.
- WILCOCKSON, W. H., 78.
- WILSON, G. V., 78.
- WIMAN, C., elected For. Correspondent, cxxxv.
- Windy Corner, *see* Rocken End.
- WOLLASTON Medallists & recipients of W. Award, lists of, xxx; W. Medal awarded to F. J. Becke, xlv-xlvii; W. Fund awarded to R. Campbell, liii.
- WOOD, G. S., 601.
- Woodloes (Warwickshire), Carb. inlier, 187.
- WOODWARD, Sir ARTHUR S., cxli; re-elected For. Sec., xxvii.
- Worminster Sleight (Mendips), 73; sect. to Chilcote Combe, pl. vii.
- Worthenia coronata*, 642.
- Wrengill Andesites, 20-22; sect. fr. Wrengill to Hird Gill, pl. v.
- WRIGHT, W. B., 381, 545.
- Yallahs (Upper) area of Jamaica, Basal Complex in, 451-53 figs. & sect. in pl. xxiv; granodiorites, &c. of, 483-84.
- Yons Nab (Yorks.), 404.
- Yorkshire, drifted plant-beds in Upper Estuarine Series of, 389-439 figs.
- Ystwyth Stage (Valentian), 283-86 figs.
- Zaphrentis* Zone in Central Mendips, 48.

END OF VOL. LXXXV

[December 31st, 1929.]